



SEE YOUR LOCAL HOBBY DEALER or order direct from OFFICIAL -send remittance plus 10% extra for postage & handling.

#### FROM THE RELIABILITY LEADERS

HI-REL LOGICTROL PROPORTIONAL RADIO CONTROL SYSTEMS

#### HI-REL XL-3 SYSTEM



This new HI-REL System from EK is ideal for beginners and for minisize airplanes. It's extra little and extra light on the budget. The XL-3 offers three controls — two are proportional and motor control is positionable. It has the same HI-REL features as the dynamic LOG-ICTROL III Mini-System. The complete system includes a single stick transmitter, 3 Mini-Mite servos, a 4.8 v.—500 MA/HR nickel-cadmium battery, receiver, and switching harness. Operation instructions are included. Complete system price is \$250 less charger and transmitter battery pack.


#### HI-REL DIGI-GHOST



The DIGI-GHOST uses the same HI-REL features found in the LOG-ICTROL III MINI-SYSTEM. A complete system includes transmitter, receiver, Rand actuator(s) 3.6 volt Nickel Cadmium battery, and switch harness. Charger and transmitter battery pack are not included. Two DIGI-GHOST models are available: The DG-1 (low rate) price is \$135-The DG-2 (high rate) price is \$180. The transmitter is equipped with a switch for low or high rate.

#### HI-REL LOGICTROL III

MINI-SYSTEM



50% smaller receiver — 40% smaller servos — 14½ ounce flying weight — 3-wire plug-in servo system — New Mini-Mite servo with dual linear outputs - 5/8" stroke, 4 lbs. thrust — New Plug-in receiver with important circuit refinements — Only receiver in the industry with double tuned front end with R.F. amplifier — Hi-impact polycarbonate thermoplastic receiver and servo cases — Smaller 2 wire battery allows operation when one cell is dead — Reliable open gimbal control stick (no neutral backlash) — Single or dual control stick transmitter with 5 or 7 controls

LOGICTROL 5 may be expanded to 7 controls

A complete LOGICTROL III MINI-SYSTEM includes: transmitter of your choice with integral 12 volt, 500 ma/hr. nickel-cadmium rechargeable power pack and dual function charger; receiver of your choice with 4.8 volt 500 ma/hr. nickel-cadmium rechargeable power pack; 4 Mini-Mite servos; a two-wire switch harness, A.C. charging cord and D.C. charging harness, all completely wired, ready to install. Operation instructions are included.

#### COMPLETE SYSTEM PRICES

Dual Stick, 5 Controls \$395 Dual Stick, 7 Controls \$445 Single Stick, 5 Controls \$420 Single Stick, 7 Controls \$470

ATTENTION
DEALERS & DISTRIBUTORS
Write now for our
liberal discount prices.



3233 W. EULESS

HURST, TEXAS 76053

817/283-4092

# SAVE WEEK-

WITH A SPARE NICKEL CADMIUM BATTERY

> COMPLETE FACTORY FRESH General Electric STOCK AVAILABLE

#### BUTTON CELLS WITH SOLDER LUGS

| Capacity (mals) | Type                          |
|-----------------|-------------------------------|
| 500             | 500RHL (high tate)\$2.10      |
| 450             | 450BL 225BHL high rate \$1.45 |
| 945             | 225BL low rate\$1.05          |

#### CYLINDRICAL CELLS WITH SOLDER LUGS

| Cupacity   | Typu             | Price                                  |
|------------|------------------|--|
| 500<br>600 | 5008CL<br>6008CL | Pencell \$2.10<br>Digitrle cell \$2.21 |
| 1200       | 1.28CL<br>1.25DL |  |
| LSDD       | 1.NMCL.          | "C" Cell                               |
| 4000       | LUSCL            | "D" cell\$6.00                         |

#### BATTERY PACKS

| Voltage    | Dimensions                   | Weight           | Capacity | Price   |
|------------|------------------------------|------------------|----------|---------|
| 3.6 Volts  | (High Rate)<br>igh 1.0" dia. | 1.3 cos.         | 225mah   | \$4.35  |
| 3 ft Volts | (High Rate)<br>igh 1,0" dia. | 2.8 62.          | soumah.  | \$7.00  |
| 4.8 Yolts  | 1.4" solt tup                | 3.9 62.          | dustant  | \$9.85  |
| 8.4 Volts  | 16,0 & 3.6 τ<br>1.4°         | tapsi<br>7.8 oz. | 600 mah  | 819.95  |
| 6 Volts (  | 3,0 & 1,2 v.                 | tapsi<br>4.9 og  | Bunmah   | \$13.95 |
| In Valla   | /Ingitrio-4 Pa               | 9,0 oz.          | Güümah   | \$19.96 |
| Subt       | ract 10% for                 | AMA or           | R/C memb | ers     |

Orders under \$15,00 add 50c, over add \$1,00 for pestage and handling. All packages sent 1st class mail for safety and speed.

Hundreds of other sizes available — cells and batteries — with us if you don't see what you want.

#### Nationally Distribtued by

POWER INCORPORATED



**DEPT. 168** 12809 EAGLE RIDGE DRIVE **BURNSVILLE, MINN. 55378** 

## american aircraft

VOLUME 67, NUMBER 1

**JULY 1968** 

THE COVER: The Travel Air R, with fantastic performance for 1929, was painted in authentic colors by Bjorn Karlstrom. Such well-known pilots as Frank Hawks and Jimmy Doolittle made it especially famous.

#### WILLIAM J. WINTER - EDITOR AND PUBLISHER

Edward C. Sweeney, Jr., Associate Editor

Herry E. Harps, Assistant Editor

Sally Barry, Production Editor

| Articles:                             |       |         |        |        |       |     |    |
|---------------------------------------|-------|---------|--------|--------|-------|-----|----|
| RUSSIAN SPACE PROGRAM, G. Harry Stin  | e     | -       |        | ~      | ~     | *   | 16 |
| THE PA-6, Bob Baron                   | +     | -       | -      | *      |       |     | 20 |
| THE WONDERFUL RYAN S-C, Paul R. Matt  |       | *       | *      |        | +     | *   | 23 |
| THE COMPROMISE, Bud Atkinson -        | *     | *       |        | -      | ~     | •   | 26 |
| ON THE COAST, Jerry Nelson            | *     | *       | ٠      | ^      | ٠     | F   | 41 |
| Features:                             |       |         |        |        |       |     |    |
| MODEL WORLD - ON THE INTERNATIONAL    | SCE   | NE      | -      | 4.     | **    |     | 13 |
| RADIO CONTROL WORLD, Howard McEnte    |       |         |        | 14     |       | *   | 28 |
| HEATHKIT DIGITAL 5 PROPO OUTFIT -     | *     | *       | *      |        |       |     | 32 |
| COUNTDOWN, G. Harry Stine · ·         | +     | *       | *      |        |       | in: | 38 |
| SCALE TECHNIQUES FOR THE PLASTIC MOD  | ELER  | , John  | N. T   | owns   | ey    | *   | 39 |
| SKETCHBOOK, H. A. Thomas              |       |         |        |        |       | ×   | 40 |
| GETTING STARTED IN R/C, Howard McEnte | e     | -       | *      | +      | *     | +   | 58 |
| Academy of Model Aeronautics:         |       |         |        |        |       |     |    |
| REGIONAL YOUTH CONTEST                | *     | 14      |        |        |       | -   | 43 |
| AMA STATUS REPORT                     | 100   |         | 78     | ~      | -     | *   | 44 |
| NATS NOTES, R/C DISTANCE RECORD       | (4)   | ~       |        |        |       | *   | 45 |
| OFFICER DIRECTORY, CONTEST CALEN      | DAR   | -       | +.     |        | -     | *   | 46 |
| National Association of Rocketry:     |       |         |        |        |       |     |    |
| MODEL ROCKETEER                       | +     | -       | *      | *      | *     | la) | 48 |
| Departments:                          |       |         |        |        |       |     |    |
| EDITORIAL - STRAIGHT AND LEV          | EL, W | /illian | 1 J. W | finter | -     | 5   |    |
| A. M. REVIEWS, Stanley M. Uland       | off.  | *       | *      | *      |       | 8   |    |
| YOU SAID IT - LETTERS TO THE          | EDIT  | OR      |        |        | 10    | 0   |    |
| NEW PRODUCTS CHECK LIST - 34          |       | ASSIF   | ED A   | DVERT  | ISING |     | 74 |
| QUALITY HOBBY SHO                     | OPS   | 10.     | 74     |        |       |     |    |

Published monthly Potomac Aviation Publications, Inc., 1012 Fourteenth Street, N. W., Washington, D. C. 20005. William J. Winter, Publisher; Gordon G. Crowder, Vice President and Treasurer; Edward C. Sweeney, Jr., Secretary; American Aircraft Muscler Business Manager, Norman J. Ward.

#### ADVERTISING MANAGER: NORMAN J. WARD 1012 14th St., N. W., Woshington, D. C. 20005 (202) 737-4288

Midwest Advertising Representative: G. S. Anderson & Associates, 4621 Grand Ave., Western Springs, Illinois 60558. Tel. (312) 245-2847

Western Advertising Representative: Asron D. Viller Associates, 5311 Venice Blvd., Los Angeles, California Esilis. Tel: (213) 939-1181

California Maila: Tel: (213) 939-1181

Subscription Balla: Is U.S., Possessima and Canada, I Year, \$6.00; 2 Years, \$11.00; 3 Years, \$15.00. Elisewhere, Es for me pair. Payable in advance. Single copies, 60 cents. Six weeks are required for change of address. In ordering a change, write to American Aircraft Modeler, 1012 Fourteenth Street, N. W., Washington, D. C. 20005. Give both new and old address as printed on last label.

We cannot accept responsibility for unselficited manuscripts me artwork. Any material autumitted must include return postage. When writing the editors address letters: Editorial Office, American Aircraft Modeler, 1012 Fourteenth Street, N. W., Washington, D. C. 20005.

Second class postage paid at Washington, D. C. and at additional mailing offices.

Potomac Aviation Publications, Inc. 1968. All rights reserved. Printed in the U. S. A.

Postmaster: Send Form 3579 to American Aircraft Modeler,

1012 Fourteenth St., N. W., Washington, D. C. 20005.

Announcing a new Digital Control System for full performance and total reliability. Available now on all 15 R/C frequencies – 27, 50 and 72 MHz.

## SIMUL LOGIC SEVEN



#### **Features**

- System is fully wired
- Ready to install & fly
- Complete noise immunity
- Powerful transmitter one watt input to the final amplifier
- Triple-tuned RF amplifier uses a field effect transistor

COMPLETE SEVEN CHANNEL SYSTEM, INCLUDING TRANSMITTER, RECEIVER, FOUR SERVOS, BATTERIES AND CHARGER:

\$298.95

Our Free Brochure Gives a Full Description plus Performance Data and Servo Selection Information.

| 1     | MPANY    | CC  | ERINC | ENGINE   | CONTROLS |       |  |
|-------|----------|-----|-------|----------|----------|-------|--|
|       | Division | ems | Syst  | Guidance | ronic    | Elec  |  |
| 08004 | v Joreov | May | ALIPA | in Woodl | Avenu    | Green |  |

Send me your FREE brochure.

My check/money order for a SIMUL LOGIC SEVEN at \$298.95 is enclosed.

NAME \_\_

STREET

CITY

CTATE

ZIP

New James residents add 2% Soles Toy to the phone purchase price.





In Canada model airplane building leads all the way, and rock collecting is, shall we say, on the rocks.

IN the bold type above this line in February, the question was asked: Would you believe that for every two boys between 12 and 15 years of age who build model airplanes, one prefers rock collecting? The editorial reported on a survey conducted by the Young Catholic Messenger, a school magazine with a circulation of 650,000. If rock collecting is competitive, we had concluded, the challenge is obvious.

Before us is a copy of Canada Boy (the Boy Scout Magazine for all Boys), a copy of a survey that publication made in Canada, and a letter from George Bourne, Assistant Editor.

"You may be pleased, and reassured somewhat, by the fact that far higher percentage of boys in Canada—among our third of a million readers particularly—build and fly model airplanes," states Mr. Bourne. He lifts these figures: Of boys 10 and younger, 19.6% build flying models; for 11 to 13, it is 24.9%; and among those 14 and older, 16.5%.

"In all," continues Bourne, "80% of our replying readers build models of some kind. And nearly 60% of the builders show a preference for modern airplanes, while historical aircraft were also notably popular.

"This same, earlier report placed Canadian rock collecting far below the interest level of model airplanes. The birdmen showed up at 43% compared to 20% for the rockhounds! Stamp collecting came n close second to model aircraft, at 41% . . . figures also seem to indicate that the model aircraft enthusiasts are leaving the devotees of rocks, records (music), and railroads way behind." The Canada Boy dropped their Rockhound column. Interest fell off abruptly in 1966 and 1967.

Are Canadian boys different from American boys? We doubt it. Would Boy Scouts build where model airplanes per capita than the whole broad spectrum of school kids—remember, Catholic Messenger is a school magazine? If Boys' Life (U.S. scouting) ran such a survey, one might anticipate a roughly comparable situation. A few months from now, it might be expected, we probably shall have the opportunity of reporting Boys' Life statistics on rock collecting, and model airplanes! And, before we forget it, the typical boy responding to Canada Boy's survey has a weekly income of \$2.73, about \$142.00 annually—not much more than half of that for his American counterpart.

It should be stated that things are booming in the model airplane business. And, not only R/C. Three of the largest manufacturers told us within the last few days that volume is up from 20% to 50%. And, these are people who were crying the blues when the slot mania

cooled off. It is nice to see these people back on earth. The bread and butter of this business was, is, and always will be, the model airplane, and if this last brutal lesson hasn't driven home the facts of life, we don't deserve this good fortune.

How kids will jump at model airplanes, if given the chance, is dramatically demonstrated by the skyrocket success of the AMA Delta Dart. Headquarters has knowledge of 10,000 kits moved. By summertime this figure will stand at 50,000. Some 20,000 are required for AMA-Navy Nats promotion. The Aero Club of Washington, with AMA advice, requires 4,000 for their program in that city alone. These will go out through the Washington's Recreation Department. Additional thousands are being marketed by Sig—for example, the Tulsa Glue Dobbers sold 1500 at the Oklahoma State Fair. Delta Darts were distributed at the National Science Teachers Association Annual Convention in Washington. Eight-thousand teachers attended.

But what of the follow-up? What happens after a kid has assembled and flown a Delta Dart in one of these programs? Probably zilch! He needs progressive followon projects and help. Always help and advice. It must always be fun - sorry you experts - and he must be insured of success. Eventually, he can run on his own steam. Why can't industry, somebody, anybody, at least provide a cheap pamphlet, perhaps called, "How to Build and Fly Model Airplanes," or "This is Model Airplane Building." The booklet would be a birdseye view of what the field is all about, what kind of models and products exist, and where to get them. For the most part, these kids - many of them underprivileged - are not yet exposed to the magazines, if they can afford them. And if they do buy them, what does a 10-year-old do with articles on Galloping Ghost and Digital Full

THE hobby industry, and especially his many friends within the magazine circle, were saddened by the passing of Walter McBride on March 22. Walt was advertising manager of this magazine until it was moved to Washington. He was a long-time friend and associate of your publisher. Starting with Street & Smith, publishers of Air Trails (now American Aircraft Modeler) in 1938, he continued with Conde Nast, in New York, who purchased S & S, and was active on Air Progress and other magazines. He was the boy next door, a fellow modeler, a school companion. He was our best man — many good years ago. We shall leave his praise to others. They don't come any better.









RECEIVER TRANSMITTER

Complete Single Chi DIGITAL Propertie

Reg-



50

895



Order-By-Mail From America's HOBBY CENTER, 146T

West 22nd St., New York, N.Y. 10011

#### Aeronautica

#### **NEW AND ANTIQUARIAM AVIATION PUBLICATIONS** THE CALER ILLUSTRATED SERIES

THE ART CHESTER STORY. John Underwood. Compete account of this famous air-racing personality, Many photos, 3-views. Fascingling biography of an outstanding builder/pilot. \$2.95

Ing biography of an obstacement obstacles processes and the first Jinksens Ju 88 A-5 & A-4. Heinz Ji Nowarra. Author Nowarra served as a group feader with the Junkers factory during WW 11. Feathered are mare than III photos, full-folor made drawings, by J. Crandall, unit markings, and a cutaway drawing Great for modelers and enthusiasts.

The John William Continuists of the State of

Ings are details.

MARSEILLE, STAR OF AFRICA. Heinz I Nowarra I 15.51 instery

I a famous Luftwaffe pilot. Huge selection to belotes, including
Marsaille and his aircraft. Messerschmitts, Junkers, Rommel, tanks
popposing aircraft. including ummu actual color photos. \$1.35

opposing aiccraft. Including mmm actual color photos. \$1.95

UNITED STATES CAMOUFLAGE WW 13. J. Frank Dial. As securing publication dealing with the application and colors of U.S. Wwill aircraft Featured are 20 actual color chips and direct quotations from official directives, as well as diagrams. \$1%" x IN% \$3.00

PANZERKAMPPWAGEN V PANTHER by Walter I. Spielberger. Blast, THE book on the panther tank and its related tamily of whicks. Jagpanther and Bergepaner Panther. Detailed study by noised German armor authority Approximately [10] photos, plus four full color illustrations. A must for AFV enthushasts \$3.35

Available from better hobby stores, or order direct
THE GEE SEE STORY. Charles G. Mandraka. Comprehensive history of the Gee Beas and the men who designed and itse them. More than 70 excellent illustrations and 3-view drawings. 132 pp. \$8.50

AN EPITOME OF THE WORK OF THE ARRONAUTER SOUGHET VENUS.

than 70 excellent illustrations and 3-wise drawings. 132 pp. \$8.50
AN EPITOME OF THE WORK OF THE ARROMABITIC SOCIETY Duy.
1908 to Dec. 19091. Records of the Society's activation in New York City. Text and many photos of very early aircraft. 40 pp. \$2.25
THE BROWN RACER. Plans for "Miss Los Angeles." approved by
L. W. Brown, and now reprinted by John W. Baler. 1" to 1" scale.
rubber powered.
\$1.50

THE ARRO SERIES. Excellent continuent series of high quality, yet low-cost publications for modelers, enthusiasts, and collectors. Each volume contains scale drawings, many photos, markings and collectors. Each volume contains acale drawings, many photos, markings and collectors. And informative test. VOL. 1 Me 109 VOL. 2 Mana-Jima KI-84 (FRANK): VOL. 19. P-40. VOL. 8 MEINEE RE 162: VOL. 5 BOEING P.12, F-48: VOL. 6 P-47: VOL. 7 KAMINEE RE 162: VOL. 15 BOEING P.12, F-48: VOL. 14. Me 1981: VOL. 15. P-51: VOL. 17. Me 163: Each \$3.00

THE SERIES. SIMILER IN FORMAT FOR THE ARRO Series, each volume consents of descriptive test, 4 pages of full-color drawings, and man PADZERS (MM. 10 MM. V "PANTHER") VOL. 2. THE GERMAN PANZERS (MM. 10 MM. V "PANTHER") VOL. 5. STURMARTILLERIE (Part 1): VOL. 4. STURMARTILLERIE (Part 1): VOL. 6. ARMOR ME THE MILLIAM FRONT, VOL. 7. HALBKETTENEAHRZEUGE; VOL. 8. ARMOR IN THE WESTERN DESERT

THE WESTERN DESERT

YAR U. S. AIR FORCE IN MUMIN. R. F. Fotrell. The official
USAF history of the Korean War. 1950-53. A measurable documentary which includes Ace lists, maps. 220 photos. Special \$3.75 MARKINGS AND CAMMUTLAGE SYSTEMS OF THE LUFTWAFFE AIR-CRAFT IN WW II. Kari Ries. Classic works! Feature bundleds of illus-trations and photos, some im color, showing markings. insignas-emblems and codes. Vol. I, Vol. II, Vol. III. Each.

THE SOVIET HIS FORCE, Asher Lee Historical work on Russian aviation, covering IES Russian Civil War, Spanish Civil War, WW II. Korean War, and later, Illustrated with photos. \$5.95 WW II, Korean War, and later, Illustrated with photos. \$3,95 Olary Dr. A CANADIAN FIGHTER PLIOT, W. Large WW II to combat liying from Diappe to the author's final scramble. Bears. \$7,50 WE'LL SAY GOODBYE. Rare account all the 307th Bombardward Group, printed in Australia during 1945. Pictures markings, personal insignias, and many secretif photos. Covers lide and times, appelances of the group. A collector's ident. \$18,50 THE ZEPPELIN IN COMBAT, Dr. D. Robinson. Revised and updated classic, personing German view of airship operations from prigor librough the etil of WW I. Photos, maps, diagrams. \$9,50

origin through the end of WW I Photos, maps, diagrams 39,30 BUILDING REROPLANS FOR "THOSE MEASUREFICENT MEN".

A is Wheeler A behind the scenes look at the Fandacic mount of those manual through the second second through the second movie movie may anecdote concerning the trials and tribulations in producing and flying vietage aircraft. 50 ohotos and sketches, as well as pilot's descriptions of the often heir-raising flights \$2.95

MODEL BUILDERS AND ENTHUSIASTS. Seed 25 cto our complete. Illustrated catalog of model airplane plans, decais, supplies, and publications such as Morgao, Putnam Harleyford, Aero Frydge Enterprises. Hoffman, Maedonald, and many more REE enthusiasts. We carry many amonord fighting which publications and Popula and Profile in addition, we have huge back-issue stocks of American Modeler, Model Airplane Nees, Air Trads, Flying Aces, Aeromodeliar as well as the eviation "pulgs."

FREE WITH ALL ORDERS: Our new revised 35 mags catalog supplemental sheets: Lists hundreds at new and used amblicat and modeling supplies.

and modeling supplies.

HILLOW COMBAT AIRPLANES, C. G. Grey, Enlire history of air weapons from 1914-1942. Detailed analysis of WW I smill with the control of the control

WINGED MARS and THE HIR WEAPON (combination offer) \$10.00 HOUR SHOWROOM! Location near Burbank air termeal.
Hours: Salurday, 10.6. Week days, by advente appointment.
PLEASE ORDER BY ITEM DESCRIPTION. MAKE CHECKS
E MONEY ORDERS PAYABLE TO: John W Caler.
MINIMUM ORDER: \$3.00 CALIF, RESIDENTS ADD 5%





The Mad Major, by Major Christopher Draper, D.S.C., 231 pgs. \$4.50. Published by Aeronautica, John W. Caler, 7506 Clybourn, Sun Valley, Calif.

THIS is an autobiography of a "gay cavalier of the air." Christopher Draper was known as the Mad Major for his daring flight under the Tower Bridge in 1931 and for the still more spectacular exploit in May 1953 when, at the age of 61, he flew under 15 bridges. The latter was a gesture to draw public attention to the Over 45's Assoc., a group formed to find employment for men in the higher-age brackets.

Draper obtained his pilot's license in October 1913, and held it for nearly 50 years. In World War I he wen the D.S.C. In the Second World War he enlisted at 47, and continued with the same dare-devilry.

Between the wars he undertook a wide variety of jobs - as lecturer, salesman and actor. His stage career lasted 12 years and included a 54-week run at the Hippodrome. He was also a secret agent. He often was at odds with civil and military authority.

Christopher Draper tells his fascinating story with rare good humor.



The Lockheed Constellation, by Terry Morgan, 64 pgs.; The B-58 Hustler, by Douglas H. Robinson, 64 pgs.; The Boeing 767, by Barry J. Schiff, 80 pgs. Each booklet \$2.95. By Arco Publishing Co. Inc. 219 Park Ave. South, N. Y.

THESE 81/2" x 11" semi-stiff-covered books are part of Len Morgan's Famous Aircraft Series. They feature large clear photographs of aircraft with scale drawings and easy reading narratives that make the

technical data more understandable. In The Lockheed Constellation, Terry Morgan, using non-technical language, writes about the famous Connie. Taking the comments of the pilots who flew the Constellation he explains the popularity of this aircraft. The photographs show the Constellation is flown by airlines, and as a military aircraft.

In writing The B-58 Hustler, Robinson obtained the assistance of the Department of Defense and the Strategic Air Command.

General Thomas S. Power of this Command considered the B-58 Hustler Bomber as one of the best strategic weapon systems in existence." In discussing the strategic bomber, Robinson explains the concept of supersonic flight and explores the future use of manned machines as weapons of defense in the age of missiles and electronic

In The Boeing 707, Barry J. Schiff, drawing from his own experience as a Boeing 707 pilot for Trans World Airlines, tells the story of this aircraft's development, testing and airline career. The reader feels he is riding along in the cockpit as he describes a typical run across the United States, explaining in detail the complexities of modern high-speed transport. The book is profusely illustrated with photographs of the 707 and with excellent scale drawings.

With Prejudice, by Lord Tedder, 718 pgs., \$10. By Little, Brown and Company, 60 East 42nd St. New York, N.Y.

"I mean to record the course of events as I saw them. I shall be as objective as I feel it possible to be, but I have no intention of departing, for any reason, from my own honest opinion as to events and personalities. So often, people make great play about being completely unprejudiced. Frankly, I am completely prejudiced.

Thus, Lord Tedder G.C.B., Marshal of the Royal Air Force and Deputy Supreme Commander of the Allied Expeditionary Force, prefaces his memoirs of the European War from 1939 to the end. Rather than writing history using the impersonal method - the method rightly adopted by official historians and based on official documents and records - Lord Tedder chooses the personal approach. His concept of air power as a vital force in warfare went beyond those of generals and admirals and other air marshals whose horizons were limited,

Lord Tedder's With Prejudice is an illuminating history of the Second World War. His writing makes it enjoyable reading.

Kookaburra Historic Aircraft Books. Each \$1.95. By Kookaburra Technical Publications, Australia. Distributed by World War I Aero Bookshop, Box 142, West Roxbury, Mass.

THIS is a series of semi-hard covered booklets, varying from 26 to 30 pages, covering famous aircraft throughout the world. Each book, written by an authority ms the subject, contains a concise but thorough history of the aircraft, its camouflage and marking schemes, the technical details and all the pertinent statistical data. Printed on fine paper and profusely illustrated with action photographs and clearly detailed scale drawings, these books should be extremely useful for the modeler and aviation fan.

Some of the titles in this series: Westland F 37/35 Whirlwind, by Bruce Robertson; Wirraway and Boomerang Markings, by

Geoffrey Pentland; Lockheed P-38 Lightning, by Roy Cross; Messerschmitt Me 262 (2 parts), by Kenneth A. Merrick; Commonwealth Boomerang, by Goeffrey Pentland; Sopwith Snipe, by A. Shennan; Albatros Scouts, by Charles Schoedel; Focke-Wulf FW190 (2 parts), by G. G. Pentland; land and A. Shennan; Warplanes of the RAAF, by the Kookaburra Staff; Markings of the Aces Part 1 - 8th U.S. Air Force, by Theodore R. Bennett.

The British Rigid Airship 1908-1931, by Robin Higham, 427 pgs., \$9. By Aeronautica, John W. Caler, 7506 Clybourn Avenue, Sun Valley, Calif.

IN this detailed study of the British rigid airship, Dr. Higham reviews the factors affecting British aeronautical policy-making in the years 1908 to 1931. He tells the story of the rigid airship from its origin and traces its development through World War I and the years following.

Interesting photographs and diagrams, and an extensive bibliography.



Racing Planes and Air Races, by Reed Kinert, Volumes I, II and III, each 96 pgs. Each volume \$3. By Aero Publish-Inc., 329 Aviation Road, Fallbrook, Calif.

THIS series presents a history with a collection of photographs and drawings of the famous air races. Beginning with the first International Air Meet at Reims, France in 1909, the author, a former racing pilot, recounts in these paperbacks, the events of each important race up to the present time. He describes the planetypes, names, engines, horsepower, wing span, length, weight, speed, time and personalities who participated in the races.

Vol. I (1909-1923) contains the First International Air Meet of 1909; the James Gordon Bennet Cup Races of 1910, 1911, 1912, 1913 and 1920; the Schneider Trophy Races of 1913, 1914, 1920, 1921, 1922 and 1923; and Trophy Races of 1920, 1921, the Pulitzer

1922 and 1923.

Vol. II (1924-1931) includes the Pulitzer Trophy Races of 1924 and 1925; the Schneider Trophy Races of 1925, 1926, 1927, 1929 and 1931; and the National Air Races of 1926, 1927, 1928, 1929, 1930 and 1931. Also capsule biographies of James Harold Doolittle and Alford Joseph Williams.

Vol. III (1932-1939) contains the National Air Races of 1932, 1933, 1934, 1935, 1936, 1937, 1938 and 1939; and short biographies of Ben Odell Howard, Stephen Wittman and Roscoe Turner.

A fourth volume, with races from 1939 to 1967, is scheduled for publication soon.

These interesting accounts together with the photographs and scale drawings make an important reference aid.

Continued on page 68









#### If Navy drops the Nats

Just a few comments regarding your editorial on possible dropping of Nats by

Contest modeling is a highly specialized activity engaged in by a relatively small number of people, many of whom are pros or semi-pros. It tends to be a semi-closed group with little effort to recruit new members. The constantly recurring idea of providing "new" events for "simple" models to attract newcomers, is totally ineffective.

Since only a small percentage of modelers belong to the AMA, it does little for the average modeler. This might best be restated to read: Because AMA does little for the average modeler, only a small percentage of them belong to it.

In many respects, the Nationals represent the peak of AMA's activities—a symbol of AMA. To the small group of AMA members who participate in them, they are great. Many non-AMA types think they are a waste of time and money, and an exercise in futility. To me they are a symbol of AMA's failure to understand what model building is all about, what its potential could be.

If the Navy drops the Nationals it could be the best thing that ever happened to model building and flying in the U.S. if it shakes up AMA to revise their activities drastically.

Many of the problems facing modeling in general (and contest modeling as well) are social. They will not be solved by the time-honored AMA approach of juggling minor technological aspects of model aircraft in the vain hope of hitting some magical formula that will suddenly popularize model building and flying.

Bill Roose, Waterloe, Ontario, Canada Opinions expressed by readers are not necessarily those of the editor, or of this magazine. To our certain knowledge AMA has many programs going with important civic groups. No doubt rebuttal letters will appear here by the September issue.

#### He likes

I enjoy your magazine very much. Glad AMA and your magazine worked out this present coverage, with the American Aircraft Modeler as the AMA magazine.

Bennie Bodiford, Jr. Columbus, Ga.

#### We appreciate

After carefully reading your editorial in the January, 1968 issue, I am inclined to comment that your magazine is now quite "stuffy."

Prior to the merger of the official AMA publication and your magazine, there was much ballyhoo about expanded coverage of all model events. About the only expanded coverage that I have been aware of is the R/C coverage. Control-line, free flight, rat race, speed, etc. are woefully neglected for the same old R/C articles that appear in the "other" R/C publication.

Remember all those sad laments about the "vanishing junior?" Juniors are vanishing because magazines offer in inspiration to in junior.

Are all other aspects of modeling to be sacrificed to R/C? Must control-line and free flight be pushed to the rear for "commercial modeling?" Are the ready-to-fly jobs the thing of the future? I so, modeling will surely die.

Please consider this letter as constructive criticism and not w "crank" letter. I realize that yours is w thankless task, but this is the first time that I have ever written your magazine after reading it since the early 1950's.

Robert R. Burns, Chattanooga, Tenn. Thank you for taking such an interest in our magazine. We are striving to expand coverage as rapidly as possible. Ed.

#### Harry Stine and the

I would like to say: thanks to G, Harry Stine and the NAR. They provide many good, fact-filled articles helpful in the field of model rocketry. Keep up the good work.

Ken Montanya, Butler, N. J.

#### The exciting Neutrino

I am 15 years old and have only been flying R/C planes for a year and a half. I built and flew the Skylark, Falcon and Schoolmaster, plus a few others. But I was never so excited as I am about the Neutrino, which you published. I'm the only one at our field with one and everyone likes it. It was quite a challenge to build and fly.



My parents tried to talk me out of getting the plans because the plane so different from the others, but they were thrilled when I took it up the first time. It flies beautifully! I've had 13 flights and like it better each time I fly it.

Enclosed is a picture of me and my

Ron Palmer, Colonia, N. J.

#### Dad and R/C club helped

Was interested in your January, 1968 Straight and Level article because I have faced the same problems of trying to get into modeling.

I have been in the modeling hobby for about four years and I am going into my second year of R/C.

One thing I believe retarding youth modeling is price and work needed. I have averaged about \$4 per rubber model. Many kids buy a wood model and glue. When they get home, they find this isn't all that's needed. Often they won't have the money for dope and hardware and become dis-

Continued m page 74





#### **SPECIFICATIONS**

WING SPAN: 49" WING CHORD: 8" WING AREA: 388 SQ. IN. LENGTH: 36" FLYING WEIGHT: 3 LBS. 12 OZS. (including R/C gear)

near-scale appearance and roomy design appeal to the advanced.

All parts preformed and die-cut. Wing and stabilizer have foam cores. Servo rails and fuel tank mount are installed in vacuum-formed, high impact, reinforced fuselage. Simply epoxy the wing halves together . . . bolt landing gear to fuselage . . . add engine with radial mount . . . then cowl. Hinge rudder and elevators . . . paint and trim. Attach tail group and wing . . . fuel up and you're ready to soar.

\*Does not include engine or wheels.



DU-BRO PRODI

1641 Milespikes Avenue - Miles Illinois frii M



## German lad created this monster in the kitchen—glue, hammer, saw


Heinrich Metzdorf, a 20-year-old R/Cer from Trier, Germany, spent hours in his mother's kitchen with "saw, hammer, and glue pot" to turn aut this 15 m. in, twin-engined monster. Powered by engines of unknown size, it is hand-launched without its undercarriage, and lands upon a skid. It flies only in calm weather. Small letters under the wing, probably in readable in the small reproduction here, indicate Heinrich in a member of the R/C Club, Welschbilling. Described in probably the largest model airplane ever built it is, believe it or not, many feet smaller than some of the projects which keep showing up. Ben Tarnofsky's 45-lb., 12 footer, for example, was pictured in May R/C World.

### At the Nuremberg Toy Fair—special area for model airplane exhibits

The world-famous Nuremberg Toy Fair (West Germany) included this year a separate section where manufacturers of model airplane equipment had their displays. There, as m Toledo, Chicago. the MATS in California, the trade met and exchanged information. In this photo of the Wik Models booth—that is Wilfred Klinger—Ed Kirman holds Klinger's "Dirigent 6," and the young lady displays the firm's new multi-channel design called "Johnny." The radio equipment is original Kraft—though the case, antenna, etc. quite different. With its side-mounted engine, Johnny might be described loosely as a summer between a deBolt Jenny and Das Ugly Stik. Tail surfaces and strip ailerons have scalloped vintage edges.







## Shoot-out—out of town by sundown said the Birds to the Valley Fliers

Top: Come back with my ribbon, cries Limbo judge as Larry Leonard climbs out with it firmly hooked on his wing after maccessful inverted pass. Limbo and Spin were the two events of this unique contest held at Los Angeles' Sepulveda Basin, which resulted when the Long Beach Birds challenged the Valley Fliers for the "Top Ranch" trophy—a plastic cowboy on an engraved base. In Spin, the flyer had three minutes in which to put on prop handed him by judge, start, gain altitude, execute spins, land, and return prop to judge. For each second over limit, he was penalized one turn of spin. Limbo was flown under paper tape 12 feet up, one point upright, two inverted, five passes. On fly-off tape lowered to seven feet. Birds won, 45 to 42. Right: Frank Capan and Boror Faber did gag quick draw. Totals: Capan's Fliers 160 to Birds 77.



## Simprop glimpse. Control of quality is a fetish of modern R/C producers

Left: The Simprop factory in Germany is quite busy producing their fine Digital radio control systems which range from two- to seven-channel units. They make their own serves, control sticks, and cases for transmitters, receivers, and batteries by injection mouldings. As a system Simprop is electronically similar to the U.S. designs but is physically larger than our newest and smallest. As many as seven IF stages are used in the German receivers since there are so many very adjacent frequencies used for model purposes. This means ultra sharp receiver-transmitter tuning. This equipmen was flown by Fritz Bosch at the Corsica Radio Control World Championships last year and by many other contestants as well. Of particular interest is the "human engineering" applied to the design and physical layout of the transmitter. Transmitter is held by sliding one's whole hand through the padded handles on each side of the case and placing one's thumb on top of the control sticks. From this position the transmitter stays comfortably and solidly in one's hands and the thumb has command of trim and extra channel functions.




Italian slope soaring championship to a magnet steerer

Above: Egidio Lince, holding his No. 2 model, used both ships to win the recent Italian Slope Soaring Championship. This was, perhaps, the first important title was by an electro-magnetic steering model. To win, Lince solved a tough problem. When FAI dropped the A/2 formula in favor of unlimited-size model, many slope flyers favored bigger models. From the aerodynamic point of view they assuperior, and they stay longer in the timekeeper's sight. Unfortunately, the limited power of magnets then presented many steering problems. The many slope fans investigated of the magnet only to close a circuit to an electric motor to drive the rudder, Mr. Lince alone in this development, but his win proved it.










#### Peanut scale fun contests please old and young alike

Originated by the Bridgeport, Conn. Flying Aces club, this fun event also is the rage on the west coast. It is for tiny models like the "good-old-days" 10c kits. Accent in on simplicity and good flying, rather than fidelity to scale. Max permitted span is 13 in., minimum, in, Motive power in rubber bands, judging three-flight average. High times in 30-second range. Left, above: Bill Hannan's 1929 General Aristocrat, contrasted with peanut for size. Center: Same ship posed 5% in, film package. Right: Eight-year-

old Ken Hannan made Walt Mooney-designed Miles M 18 with a peanut for the pilot. One Southern California Peanut Scale meet produced Fokker Triplane. Bristol biplane, Fokker D-7, a Curtiss Swift. At far left is the home-made trophy—seen at Southern Cal meet—featuring the Golden Peanut. The novelty of the event may account for its growing support, for fun of course, but it is felt that the youngest junior, as well as busiest adult, can easily participate with minimum investment in time and materials.



The complete Vostok spacecraft as it was displayed in Moscow in May 1965. Note vernier-thruster nozzles and top-stage engine nozzle. Shown here in orbital configuration, it may be compared to drawing.



# THE TRUTH ABOUT THE BUSINESSIAN SPACE PROGRAM

G. HARRY STINE

Photography CTK, Space Business Daily, G. Harry Stine

EXCEPT for the obvious, well-documented results of the Soviet Union's space program in the past decade, there has been a shroud of secrecy around the actual vehicles, techniques, and equipment used by the Soviets to accomplish the numerous "firsts" in astronautics. Tass, the Soviet news agency, has never been reticent about announcing every Soviet space achievement it has occurred, and Sovfoto has released numerous pictures of the Sputniks, Kosmos, Luniks, and other satellites and space probes. As a result of this secrecy, a tremendous amount of speculation about the Soviet space program has been carried out in Europe and the United States. Some Soviet space watchers, myself included, have continued to keep a quiet archive, awaiting the day when enough information became available to piece together a logical, unemotional, solidly based historical story of the Soviet space program.

In 1967, the year of the 50th Anniversary of the October Revolution and the Anniversary of the launching of Sputnik I, this shroud of secrecy was lifted by the Soviets. As of this writing, the shroud is almost completely gone, allowing us to determine exactly how the Soviets did in.

So much data is now being released rapidly that it is quite difficult to keep with it all.

What stands revealed is a space program characterized by decades of supporting research and development, long-term planning, constantly increasing support, and excellent engineering.

This is confirmed by the unveiling of the standard Soviet space launch vehicle—"carrier rocket," in their terminology—at the Paris Air Show held at le Bourget May 1967. At the same time, the Soviets revealed details of the rocket engines used power their vehicles. This has been followed in by additional photographic and motion picture film releases from Tass and Sovfoto, well as from the Czech agency (CTK). This evidence, in turn, confirms the fact that the Soviets developed and used a large launch vehicle during the first decade of the Space Age.

The standard Soviet space launch vehicle is undoubtedly the original T-3 This conjecture is supported by the early 1957 flight history of the T-3 ICBM announced by the Soviets and revealed by our long-range Turkish-based tracking radars.

Briefly, the history of the Soviet space





Vostok and its carrier rocket before launch. Hold-down arms grasp forward booster attach points. Two umbitical towers swing back in lift-off. The vans are rail cars. Base of carrier rests below launch pad.

Standard Soviet space carrier rocket with Vostok spacecraft, Strap-on boosters and hammerhead configuration of sustainer was visible. The unfaired hatch in nose shroud is for cosmonaut entry-egress.

Shrouded in secrecy until now, actual vehicles, techniques, and equipment are authoratively described by our rocketry editor who just returned from a fact-finding European tour.

program goes back to 1903, the year of publication of the initial works of Konstantin E. Tsiolkovski dealing with the of multi-staged rocket-propelled space vehicles. In 1919, the first Soviet rocket research laboratory, the Leningrad Gas Dynamics Laboratory (LENGIRD) established. The Soviets and flying their first liquid-propellant sounding rockets in the 1930's. They received a windfall (as we did) in 1945 with the capture of the German rocket research center Peene-munde, the German A4 (V-2) assembly factory, Mittelwerk, Nordhausen, and several hundred German A4 rocket production and the engineers. The USA got von Braun's design and development team. By 1949, most of these German rocket engineers had been returned to Germany by the Soviets, who had, in the meantime, cranked-up the A4 production line again. Several improved versions of the A4 were developed by the Soviets. But, by and large, their rocket development work remained their own; they learned from the Germans and then modified their own developments from this teaching.

We was lay to was forever the fallacy that the Soviet space program was German origin and execution. Facts longer will support this notion.

Both the Soviet Union and the United

#### SOVIET RD-107 ROCKET ENGINE

(Data from Soviet display, Paris Alr Show, Le Bourget, May 26, 1967, and Spaceflight magazine, Vol. 9, No. 10, October 1967.)

Type: Liquid-propellant, multi-chamber, turbopump fed.

Thrust in vacuum: 102 t (228,480 lbs.)

Vocuum specific impulse: 314 lb.-sec/lb.

Chamber pressure: atmospheres (885 lbs, per sq. in.)

Propellants: Liquid oxygen and hydrocarbon (kerosene?)

Configuration: Four main thrust chambers and two vernier chambers, regeneratively-cooled, supplied by single turbo-pump.


Turbo-pump details: Single shaft. Doublesided tOX pump. Single-sided fuel pump. Centrifugal type. Driven by gas generator, in turn fed by smaller centrifugal pump. Gas generator apparently driven by decomposition of hydrogen peroxide.

Injector design: Welded construction singleplate injector in each chamber.

Thrust chamber materials: External walls apparently steel, Internal chamber walls high copper allay.







Interior of Voskhod 1 cabin shows viewport between the feet of the command pilot and simple instrument panel. Cabin heavily padded. Quite a contrast to the instrument and control panels of the U.S. Gemini.

Umbilical connector and shroud connecting the Vostok command module to service module positioned so as not to penetrate ablative heat shield. The 1:16 model on display London Kensington Science Museum. RD-107 rocket engine has four main thrust chambers and two vernier chambers, supplied with Lox and kerosene by a single turbo-pump. The main chamber at left was cut away to show internal features.

CHART I

#### SOVIET SPACE CARRIER ROCKET DATA

(From Soviet display, Paris Air Show, Le Bourget, May 28, 1967, and from various published sources.)

Length overall: meters (124.678 ft.) Digmeter \_\_\_\_ fins: 10.3 meters (33.794 ft.) Sustainer length: III meters (91.868 ft.) Maximum diameter of sustainer: 2.95 meters (9.679 ft.)

Length of boosters: 19 meters (62,339 ft.) Maximum diameter of boosters: I meters (9.843 ft.)

Top stage length over nose fairing: 10 meters (32.81 ft.)

Maximum diameter, top stage: 2.58 meters

Nominal Vastak weight, including pilot: 4725 kilograms (10,400 lbs.)

Total thrust, liftoff: 950,000 lbs.

Total thrust, vacuum: 1,150,000 lbs.

Estimated weights:

375,000 lbs. Propellants in 4 boosters: Propellants in sustainer: 240,000 lbs. Propellants in top stage: 32,000 lbs. Total propellants: 647.000 Illia. 10,400 lbs. Vostok spacecraft: Empty vehicle: 61,400 lbs. Total empty weight: 71,800 lbs. Uftoff weight: 718,800 lbs. States started serious design studies of a nuclear-tipped ICBM at about the same time. The USA demurred from building the very large rocket vehicle that would have been required to carry the bulky and heavy nuclear and thermonuclear warheads of 1950-1952. The Soviets went ahead and built the kind of big rocket it would take m deliver such a heavy warhead over intercontinental was We waited until the "thermonuclear breakthrough" of 1953 permitted smaller TN warheads and therefore smaller ICBM's of the size of the Atlas SM-65. By 1957, the Soviets found themselves with a very large rocket capable of carrying very heavy payloads over both ICBM range and into orbit.

Based on the data filed with the FAI in Paris for the Soviet manned flight records, we believed that the Soviets had developed some very large liquid propel-lant rocket engines. The Soviet data submitted to FAI clearly states that the launch vehicle was powered by six rocket engines. To achieve the payload orbiting capability announced by the Soviets, this meant that the rocket engines would have to see large.

In US terminology, a rocket engine is single combustion chamber with a single turbo-pump supplying its propellants. There have been exceptions to this, namely the RMI XLR-11 four-chambered "Black Betsy" that powered the Bell X-1, the Convair MX-774, the Douglas D-558-2, and the early version of the X-15.

But, to the Soviet engineers, a rocket engine was one or more combustion chambers linked together to be supplied by a single turbo-pump. This follows the same logic that terms ■ V8 automobile engine as an engine, although it may have eight separately acting combustion cylinders; a

V8 automobile is not powered by eight separate engines, by definition.

This glaring difference in rocket terminology which caused some observers to conclude that the Soviets were either lying, or had big combustion chambers available, was resolved when the standard Soviet space vehicle and displayed at Paris. According to Soviet terminology, this launch rocket does indeed have six rocket engines follows:


Four main thrust chambers and two vernier chambers with a single turbopump in each of four strap-on boosters. This is known me the RD-107 rocket engine. Four main thrust chambers and four vernier chambers with single turbopump in the central sustainer core, known as the RD-108 rocket engine. A single thrust chamber and four vernier chambers with a single turbo-pump in the top stage. This engine designation is unknown, but may be the RD-119.

Totals: four boosters, one sustainer, one top stage. Six rocket engines in all, Soviet style, and six turbo-pumps.


In operation, the Soviet carrier rocket is Continued on page 48




Top stage of standard carrier rocket as displayed | Paris Air Show in 1961. Basic top stage was added to sustainer-booster vehicle in 1959-1960 to raise the orbital capability to more than 10,000 lbs. Capability at that date was impressive.



Arrangement of the 20 main thrust chambers of the standard Soviet space carrier rocket en clearly shown here, as it prepared for display . Paris Air Show. Rocket is robustly constructed for handling and erection.



This drawing of the Soviet carrier rocket and the Vostok spacecraft is accurate according to data released on or before January 28, 1968.



A PRECISION AEROBATIC AIRPLANE

## The PA-6

Cleverly blended design factors—notably engine/prop combination—make this a truly great stunt design.

#### BOB BARON

MY first thought in designing this plane to use the maximum allowable line length of 70 ft. and to take advantage of the lower drag of .015 lines for engines of 40 and below displacement. Together with a flying speed below 60 mph, the apparent (angular) speed would be quite slow. The important trim parameters — leadout sweep, center of gravity, tip weight, and handle width — were to be made easily adjustable on the field to facilitate trimming.

Several features incorporated reduce the physical effort of flying to the minimum. The wing was to be very rigid and to hold its airfoil, which led to all sheet wing. Ease of maintenance and everyday handling were considered desirable assets. Most important, the prop (10-4) would be of relatively low pitch so as not to stall under loads, and the corresponding high rpm would use most of the available horsepower of present engines.

The resulting 50-oz, ship flies at mph on 70-ft, lines and can flown through every corner with no tendency to yaw or roll. The pull is moderate but very steady throughout the maneuvers. The flying speed is very nearly constant due the low-pitch prop not stalling, as does the traditional 10-6. In the wind the low pitch tends to brake the plane. This minimizes the vicious whipping tendency that gives





Sleek is the word! Displayed by its designer, PA-6 shows compactly cowled nose, flowed-in canopy, and smooth surface of sheeted wing.

stunt flyers the jitters. A balanced elevator, together with a proper CG, handle, and control setup, reduces the physical effort at the handle, over a conventional arrangement.

The sheet wing (13.5 oz.) weighs less than the equivalent capstripped D-tube. A table of weights is provided the builder can guide himself toward a finished weight of no more than 50 oz. Extruded nylon bearings were used in the hinges to eliminate a frequent trouble spot. A fiber-glass cowling and strong front end minimize the usual deterioration of the nose. This plane has a useful life of around 2,000 flights, after which most flyers would be quite tired of it anyway.

The tank is readily removable, since when permanently installed, it will no doubt leak due to "Murphy's Law." Aluminum plates in the bearers keep them from crushing with age. The finish and dope, filled and colored, followed by epoxy paint. The epoxy paint has amazing resistance to fuel, and frequently the author takes ten straight flights without bothering to clean the ship. A stooge takes care of the dirty work, as no one would launch a

plane that filthy.

The choice of wood is vital if the weight is to be kept below 50 oz. Wood of five- to seven-pound density will give the weights listed on the table. Wood ordered directly from Sig with a request for medium-soft will be adequate. The solid flap and empennage are actually lighter than a built up surface, since the finish weighs over an open surface than a closed one. Glue is the real culprit in the weight department. For curiosity, weigh all the ribs in a stunt wing, then hollow them and check again. It's hardly worth the effort.

Building can be greatly speeded by assembling all components (wing, tail, fuselage) as completely as possible separately. The fuselage in particular is built quickly by tack-gluing the blocks and sanding everything to shape without the wing, tail, and tank vents being in the way. After this is done, the blocks and underwing cut-outs are removed and the wing, tail, and gear can be installed leaving relatively little construction to be done.

The wing planking is spliced chordwise as shown for a specific reason. The three pieces as shown make it possible to glue the planking with little danger of it popping up after the job is completed. First glue the trailing edge sheet and leading edge stringer with the spar in place, but not glued. Before the glue sets thoroughly. steam the wing straight as possible. When you are satisfied with the alignment, glue the main spar. Install controls and continue with the center piece. After each sheet is in place smear each rib with glue where it meets the planking to prevent the sheet from separating from the ribs. Do not substitute 146 sheet for the 34 planking. m is makes the job too critical. Do all sanding with a block to prevent sagging between the ribs. Sand only enough smooth the seams. The inboard tip sanded and hollowed should weigh and outboard should weight 1.00 ounce. The fixed tip weight is .50 ounce giving .75 ounce of tip weight to start. The additional .25 to .50 ounce needed is put in the tube as determined by test

#### TABLE OF WEIGHTS

- 13.5 Wing unfinished ready to install com-
- 3.0° Tail assembly including controls and
- 2.0 Tenk
- .75 Three 1% diameter Williams Bros. Scale wheels
- 2.0 Veco 2" spinner
- 8.5 Super-Tigre .35 BB
- .5 Prop
- Fuselage completely sanded with blocks left solid with all formers and mounts installed
- Assembly of components and installation of controls, fillets
  - .5 Fiber-glass cowling
- 8.0 Finish from bare wood
- 48.75 oz.

#### Finish:

- .5 two thinned clear on bare wood
- 2.5 paper covering + three thinned clear
- 3.0 coat of given mixture
- #.0 two coats of hobbypaxy color
- 8.0

\*½ oz. too heavy here means 112 man of nose weight!

It is imperative that epoxy glue be used for the engine bearer-doubler, nose gear mount-bearer, wing-fuselage, and main gear-fuselage joints, well as all horn and hinge mount installations, if the airplane is to last for a reasonable time. The entire engine-tank compartment must be given two coats of fiber-glass resin directly over the bare wood.

The finish was two thinned coats of clear on the bare wood, covered with Silkspan, three thinned coats of clear. Then spray on one coat of a mixture of equal volumes of clear, thinner, talcum powder, and color. This last step should add no more than three ounces when sanded properly, yet will fill all the grain. Finish the ritual with two coats of Hobbypoxy color applied with an airbrush, not a gun.

A few words in order on the engine. The usual plain-bearing stunt engine has neither the power nor strength to run repeatedly at the 15,000 rpms required by the 10-4 prop. The Super Tigre 35 BB combat mill, model G21/35, with restricter installed, shows no tendency to overheat the high rpms and low airspeed of this design. In addition, it is operating comfortably below its maximum output on a very mild fuel of 75% methanol and 25% castor oil. No shaft extension is used, as this is only a source of additional vibration.

Props must be carefully balanced to prevent excessive wear on both engine and plane. The Tigre starts very quickly when hot, whereas many stunt engines simply will not start until they have cooled. This characteristic makes it possible to fly seven patterns an hour when practicing hard for a meet. This engine is particularly nasty when new, but after a gallon of fuel is run through in five-minute periods on a 10-4 it becomes relatively docile.

Proper trimming is essential to the success of any stunter. Our CG is very near the aerodynamic center of the wing which means that inertial and not aerodynamic forces are those principally overcome to initiate a maneuver. My handle is 2.5 inches in line width with the control system shown and the lines are .015 x 70 ft. as measured from center-of-plane to center-of-handle. It is very strongly suggested that the CG and control system be used exactly as shown and that individual preferences in feel he adjusted with handle line width only.

Continued on page 68



Provision of extra leadout bushings permits fine adjustments. Play line rake and tip weight until ship does not yaw me sharp corners.



Engine-tank compartment given two coats fiberglass resin. Tank removable. Super Tigre 35 combat engine permits 15,000 on 10-4.



## The Wonderful R

A trend setter that looks as modern today as it did 30 years ago.

#### PAUL R. MATT

Photos / Ryan and Historical Aviation Album

SHE was a beautiful ship, just beautiful and fig. too you knew it was a trend setter, and those few that 🚃 still flying look just as modern and at home today they did vears ago." So stated a pilot recently who had considerable years ago." So stated a pilot recently who had considerable time on the Ryan S-C shortly before WW II and for a couple of years after. To this we can add that the S-C mee more than trend setter in its class; it was the first truly successful private plane to pioneer the all-metal, low-wing, enclosed-cabin concept. A plane that had everything going for it if a nasty war had not intervened and halted production.

T. Claude Ryan envisioned the S-C (Sport Cabin) in 1936. Later, in a resume about its development, he expressed his hopes,

intentions and requirements.

"The plane was planned from the first preliminary drawing as a production job," he stated. "We wanted to develop # type of construction so simple and so practical that it would lend itself to efficient manufacture in much larger quantities than had been customary in the past.

"Aircraft designers have for years toyed with the idea of airplanes stamped all at once in one huge press, or poured out of some synthetic material in single molding operation. somehow fabricated as to avoid the tedious hand fitting of limitless numbers of small parts. We believe that in the development of the S-C we approached this ideal of the one-piece airplane.


"It is a much more difficult assignment to simplify a structure than to 'complexify' it," he went on, "We feel it (the S-C) is the most simply manufactured metal airplane and the most adaptable of any yet developed to an efficient production machine."


Ryan achieved the classic S-C through two years of extensive study, experiment and ingenuity. Every part, with few exceptions, was either a flat sheet or a drop-hammer stamping. Flat sheets were marked and drilled from steel master templates, while stamped sheets were formed from dies which accurately reproduced a given part exactly over and over again. The only major compound curves were in the engine cowling, wheel pents and fairings. Nearly 90% of the structure and covering was of one gauge aluminum - 24ST.

In producing the S-C = full-scale plaster model was built first. Once the shape was finalized, lines were transferred from the plaster mock-up directly to metal by means of progressive steps. Shells were built around the fuselage model | bulkhead points and at compound curve areas. Plaster casts were then made and,



The 145-hp Warner-powered Ryan S-C prototype flies over San Diego Bay shortly after conversion from in-lined configuration.





from these female castings, master male plaster casts were made.

The plaster patterns were used to make sand molds into which was poured molten zinc metal, thus forming one half of the die. The "punch" or female half of the die was made by pouring lead directly over the zinc die. The complete S-C was built up of Ittle more than 200 individual sets of dies from which all the essential parts of the plane's structure was formed.

The wing structure was greatly simplified and its construction of great interest. Again, the precision of the drop-hammer die-stamping process was utilized. The wing featured the monospar principle and each panel was attached to the fuselage by three taper bolts. The spar did not run as one unit throughout the span. This metal "monocoque spar," as it was termed, was a Ryan patented development.

In reality, the spar embodied approximately the full forward-third portion of the wing. This nose portion was assembled a single unit with major stresses carried by the outer skin. It was further stiffened by the nose ribs and single vertical webs located about one-third of the chord. Thus, the entire forward portion of the wing formed a light but strong tapered box spar.

The master spar swept back from root to tip about 1½ degrees due partially to the 3-degree washout in the wing, to gain added structural strength — the wing thinned near the tip, and to retain the correct airfoil shape. This method of construction is known today as the "D" tube spar and is used on the popular Mooney.

The wings were formed and assembled in one continuous operation in a master jig. The trailing portion was cantilever ribbed. From root to aileron, ribs were built up from drop-hammer formed cap strips and simple diagonal members. The outer ribs were stamped in one piece. Final assembly was completed on the master wing panel jig to assure alignment. The entire S-C was completely assembled and aligned on but three main jigs.

These processes may seem commonplace today and in many and old fashioned. However, in 1938'37 such utilization of metal in a low-cost, private light plane was a great advance in aircraft design and construction. For its simple construction the S-C was beautifully streamlined and efficient. It quickly gained a reputation as just about the classiest private plane of its day.


The Ryan was a remarkable plane, highly maneuverable, responsive to the controls under all conditions, yet stable enough to be flown hands off. Careful choice and use of the right airfoil provided a stable center of pressure which made the natural center of gravity coincide with the center of pressure throughout the wing. Tests showed the wing as near perfectly balanced and free from flutter under all conditions as possible. Stalls were mild, the nose dropping only slightly below the horizon and aileron control was positive throughout. Forced loops and spins were possible with the S-C's but they were placarded against any violent maneuver. They were not intended as aerobatic machines.

Development of the S-C was based on the popular acceptance of the model ST low-wing open-cockpit training plane and interests expressed by dealers and owners for a companion cabin model. Engineering was placed under the direction of Millard Boyd and Will von der Meer who previously designed the ST. The mock-up was built during the spring of 1937 and the flying prototype completed by mid-summer.

Continued on page 60




Warner 145-hp radial proved more reliable, rugged, easier to maintain. Only 12 S-CW's built before military contracts interfered.



Access to the Warner engine was simplified by automobile hood type cowling, shown in opened position here on the prototype S-CW.



Test pilot John Fornasero runs up the engine for first flight in early 1937. The design called for 95- to 150-hp Menasco engines.



July 1968

#### Are mid-wings better?

## The Compromise

A unique concept in an ordinary looking R/C airplane polishes performance. For 45's to 61's.

#### **BUD ATKINSON**

IT we R/Cers must be conformists because our competition birds are in a rut. Over the past three we four years they have all looked, and performed, about the same. The competition multi airplane has become a low-wing Taurus, Candy. Beachcomber, or Kwik-Fli, or a variation of the same. All are good competition machines, of course. But there cannot be ultimate end in design. There should, and will, be new and different methods for obtaining high-performance in an R/C airplane. With this is mind, we present the Compromise, a high-performance, easy-to-construct, pattern-competition airplane, much different from the run-of-the-mill low winger.

In my association with the old Class II for the past several years many things have been learned about lateral stability, which such an airplane must possess. This is the main, controlling factor of this class of planes. A large percentage of the ships in this class lack lateral stability, simply because many designers say you don't have to worry about it. We have ailerons to

overcome the lack of stability, they argue, so it's no problem. That's why many low-wing airplanes don't spin easily command, or, when they do, company poorly from spin. Rolls we rather sloppy on many a low-wing ship.

The Compromise was designed to handle these problems. With the addition of power in an airplanes, performance didn't necessarily improve very much, simply because wing loading also went up. The answer, as I see it, was to go to a cleaner aerodynamic airplane. A mid-wing, with the engine, wing and stabilizer on the line, produces less drag. Many of the Goodyears prove this; both in full-size and models. Generally speaking, the midwing is faster.

I would define a mid-wing way: It is not a mid-wing because the wing in in the center of the fuselage; it's a mid-wing because the engine, wing, and stabilizer are in the same line. So why the compromise? It's just that, a compromise between a low-wing and a shoulder-wing airplane



Showing clearly in this picture, the wide-tread tricycle landing gear is capable of takeoffs from extremely rough fields. Wing is foam.

With the help of Bob Almes (Bee Line), who produces one of the finest foam precovered wings and stabilizers I have seen, was able to with an excellent surface cut from foam, covered with Bee Line's special material.

I don't claim the Compromise to be a revolutionary design. It is different, and m new approach to a high-performance airplane. I think we will see more midwing airplanes in the future because they have outstanding flying characteristics.

Construction: I try to keep my pattern birds simple and comparatively light with a of parts. The fuselage sides are \(\frac{1}{2}\)" sheet with \(\frac{1}{2}\)" ply doublers; but being a mid-wing, the fuselage is rather shallow at the wing center. So I believe the \(\frac{1}{10}\)" ply in necessary. The entire top section is made of a halsa and hollowed the trin to be section in the strongest, fastest, and simplest way, and takes only an hour or

Continued on page 66

Bud prepares for a takeoff at the Nationals, Important points of the design are wing, engine, stab on one line, and wing-mounted gear. The odd rake line of wing and stabilizer tips is functional feature which tends to reduce tip losses through control of air flow.











Clubs and Modelers

THERE are several statewide or area groups in the country, but here is that is purposely kept to make limited size. The idea might well be tried in other localities. The Southern Tier R/C Assocwas formally organized in April 1967, with charter clubs in Sayre, Pa. (Valley RCMC). Elmirs, N. Y. (Flying Sparks RCC), Ithaca, N. Y. (Ithaca RCS) and Endicott, N. Y. (Aeroguidance Society).

All these clubs are within an hour's drive of each other, so attendance of STRCA meetings will be simplified, and Assoc dinners and meets will always enjoy good attendance. Most of the membership is interested in fun-fly type meets that do not require expert judging 'or flying'.

but some AMA competition will doubtless be scheduled. At least one Assoc. meet will be held each flying season the field of each club. Points go to each club for winners of events, also for each member who enters an event and each one who flies. A perpetual trophy will go to highpoint club to season's end. Handicap multiplier to the largest club won't always win the trophy. Sec. Austin Cleis Jr. 13 Larchmont Rd., Owego, N.Y.) can supply info.

Updated Jester: The Jester bipe tplans im March '67 A. M. cut a real swath in Eastern Class 2 competition during the 1966 season, for designer Ken Bonnema. Ken "retired" the plane at the end of 1966, and started 1967 with a Class 3 Comp.

plane. But latter was demolished early in the year, and the old Jester was once more put to use, with a few modifications that improved stunt performance. A new bottom wing spanning 46" was installed. The landing gear was moved 4" further outboard on each side of this wing, than shown in original plans. And a S. T. 56 with 11-7 Rev-Up prop was installed. The plane then outdid its previous winning ways, collecting five firsts and three second places in Class I competition, plus a second in Class I Novice. The wing change eliminated all tendency to drop a wing in loops, and inverted flight was improved. While Class 2 is now defunct, the Jester should hold its own in the new Classes A and B: with ailerons and less dihedral, it

An editorial

More little Toledos: To be sure, your efforts will look pretty feeble - but remember Toledo

WITH the 1968 Toledo R/C Conference once more behind us. it might be worthwhile to try to stir a little interest among R/C clubs to hold little Toledos in their own areas. There is nothing new in this, and it has been done in a few parts of the country in recent years. We don't expect to generate full-sized R/C conventions all over the country, on the order of Toledo or the California M.A.T.S. - in fact, and doubt the industry could stand many more such huge shows. For don't forget, the very considerable time and money that members of the R/C industry spend in traveling to such shows simply subtracts that much from the time and money they have available for research, development and production. No, we refer to the much smaller and rather "local" shows that might attract modelers from a radius of 50-100 miles. They cost only modest sums to stage (though a lot of work by a lot of club members might be required) and do much good, especially for those unable to attend the larger shows.

Most such affairs are held during the winter, when poor flying weather keeps the majority of modelers grounded. And though they might have spent the winter building, late winter is a time when the spirits of most modelers could stand a boost—and what better way than to have a "convention" where they can show their winter's work to fellow flyers (or boatmen—or model car racers) and eagerly discuss the coming active outdoor season. Probably in most parts of the

U.S., late January to early March would be the best bet, possibly modified a bit to suit local conditions.

This period of the year is generally off-season for motels, in you expect to have visitors stay overnight. Also, many modern motels have very suitable meeting rooms, and they can stage a banquet right on the premises, if you wish to have one

Once you have picked your date, the most important matter of all is to get the word around. If you expect help from the national magazines, try to get the word to them at least three and preferably four months ahead. Send full particulars to all R/C club papers in your area; preliminary news could go out at the same time you contact the national mags, then stage a late campaign in the club papers me few weeks before your date. If you wish to invite the general public — which is a fine idea, if you have room to accommodate them — this latter period is the time to approach the local newspapers and radio stations too. Try to have posters in every hobby shop for medium of communication—the good ole grapevine!

Now, what about your program? If you can persuade any local R/C manufacturers to attend your affair and put on a display, fine. These smaller conferences are a fine place for the smaller R/C maker to exhibit, who probably couldn't afford to show at Toledo or M.A.T.S. Try to get hobby shops





Oh. No! That is not a bird about to flap its wings! McKenna's almost total fallure of the wings - scale Skylark glider resulted in a very rapid descent, under apparent control.

Soaring on slope lift over the Pacific coast are Bob Selgelkoff's Libelle and friend. Scale gliders are fun, too; because of the tremendous lift available, anything will fly!

might be a good Class C plane?!
Second club needed: Though there has been an active R/C club in Montreal, Canada for some ten years (M.A.R.S. of Montreal), some of the active flyers felt the need of a second club in the area, and the Montreal R/C Club Inc. has recently been formed. Why a second club? M.A.R.S. had gotten up to a membership of 55 at the end of 1967, and those active flyers found they could only get in 3-4 flights during a long weekend afternoon. Further increase seemed inevitable - with less and less chance to fly equipment in which there was a bigger and bigger investment. Hence the formation of M.R.R.C., which initially will be limited to a maximum of 25 members. This may eventually be raised, but

will never higher than 40 members. A permanent board of directors will eliminate the confusion of yearly changeover of officers, and they pledge that there will be minimum of "business haggling" at meetings. The new group has a fine flying field, and their club paper is being edited by Jean Rivard (4403 Champagne St.,

Pierrefonds, Que., Canada). UFO reported: Pennsylvania R.R. employees called the police to report a UFO spotted one night about ¼ mile from their tracks. They claimed it moved back and forth rapidly, looked like a long lighted "bar," and made a buzzing sound. Police arrived, saw no such object and were about to haul the informants to headquarters for imbibing too much "railroad juice," when the UFO appeared again. Obviously, this required reinforcements, and soon the fuzz man arriving from every direction. A couple of officers crept closer to the area near where the "saucer" was gyrating, saw a dim figure on the ground in the darkness swaying from side to side in unison with movements of the UFO. The monster must have sensed he was being stalked and turned quickly; fingers tightened on triggers just as he called out to the nearest officer, "Hi Charlie, what are you doing out here?" The "spaceman" turned out to be the proprietor of Hen's Hobby House in Harrisburgh, testing a lighting system installed in his R/C plane! Lights were strung inside the wing, which had clear dope over the silk. This exciting

#### started many years ago as a local affair. And look at it now!

in the areas to put up a display; while many manufacturers may have only one or two products to show, the well-stocked hobby shop can put on a highly varied show that will interest evervone.

Have plenty of room, and plenty of tables for display of models brought by visiting hobbyists themselves. You'll get a much better turnout of models if you let it be known that there will be prizes in several categories well publicized beforehand. Make the categories broad so they will attract wide array of models. "Best Finish," for example, would attract many more models than "Best Low wing Class II multi Competition Stunt Model." 

there is much R/C boating in the area, be sure to award at least prize for boats.

If there is ■ reasonable possibility (considering local weather at that time of year) and there is a place nearby, consider the advisability of having flying demonstrations. If there is nearby suitable water, boats might be shown in action. And you could run R/C cars on a reasonably large and smooth

If there are any local attractions that might interest wives and kids, be sure to set up trips to visit them. Museums, fashion shows, amusement parks are possibilities. Remember - probably the majority of wives and many youngsters couldn't care less about hanging around model plane show; if you have something that will interest them, it is much more

likely that the old will be "allowed" to attend your show! Good R/C movies and slides are always of interest. Some affairs such me that staged by the Seattle RAMS run a virtually continuous movie show all day long. There are numerous comic films with an aviation flavor you can rent to piece out your show, and make it more generally interesting.

Should you schedule a banquet? Opinions differ on this. It takes up a lot of valuable time, especially if your conference is only for one day. But if you can be sure of a top grade meal at moderate cost, it's worth considering.

A trading post or swap shop is always of interest, but takes quite a bit of space. If you know an R/Cer with a real gift of gab, you could even stage a genuine auction. A modeler is better at this than professional auctioneer, as he knows exactly what he's trying to sell.

These are just a few of the angles of running your own local R/C conference. If you need more hints, you can contact groups who have done it themselves, such as the RAMS, the Buffalo Bisons, the New England R/C Modelers (whose members have staged several late spring conferences at Northhampton, Mass.) and perhaps other groups of which we have no record. To be sure, your efforts will look pretty feeble alongside Toledo - but please remember, Toledo started many years ago as a local affair sponsored by the Radio Control Club of Detroit, in that city. And look at it now!



Second place in scale at Southwestern Regionals was captured by this magnificent, smooth-flying Hawker Hunter by Bill Hollenbach. All controls are operable and the flaps used during takeoff and landing. Weighs 10 lbs., spans 57 in., and uses Kraft KP6.




episode gleaned from Hear Ye, club paper of the Valley Forge Signal Seekers (Bob Lamey, 2133 Kenmore Ave., Glenside, Pa. 19038).


Chicken finger: This writer was of several pleased recipients, while at Toledo, of a prop-finger protector dreamed up by the distaff member of the Flying Wischer Family (Mrs. Wm. Wischer, Box 236A, RR 1, Delafield, Wis.). Just how Dolly knew we needed a left-handed protector is a mystery—but it's a fact. Anyhow, the gadget is so simple and appears to be practical that we show the details herewith. Note that it is "handed"; the drawing of the material pattern will make either a left or right unit, but when you sew up the edge, it definitely becomes one the other. The material is fairly heavy leather—about 352" thick on our sample.


You could probably get scraps large enough from the local shoemaker, or harmaker if there is still one of the latter locally. Needless to say, the smooth side of the leather should be on the outside. Neat part of the design is that the double thickness edge where the stitching is placed is where the prop hits if the engine tries to "bite" you - thus you have plenty of protection. To use, just insert your index finger in the folded section, hold the "handle" with the rest of your fingers; if you make the protector the right size, you can shake it off after the engine is running, without using your other hand. The pattern looks a bit complex tour artist got carried away!) and cutting needn't be - precise as shown just cut for a comfortable fit on your prop-twisting finger.

**Technical Matters** 


Sunspots increasing: With an increase in sunspots, there is more and more chance of long distance signals being very strong at your flying area on the 27 mHz spots (less chance m mHz, still less on 72). The sunspot cycle runs about ten years between maximum and minimum; the peak of spots in expected to occur during the winter of 1968-69. Signals from several thousand miles away - and from intermediate distances too - can come in with fantastic strength during high sunspot periods. While it's highly unlikely that an R/Cer on your frequency a couple thousand miles away could bother you (due to the low power and relatively very inefficient antennas used on R/C transmitters) a CB phone transmitter very possibly could. So if you have a 27 mHz monitor, listen occasionally on your frequency, especially if you seem to be having than the usual number of glitches







It is quite practical to convert the Orbit analog four-channel proportional two-stick set to have a more modern stick arrangement. Get the stick assembly from Orbit (or Products) and duplicate the other assembly in the transmitter. Ken McClure also highly recommends newer Orbit analog servos. Miniature version available, too.



Bobby Hill, a dedicated reed flyer, developed this remarkably simple reed servo drive amplifier that requires no bias battery. We needed this idea ten years ago! Other applications possible.



Some like them big! Most every year Wincell Poge brings his large models to the Phoenix Regionals. Enya .60 powered, all controls, 14-6 prop. Real slow flying, good climb, but 15 lb.

during flight. Always ■ problem it ■ Modified orbit transmitter: When Keith McClure (3465 Powers, Memphis, Tenn. 38128) bought his Orbit propo outfit, he found it a bit awkward to use, after having been a reed flyer for many years. His transmitter had rudder and elevator on the left control stick, while the right stick handled only aileron via sideways movement (Mode 2). Throttle was on upper right edge of the case, and it this throttle operation that bothered Keith. He envied those flyers whose propo transmitters had a two-way stick on the right for alleron and throttle. But the Orbit was very reliable - and he had quite an investment in it - why not convert it?

The throttle pot and its bracket were removed, and the slot in which the alleron lever had moved were enlarged to match the one on the left side of the case — 1½" square. The transmitter wasn't even disassembled for the cutting process. The throttle pot was taped out of the way, and other parts nearby covered with the aluminum dust generated when the hole was opened with an abrasive cut-off wheel.

Keith obtained the added parts needed for the new stick assembly from Orbit, but they may no longer be available since this concern switched to enclosed sticks time ago. Possibly Kraft or Logic-trol parts could be used. If you obtained a complete gimbal assembly, the throttle ratchet assembly would be included. In any case, the whole assembly (throttle pot and angle bracket, another angle to hold the control stick and the ratchet wheel) all pivot on the aileron pot, which remains in its original position in the transmitter. The usual scissor spring centers the assembly for aileron operation.



Pete Reed suggests use of a bolt inserted in the drive washer on Super Tigre engines to prevent prop-washer slippage while tightening the prop nut. Easy III do. Our drawing shows the way the assembly looks as viewed from the top of the transmitter. The ratchet wheel from a Bonner Vari-Comp escapement, and the spring it is from from a Johnson engine. Throttle pot must be marked before removal from its original spot, so you can proper range of movement with new setup. Keith lined the edges of both panel stick openings with split nylon tubing held in place with RTV cement ta good idea for other propo transmitters with open stick assemblies).

He highly recommends the Corbit PS2A servos over the original style even for rudder), has found them absolutely reliable. And incidentally, for those who wish replace the pots in the old type, he notes that Centralab F1-1000 the ohms, taper C1) costs only \$1.49 each.


Slipping prop washers: Those who have trouble with the prop backup washer slipping, when they are trying to tighten the prop on Super Tigre engines will find the suggestion from Pete Reed (19 Eastwood Dr., Plainville, Conn. 06062) helpful. Pete simply drills and taps a 2-56 hole 4/" in from one edge; a 2-56 bolt is inserted from the rear, and the end cut will to leave a projection of about 1/16" on front. The end will sink into wood props we they are tightened, will also drop into the indentations found on the rear hub area of Top Flite nylon props (Tornado nylon props are solid and won't fit on, however).


Simple reed servo driver: As was the case with his trim which we diagrammed in past issue, the self-neutralizing amplifier shown here will fit inside a Crescent 15-pin plug, and doesn't even have to go inside the servo. Arrangement has been used by Bobby Hill (2125 18th St. S. E., Washington, D. C. 20020) with Duramite servos. Circuitry should be such that negative voltage is applied to the bases of the 2N1303 transistors, when a reed vibrates. The four positioning contact strips are all connected together as a safety factor, and to lower resistance.

Competition Flying

Goodyear continental event: As promised by the NMPRA, a considerable number of events for the larger Goodyear models originally called the 600 cu. in. Class, now Continental Class) has been scheduled for the 1968 season. Latest listing of Goodyear meets shows at least eight Continental events definite, and there may be more, but many listings just give a place and date, do not list specific events.

The word is out that in all probability there will not be a Continental event (even a demonstration basis) at the Olathe Nats; due to restricted Nats schedule, there just isn't time for it. But the many events scheduled for the 600-size racers will certainly show how much interest there is in the event, will point up bugs in the present rules, and will show whether Continental should be made an official AMA event for the 1969 flying season. Present plans call for Goodyear Qualifying flights to be flown





Chicken finger! Very effective finger guard made of 3/32" leather by Dolly Wischer features grip handle and low cost. Adjust the pattern to suit your finger size and hand, but must be a loose fit.

at Olathe N.A.S. on Saturday and Sunday (Aug. 3-4) with Finals on the following Wednesday and Thursday, starting at 4 p.m. In addition, Qualifying times made at the TORKS 8th Annual Meet (Aug. 3-4 at Tahlequah, Okla.) will be accepted for

Nats competition.

Manufacturers invitational: The Fourth Annual Invitational Fly-In for those in the R/C industry will be sponsored Sept. 7-8 by the Queen City RCC and World Engines Inc. Saturday will have just a display of models and fun-flying. with Saturday evening meal courtesy of the sponsors. More formal flying program Sunday includes AMA "Splattern" event (modified strictly for the safety of all); Open Pile-On; Limbo and other fun events. As you might guess, this is not too serious an affair, and reports on past meets show a fine time had by all, despite less-than-expert flying in certain cases. While the events are not open to the average R Cer. we believe they will be welcome to spectate. And who knows - you may very likely see in action the kit planes that will he on sale for the 1969 season! Further info may be had from Paul Benkner World Engines, Inc. 8960 Rossash Ave., Cincinnati, Ohio 45236).

Hobos invited: All wandering R Cers are welcome at the Hobo Meets rem each August by the Syracuse ARCS, and the event this summer will be on Aug. 31, Sept. I. These are strictly fun-fly meets, with a few informal events (winners get prizes) to liven things up. Pienic supper is provided by the ARCS on Saturday, and there will doubtless be R C movies and slides on view. To keep things from getting too hectic, the ARCS allow a maximum of four planes in the air at any one time. To assure maximum airtime, super-regens have been outlawed at the fine ARCS field south of Syracuse. Due to popular demand, ARCS C. D. Ed Izzo will conduct Goodyear races on Sept. 1, Bill Kenyon (7384 Cherry St., Pompey, N. Y. 13138) invites all R/C "bums" to join the fun and

bring the family.

Sixth Annual Wright Brothers Meet: One of the top competitions in recent years has been the Wright Brothers Memorial R.C Championship, sponsored by Western Ohio Radio Kontrol Soc. They will conduct this meet again on June 22-23, at Wright-Patterson AFB as in the past. The huge area allows safe operation of four flight circles simultaneously, so entrants

are promised . busy weekend.

Events are: Class A Jr.-Sr.: Class A Open; Class II (all classes combined); Class C Novice; Class C Expert; R. C Scale; Goodyear Pylon; Open Pylon; Combat. Last two informal events have been popular in past years. Very special trophies are awarded at these meets, plus many merchandise prizes. A Grand Champion each year receives custody of a beautiful trophy which includes a replica of the Wright Bros. biplane. Further info from C. D. Don Lowe (5936 Clair-Von Dr., Dayton, Ohio 45430).

AMA R/C records? Most of know about the FAI R C (also and UC) records, in which there has been considerable activity in the past few years, but there's been little activity in AMA records. While marks have been posted in control-line, we understand there are none in free flight or R/C. Red Gunning, Editor of the AMA-FAI Record Attempt Newsletter (c/o AMA Headquarters) feels it's high time some attempts were made to set up AMA records in all model plane categories. He suggests these be termed U.S. Records, to distinguish them from FAI International Records.

Continued page 72



A frank review of the kit as built by your R/C editor. Any careful patient modeler can build the set and gain much valuable knowledge.

WHEN digital systems were just getting into widespread use, the word went out from the makers that such equipment could never be serviced by the average modeler—even who was fairly hep electronically. We were told you needed top calibre test equipment—starting with an oscilloscope costing around a thousand bucks. Things have changed. Now you can build

Things have changed. Now you can build a digital outfit with no test equipment (all checking of the Heath outfit is done with the RF output meter from the transmitter, which is clipped into various parts of the transmitter and receiver). To be sure, one should be handy with tools, and especially with a soldering iron, but an electronic

genius you need not be.

It's well known that the Heathkit outfit is electrically akin to Kraft propo of 1967 vintage (prior to the Gold Medal series). There are a few electronic changes, and Heath has used their own transmitter RF strip (which has been well-proven in thousands of CB transmitters). Heath utilizes the same battery packs as Kraft, and the capacitor-feedback servos man similar (except for connectors). Mechanically, there are vast differences, many made to facilitate kit building.

The transmitter has an entirely different case shape—comfortable to hold, since there are no sharp edges digging into your hands. Completely assembled Bonner control sticks are furnished. The RF strip comes finished and aligned twhich gets past the FCC requirement that no RF tuning

Although there are many parts, the very thorough instructions, which demonstrate Heath's vast experience with electronic kits, makes the job relatively easy. may be done unless one has a Commercial license). The receiver has been made considerably larger than the Kraft, for easier construction.

Heath went into R/C kit manufacture through the prodding of a couple executives. Primary was Bill Hannah (Consumer Product Manager), ably seconded by Carl Heald (Chief Engineer of the General Dept.). Bill has been an avid R/Cer for seven years, and Carl is an active flyer.

The prototype equipment was flown through most of 1967 by Bill and several others, including entry in quite a few midwest contests. Many details of the system may be gleaned from Heath ads—you can obtain a more comprehensive free brochure the outfit (which includes all circuit diagrams). The first production run was sold out early in March.

For now, the Heath propo system is available only in the 5-control version, only with two control sticks (only in the so-called Mode I — for Mode II, you could transpose stick assembly parts) and only in kit form — some Heathkit units may be had either as kits or fully assembled. The systems are presently sold only on 27 mc frequencies. The line will be expanded for 1969 — many variations may be expected. What will the average purchaser get into?

What will the average purchaser get into? We assembled a complete outfit for testing. It must be admitted that the writer has done much R C work in the past (and has built several dozen Heathkits, dating back to their very first—an oscilloscope

The transmitter ready for final assembly with the encoder board in place. The 400-mw. 27-mhz RF strip in foreground comes already built and pre-tuned as shown.





## 5 Propo Outfit

around 1946). Our total building time was some 32 hours, and this includes rectifying a boo-boo or two, tracing down a faulty component in the transmitter, considerable time reading the Assembly Manual prior to commencing assembly, and with no effort to rush any part of the job.

We certainly wouldn't recommend this as the very first electronic project for any hobbyist—though with some prior soldering practice, plus extremely careful check and recheck of all work (preferably by someone other than the builder) it could be done. If you are handy with tools, have done a modest amount of electrical electronic assembly—and if you will carefully read all the literature—it should really be a rather easy project.

Let's take each element of the system separately. The Manual takes up the transmitter first, a fine choice, the only electronic assembly here is the decoder board, which is reasonably large and uncrowded. Heath has come up with an entirely different case shape - and a new The case is finished in light coler too. blue crackle paint, is most attractive with black Bonner assemblies, and all controls in bright red. On the bottom of the case are connectors for a cable to charge the receiver battery, and for plugging in the detachable 115V cable for the AC line. The charger is built into the transmitter. Transmitter and receiver batteries are charged in series; you can't charge one without the other. A pilot lamp shows that the circuit is complete and charging is proceeding. One most handy feature of the Heath transmitter is the collapsible antenna, which projects only 136" above the case top when not in use,

Our assembly time for the decoder board was 2½ hours, and the entire transmitter was assembled in 5¼ hours—less the testing and adjustment time. No problems were encountered on transmitter assembly, but a few time-saving shortcuts were utilized. For example, we found it much faster to set the pots in the Bonner stick assemblies with an ohmmeter—though the

manual gives full details of this job if you don't have a meter. It seemed much faster to thread the mounting holes in the Bonner stick units with \$\pi 4.40\$ tap—but you can do it without, \$\pi\$ Heath furnishes thread-cutting machine screws. Everything fitted nicely during assembly, but when we put the back upon the case, a gap of some \$\frac{1}{32}\$" was left on each side. This may be cleared up on later production. The case is rugged, made entirely of \$\frac{1}{16}\$" aluminum.

The manual strongly recommends cleaning the PC board undersides with acetone or dope thinner. We heartily agree. This is even more true of the receiver and servo boards, where there is close spacing.

Nor were problems encountered in receiver assembly, which took 8% hours, including wiring the many connectors. We suggest tinning the ends of every piece of stranded wire used in the system—this will prevent possible shorts and make assembly much easier.

Servos brought a few problems. Firstly, we found the capacitor shaft would bind up on the case, unless the hole for same was somewhat enlarged. When installing the two driver transistors on the PC board, bend their leads so they as far away from their end of the board as possible (without shorting other components); this assures they will clear the capacitor attached to the motor. There just isn't much for this capacitor and its leads, which must all be tight against the motor case.

Installing a little nylon pin in m hole on the end of the capacitor shaft proved troublesome on a couple of servos; trick here seems to be to slightly taper the small end of this pin, to make a tiny "ridge" that catches on the make threads in the hole. A fine file to nail the would do nicely) does the trick.

Our first serve took about 3% hours, but later ones went faster.

Beceiver layout provides adequate space for easy assembly. The system uses the well-proven and up-to-date Kraft electronic design almost throughout. Some difficulties were had in tuning up, mostly caused by a shorted auxiliary pot in the transmitter; if you have time and the necessary equipment, it might be wise to check every electronic part, though this in the first bad one we can recall in many years of Heathkit construction. One other problem was caused by our own carelessness—a solder "bridge" in the receiver wiring. Such errors are often spotted more quickly by an inspector who hasn't built the equipment. Other than these troubles, tuneup went according to the book and the final result was very fine indeed

final result was very fine indeed.

What do you do, if you have trouble that you can't locate? In the first place, trouble-shooting info is most complete throughout the book, on a step-by-step basis, and overall. As longtime purveyors of electronic kits, Heath has a large repair department at the Benton Harbor plant, geared to clear up troubles and get the apparatus back to the buyer just a rapidly as possible. But of even more interest to R Cers—there are some 17 Heathkit repair and service shops located in principle cities of the U.S., and two in Canada. They are fully equipped and stocked to set your Digital 5 aright—whether your trouble comes from building problems, or from later crash damage.

Finally, we found that the complete plane installation with four servos totaled 21 oz. Transmitter and receiver will handle a fifth servo, of course, which costs you \$21.50 additional (and with connector mods, these will work fine with Kraft or PCS systems). All Heathkit parts are available individually, right down to nuts and bolts. Some of these parts look to us like "best buys"; for example, you can get a completed MW output RF strip with crystal, already tuned (and thus "legal" for use in homebuilt apparatus) for only \$9.60. As a matter of fact, Heath does not sell transmitter crystals separately; to shift frequency you buy an entire RF strip on the desired spot, and a matching receiver crystal.

Builders of this equipment will end up with top grade apparatus at a considerable price saving; even more important to our mind—they will gain considerable knowledge of the workings, so much so that they will be able to cure many troubles themselves, thus saving time and money.

by Howard McEntee.

The variable capacitance feedback Kraft-Hayes digital servo, as kitted by Heath, is also useable with the newest Kraft and PCS control systems. Requires patience.








## NEW PRODUCTS CHECK LIST

Write the manufacturers for more data; tell them, "I saw it in American Aircraft Modeler."



Performance Aero Products/HP .61 G-R/C. First production units of this Austrian made engine have reached the U.S. distrib-utors. Craftsmanship is evident in the powerful R/C version. Designed for the serious modeler, who must have the best, it developes 1.0 bhp at 9,000 rpm and a peak of 1.49 bhp at 15,000 rpm on 5% nitro, R/C fuel. It also has the lowest specific fuel consumption per bhp of any R/C .60 engine now available. Top photo - the 16 oz. engine has a unique, specular appearance die-cast crankcase is air blasted with metallic particles). Lightweight muffler with a similar finish plugs onto the rectangular exhaust and is retained by spring, wire clips. The combination spinner/hub nut/ prop shaft threads into the ball bearing supported crankshaft. Lower left photothe carburetor and the steel, dynamically balanced, bell valve patented. The bell valve shaft rides in a bronze bush in the

backplate's center; very smooth and friction free. The special carb has no spray bar, just a single needle rotating with the venturi barrel and two adjustment screws to regulate the idle stop and the venturi's size. Lower right photo — single fuel line fitting is above the venturi. Five transfer ports (three here) slanted to take advantage of the Schnuerle type bypass ports (plus the boost port) and direct the fuel air mix into the combustion chamber with little drag and great efficiency. The light alloy piston has two rings, each re-lieved to permit faster seating. Conrod bearings are bronze. End pads on the hollow wrist pin a soft alloy. Overall the finish a excellent and the fit such that no gaskets are required. Price of the HP .61 G-R C is \$70.00; other versions to be an-nounced later. PERFORMANCE AERO PRODUCTS, INC., P. O. Box 6064, Shirlington Sta., Arlington, Va. 22206.

Anderson Engineering/Geodetic Galaxie. Free Flight kits seldom cross the Check List desk. On arrival the Geodetic Galaxie received a double look, "Geodetic" as the indicates is the structural arrangement in the constant chord wing and stab. Ribs in this pattern create a stiffness and warp-resistance that is superior to a standard rib and spar layout without adding much weight. The rest is conventional pylon wing mount, an upright, stab-mounted fin and a box fuselage. Vic Cunnyng-ham Jr. designed the potent looking model for .049 or .051 engines. Design has contest-seasoning; Bill Davis used it to win first in Open L2A at the '67 Nats. Area of the 49" wing is 312 sq. in. Kit wood looked good. Fuselage formers, wing and stab ribs are saw-cut (great time-saver), Fuselage, pylon and fin parts printed, offering no cut-out problems. Jap tissue covering is included. Plans are well detailed. Seems like a well-thought-out, no-nonsense, winning design. Kit price is \$4.95. Contact: ANDERSON ENGINEERING, 1336 Winn Dr., Upland, Calif. 91786.




Finishing Touch Decals/Nickel Numbers Finishing Touch is now offering the AMA sheets in cut up form. The numbers are individually boxed so you only need buy those to your needs. The large size, 23/4" high, a nickel each; the smaller, 2" high, are sold in a strip of 10 (one to zero) for 25c. The center section of the AMA sheet misc. items, insignia and the instrument dials — is packaged separately and sells for 98c. Bill Polvogt of Finishing Touch has this suggestion: sometimes problems arise when you try to stick decals to plastic aircraft such as the Lanier and Dee Bee types. To insure good adhesion, spray the area, where the decal will go, first with Krylon Crystal Clear Spray. It seals the plastic and prevents microscopic amounts of oil that fresh plastic emits. This accounts for the problem. Apply the decals and they'll stick like crazy. You can also spray over the decals with dope. Query: FINISHING TOUCH DECALS, 9941 Debbie Drive, El Paso, Texas 79925.

Holman/Plans and Parts. As many know, Bob Holman produces scale drawings—three-views with all cross-sections and complete wing and tail planforms. Size is big enough so the drawings may be used in the construction. Latest drawing is the Curtiss F7C-1, "Sea Hawk" bipe in 2" scale, 65" span. Over 30 sq. ft. of plans on this at a cost of \$4.50. Holman is also able to furnish Foamcraft wing cores, complete with formed balsa L.E. and instructions for these aircraft: Fokker D-8. 2" scale; Focke-Wulf A-3, 2" scale and the Curtiss P-40D, 1½" scale. Cores are \$16.95 each. On the FW 190 A-3—a highly detailed, scale canopy is available at \$3.25. BOB HOLMAN PLANS, P.O. Box 741, San Bernardino, Calif. 92402.

Eico/Electronic Products. For than 23 years, Eico has been designing and manufacturing electronic products. They not only available by mail-order but also from more than 2500 dealers and distribu-We've found their multimeter assortment interesting and useful, particularly the Model 20A3. It's practical for general service and small enough toalm size) to fit in a flight box; reasonably priced too, at \$12.95. The unit will measure 1,000 volts AC or DC; up to 250 mA DC current and to seven megohms of resistance. The meter has a D'Arsonval movement. Its sensitivity is 20,000 ohms/volt DC and 10,000 ohms/volt AC. For the latest prices and specifications on this multimeter as-


sortment and other items in Eico's extensive kit line. request the free, 1968 catalog; EICO ELECTRONIC INSTRUMENT CO., INC., Malta St., Brooklyn, N. Y. 11207.


K & B/Veco .61 R/C. After being acquired by K & B Manufacturing, along with other Veco engines, the Veco .61 R C is in full production. It is the largest in the ■ B line. Features include: ■ B's exclusive no-tension. single ring and low expansion aluminum piston; chromed cylinder; linear carburetion from idle to top rpm and two Fafnir precision ball bearings. Price is 55.95. Query: ■ & ■ MANUFACTURING, 12152 Woodruff Ave., Downey, Calif. 90241.



Lanier Industries, Inc./P-51. Lanier's latest, a semi-scale P-51, flies the complete AMA pattern. Snap rolls and spin maneuvers easily accomplished; the knife-edge flight characteristics are said to be excellent. In order to fly - simply glue the wing halves together, mount tail surfaces, attach control surfaces and install your favorite engine (.45 to .60) and radio control gear. P-51's span is 65" and the airfoil is symmetrical. Wing area is 630 sq. in. As is the regular Lanier practice, the wing and stab are Air-O-Sheet covered, molded foam cores. The control surfaces balsa covered with Air-O-Sheet too. A formed fuselage includes motor mounts and dorsal fin. The molded-in wing fillets and the engine cowl add much to the model's speed. No painting or doping is required. Kit price is \$46.95. LANIER IN-DUSTRIES, INC., Briarwood Rd., Oakwood, Georgia 30566.









Angel Mini-Flite Co./Epoxybond Hobby Putty. Each time we passed Angel's booth me the Toledo show, this group was slicing and wrapping a bushel of carmel-size bits of Epoxybond to offer samples. Modelers found them attractive as candy too. It is popular epoxy putty, useable for many purposes that Angel now offers a free, six page leaflet that gives illustrated tips on the putty's . Write and ask for your copy. Naturally, other items on display were the Mini-Blinker and the handy Touch'n'Hold finger-tip wrenches. Shown above is their latest item a Hobby Bench for the workshop. Designed especially for the modeler: 13 24" top is 25" wide and 54" long. The top is a solid. wood-composition material and virtually warp-proof. The storage cabinet is 24" deep, 15" wide, and 3012" high. Of clear, Ponderosa pine, it has milled locking for strength and ease of assem-A large shelf will hold finishing materials or a good supply of balsa sheet and strip. The entire bench is pre-fabbed; put it together in only minutes with just a screwdriver and a ham-All of the necessary hardware is included. The Hobby Bench, Model BH-1, costs \$54.95. Write: ANGEL MINI-FLITE CO., P. O. Box 437, Fitchburg, Mass. 01420.

#### THESE DEALERS ARE ACTAL READY, WILLING AND ABLE TO SERVE YOUR R/C NEED!

#### III ALAHAMA

Alghama, Huntsville HUNTSVILLE HOBBY

#### REIZONA

Brizana, Physica 85017 WEBSTER'S NOBBY SADP 52) E Camerback Re

#### CALIFORNIA

Catifornia, El Cajon 12020 MINE'S MODEL SMOP 124 8 Main Catetornia, Europe 1950† NING'S HOBBIES 318 W. Narrio

CALIFORNIA LOS ANGRICAS COLONEL BORS 3707 DO WOSS FICE BIRD

California Pinggant Hill \$4523 DAN PARK HOMBY CENTER 1802 Oan Fack Bird California Lan 1960 MUSTON'S Town & Country Villege Cablernia Santa Medica EVETTS: MODEL SHOP 1636 Ocean Park Rivel

#### **CANADA**

Careda Sathalom, Sash SASMETOON MADIO CONTRIN. CO Res 1675

Canada, Tárento Ontaria NEEH BROS SPORTE 6 MORBITS SIBT BARMIST Phone RU 7-2831

#### m COLDRADO

Culorado, Bunyer TOM INUMS MOUBY CLIMPER 7620 Last Calles Colorado Lakewaga 15 LAKEW300 MOBOY & ART SUPPLIES 1946 Littes

#### CONNECTICUT

Consection. Hi-agenery office FRED'S VARIETY 183 Success for

Connecticut, Windser Locks SKIPS ELECTRONIC SERVICE CT 9 Spring Street

#### **■** DELAWARE

Delaware, Wilmington 19803 SIMPSON S HOBBITS INC 700 Fouth Road Fauth at Murphy Goad

#### FLORIDA

Ploriga, Jecksonville 1921 / APT'S MORRY SMOP 10734 Atlantic Bled

Florida Miami 33152 ORANGE BLOESOM HORBY SHOP 1975 M. W. JEEN ST.

Piorida, St. Petersburg Bund Ambersjok: S Modey West D Central Pieza Shopping Center 1300 tal Arenne South

Flurida, fampa PARMERS SUMPRIES & MORBIES 4928 Last Broadway Pierica, Tithaville 32750 THE HORBY SHOP 210 Orlande Hwy. 38

#### - HAWAII

Hawaii, Manatulo Similari Sinappi, PETE'S MODELERAFT FUN SMAPPI, 1047 III Mawa Shapman Captar

#### ILLINOIS

filonols, darrington Lance 3 ding 1969 120-4 west Main Street Minme. Chicago STANTON HOUSY SHOP 4725 North M.INAUERT AVERNO Illinuis, East St. Loud SAST SIDE MODBY SWOP 2303 State Street

#### # KANSAS

MANGES, Shawner 16283 KEN'S II C HONGY SHOP 19813 W 5828 Ferrace

#### MARYLAND

Maryland, Bellimore ELOTO'S HOREY WEARSUARFERS

#### MASSACHUSETTS

Michigan, Observers 48125 186'S MORBY CENTER 1845 WILLIAM SOT. MINNESOTA

Marpesoto Minnespolis 15400 MODOCRAFT NORMY STORES 901 W. Lake St. of Pryort St

#### 

Missauri, Alltun 63123 AFFTQN MISSERINARP 4627 Grandin

Massauri, Romas City 64719 R.C. HOBOT COMTER 5717 Troost

#### MEW JERSEY

New Mridy, Green (Pissonale Area) TIMY FOTS (MC U.S. Route 22 L New Jersey, Millivola 80232 CARDINAL MOBBY MOUSE & Cardinal Br Easterne Strams

Man tertey ded Bank 11.5887 119 AUGUANTERS E2 White Street

#### MEW YORK

New York, Audala 14315 Fields Honey Canted 5727 Backy Acomes New Teen New York 1888) POLK S MOBBLES INC 312 F-(In diagnus

New York, Rechester 1462) COMMUNITY HOOLY CENTER 1675 C. Michigan Pr.

MORTH DARDIA Merth Substa, Money 55761 MERTL S HORBY SHOP 124 151 Street \$ 5

#### **a** 0916

Blisa Eleveland MATIONAL MOSET INC 5738 Bridge Read

Drie Colombus 11 citigen HOBBY & Bind 3438 Steverand Res

STEP CHE CHE 43871

DRICE WITHOUTHY

Ohio Ysungstand 44517 Bosnowski Modes Cinter 7222 Market Sycol

#### ONE ANOMA Gelanama Tutsa WOUSE OF HORBERS (NO Good East Barreal Place

#### DREGON

Dragen Partiand 97311 MOREYLAND 4503 N Interstals Fre

#### PENNSYLVANIA

Security Mile, Section 12/48 10872012 HORBA 2465 Mindred Mile, 24084-47 Confer Mindred Mile, 24084-47 Confer

Pennsylvania, Rambs 17572 Ponul's Chaff & Homey House Harbers Dridge Rd Foute 21 Pannspagns Tork 17464 SHELLY SHORFING GOODS

#### SOUTH AMERICA South America: Bogota 2: Eolono Aurumodellos Urstamos, Lida Abertado Beres 21838

#### III TEILAS

Tecas, Gallus 79288 UCANIZ'S MONEY MOUSE 217 W. Jefferage

leans, El Paus 79903 Fryg Points Hemby CRAFTS 1964 Perabing Drive

Fexas Mouston 17021 MEMORIAL MODEL SHOP 12262 Memorial Br fexas. Victoria 17981 INN'S MOBBLES & ANT SUPPLIES INN Pub off M. Lawren

#### WISCONSIN

#### MANY FLYING SITE PROBLEMS INT SOLVED II AMA'S III FILLIAM





#### SIMPRO III KIT

The Simpro III kit above is refinement in the earlier Simpro units which have appeared in American Modeler. The October 1967 issue contains full info on a relayless version for use with commercial actuators... It was away completely with any adjustments—and provides non-interacting rudder issue elevator controls when used with the Ace Jansson or Sim-Plus transmitters or most other GG transmitters. Motor control is achieved by full on and issue in the Simpro III makes into a compact unit. Measures 11/2 x 11/4 x 1/4". Designed is work with most of the commercial proportional actuators. Go. Around types is required for motor control. Compatible with Rand HR1 and HR2. Mini Max, Mini Max RM. Ghost. Airtrol. Bellamatics, and home made units built around Micro Mo motors. (NOTE: 1.8 ohm resistors required only for Micro is units in not furnished in kit.)... Kit contains reed units, all transistors and diodes, capacitors, resistors and an etched and drilled PC board to duplicate this fine decoder. Connectors not supplied.

15 K43—Simpro III Kit \$27.75

Note—Simpro III systems require pulse rate is pulse in second. Transmitter modification may required.

#### MIND III DECODER PACKAGE OFFERS

You've got a good system, it's a lot of funder but you have wished for something that performed as well, is a plane just a bit larger? Well, there's increase to start from scratch—simply add see reason to start from scratch—simply add sample of system and provide you power enough for engines up to .49: Extra cost is minimized meaning or relayless), and with Simpro III. Rand HR1 and HR2, you have proportional Rudder. Elevator and positionable Motor Control. Packages include a special 3/64" mounting olste for the Rand units to simplify mounting—template for in with any servo is silk screened on . Or, you have is GG system using the LR3. If the LR3 is the rudder-motor servo, and add is Rand HR1 for elevator and you cut cost still more with our package 22. The Simpro III decoder pulses fast enough so there is only a slight dither in rudder; elevator works only on command.

No 15k1—Simpro III package #1: Contains

command.

No 15k1—Simpro III package #1: Contains Simpro III decoder kit III detailed above, Rand HR1 and HR2, IIIII special 3/64" mounting plate for use with YOUR GG receiver and transmitter combination. II \$65.00 value.

Only \$59.50

15k2—Simpro II package #2: Contains Simpro III decoder kit IIII above. Rand HR1, special 3/64" mounting plate for use with your GG combo and your LR3. A \$46.00 value.

Only \$41.50

Note—Simpro III systems require pulse rate of 15 to 25 pulses per second. Transmitter modification may me required.

#### ACF

#### Accessories Components Equipment

Whether it's Tufline fuel tubing, or a 2/56 x 1½ machine screw, an Item f almost a major manufacturer, the chances good the Ace has it in one of the most comprehensilines of Accessories, Components or Equipme available anywhere. Our own designer-approver adio kits are added to by lines from Esonner, Lanier, Midwest, Bee Line, SPL, Coveri Jensen, Rocket City, Su-Pr-Line, Sterling, MR Enya and Webra, etc., etc.

#### DICKERSON—TESTOR CONVERSION KIT



Although intended primarily to convert t Testor Skyhawk to operation for rudder elevator (motor if desired), the kits below a among the most versatile offered.

The plane conversion kit will give GG for t Skyhawk, but also may be adapted for airplan an to .19 power! May also III used with almow any other type of receiver—relay or relayle:

#### RECEIVER CONVERSION KIT

The Dickerson conversion kit for the Skyhai receiver utilizes and of the components ready in the unit, but adds a switching decored convert signals for a Rand LR3, kit consist PC board for housing switcher, LR3, switcher, LR3, switcher, LR3, switcher, LR3, switcher, LR3, switcher, LR3, consistent all transistors and resistors. LR3, conector, switch and charging jack are not signified.

No. 15K53-Dickerson Skyhawk Rx Conversi Kit, \$11.50

#### TRANSMITTER CONVERSION KIT

while foregoing may be used with any GG tra-mitter, this kit makes the conversion of t Testor Simpulse Tx into a two stick GG tra-mitter easy and simple. Only hand tools quired. Basic kit contains all pots, bracke extra stick assembly (SPST push switches motor available as extras.)

11K5-Dickerson-Testor GG Tx Convers Kit, \$11.50

No. 30K3—SP\$T push switch for motor cont (2 required) each, \$.45

#### TESTOR RX CONVERSION PC BASE

Printed Circuit base for plane and receiver oversion is available separately for the scrat version builder

No. 28K75—Dickerson-Testor III Board, \$3.25

#### TRANSMITTER SIGNAL STRENGTH METER KIT

Would you like to add a signal strength me
your Jansson or Commander or almost
R/C transmitter that does not have one
in? This simple Ace kit, while designed
marily for the Jansson transmitter, — ea
adapted to any transmitter that allows
a bit of — — case.

The S/S Meter Kit monitors the RF going i your antenna and is reliable indication of signal you have from your transmitter.

Simple to install: All components mount meter except for connections to antenna case. Kit contains all components, include

No. 22K17-Transmitter S/S Meter Kit......\$4



#### **NEW! ALBIN MICRO RECEIVER KIT**

Would you believe ■ superregen receiver weighing just .2 oz? This Bill Albin kit design measures '¼ x ½¼" uses siticon transistors, ¼ watt resistors, micro mini caps, drilled ½" PC base. Single ended output for actuators of Bentert type. While it is superregen, this kit will be used in applications where this is not too important. Makes indoor R/C midstinct possibility!

Recommended for those with some building experience, since small size makes necessary. Not complicated, however.

No. 12K60-Albin Micro Receiver Kit, \$12.95

#### NEW! AOSK II KIT

A switcher for the Albin .2 oz. receiver and the Adams Baby so you can me one set of batteries and don't have to use a spring for return!

Designed to fit on the actuator itself, this Add On Switcher Kit II is micro miniature. Designed for the Albin receiver only.

Complete kit contains  $\%_2$  etched and drilled PC base,  $V_8$  watt resistors, tantalum cap, two Motorola transistors and full instructions. A gem of micro miniaturization using discreet components.

No. 15K55-AOSK II Kit ...


#### **ACE-CLASSIC FULL SIZE PLANS**

The UGLY STIK . . designed by Phil Kraft, and originally called the Square Stik. By adding scalloped alterons and scalloped elevators and a semi-scale type rudder, this .45 to .65 proportional test bed resembles the Forker Endecker World War I plane. Features extremely fast construction, and is designed in proportional trainer.

trainer, No. 13L108—Kraft's Ugly Stik, \$3.00.

The SNIPE is a sailboat of a very popular design in full size. This is a 36" scale model, patterned after real racing types. Plans contain full size sail plans, as well is some construction is aligned on building this model. May be built from balsa or from plywood. Is just it for the R/C fan who is looking for something that is different, and yet easy to build.

No. 13L189—Snipe plans, \$3.00



#### H-D CHARGER

The H D refers to Heavy Duty—and that's exactly what this brute is—capable of charging your larger nickel cads and wet cells. For rates of 100 ma up to I amp. Has meter for monitoring and for setting of charge rate. Not dual purpose, but made for those husky charging jobs where you need the power. For nickel cadmiums from 1.2 to 10 ampero size. Will also set charge transmitter battery ses. Adjustable Internal resistor sets rate. Uses all new components double the ratings necessary to assure long life. Housed in aluminite case, with ventilated back, and rubber feet. I deluxe design. Assembled, tested, guaranteed. No. 34K1—H-D Charger, assembled. . . . . \$13.95



#### NEW! ACE 66 PACKAG

Galloping Ghost Transmitter by Dick Janson 9 volt battery - Citizenship SSH Receiver and the new Rand GG pack, with batteries







#### You are going GG-Go First Class-With ACI


Now you can go First Class all the way with simple proportional on Galloping Ghost. Ace has pioneered in proportional for 14 years. This is a combination package that we believe takes the best of all of the components that are available and puts them into one first class package.

Start with the Galloping Ghost Transmitter by Dick Janson, which has been acknowledged as being one of the most versatile, couple this with a the new improved Citizenship SSH Receiver and the new Rand GG pack, with LR3 and new 600 ma GE sintered and vented batteries, and you have ■ winner! The package even includes # 9 volt battery for the transmitter-the dependable Mallory M1603. The Ace GG package is completely prewired and requires only installation in the plane. . . . Weight of the receiver with GG Pak, LR3, nickel cadmiums, and harness, hooked up ready to install is approximately 7 ounces, yet it has power enough to handle planes with engines up to .35. Go First Class-Go Ace GG.

No. 10G1-Ace GG Package, ready to go with all batteries \$129.50

#### PROVEN WINNER!

#### ACE VARI-CHARGER



#### IN KIT FORM IN ASSEMBLED

Will charge nickel cadmium batteries—20 mils to 150 mils. Capable of charging up to 12 volt packs. Indexed dial III simple chart for correct militamp reading for charging different size battery packs. Completely isolated from AC line supply. An auditude item. New transformer of highest quality. UL approved line cord. On-off switch. 500 milliamp diode. Full instructions.
No. 34K21—Ace Vari-Charger assembled
No. 34K22—Ace Vari-Charger Kit



The Versapulser is a revolutionary design in up to date in tomorrow. Features a rate adjustment that allows it to be used with ANY pulser system that is in the market today. It is linear over the entire range And in interaction pulser rate is completely variable from 2 to approximately 50 pulses per second. This means it can be used with magnetic actuators, Rand and other types of actuators, Rand Dual Paks, Simpro, and other decoders that require the faster pulsing, including the ones that imm feadback servos. No other pulser is available today that it is complete linearity and less interaction, than any pulser in use . . . Secret is a linear stabilizer, which was developed by Fred Marks, and which is an Ace exclusive priority design . . Basic kit is offered two ways so it may be easily adapted to any existing tone transmitter. With tone key in negative side (Mule, etc.), you need Model NPN. With keying in positive leg (Commander, Kraft, etc.), you need Model NPP. . Basic kit contains all components such as resistors, capacitor, printed circuit board, all transistors and diodes. Base measures 1½ x 11/16 inches, so it may be fitted into a very small space inside your case. Uses same 9 volt battery. Versapulse kit does not contain: Pots, switches or stick assembly. Pots required for the stick = 2.5K for width, 10K for rate, and 5K is required for rate adjustment. No. 15K49—Marks Basic Versapulser Kit, PNP, \$10.75.

No. 15K50-Marks Basic Versapulser Kit, PNP,

MISSOURI 64037

Zio.

#### MORE THAN JUST A CATALOG FOR 1968!

Our 1968 version of the Ace R/C Catalog is also a nandbook—has an R/C Glossary, How To Solder, Pulse Proportional Control of Redder and G. including Decoders: Schematic Symbols; Batteries and Charge Resistor Color Code, Transistor Chart, Electric Motor Spec Chart of Transistor Chart, I will be a publicated to Special Sp

| 4     | as \$    | -      |           | CONTROL | _ | 301 | = HIGGINSV | ILLE, |
|-------|----------|--------|-----------|---------|---|-----|------------|-------|
| 6     | SEE.     | N:     | ıme       |         |   |     |            |       |
| 9.8   | CAT SAME | -/     | Address . |         |   |     |            |       |
| مزتعة |          | Lows / | City      |         |   |     | State      |       |

| "Ace Virgin Vinyt      |
|------------------------|
| Binder. For the pro-   |
| tection of your Ace    |
| Cata R/C instruc-      |
| tions, data, news let- |
| ters will much more!   |
| Boly \$2.00            |

| QUANTITY | STOCK # | NAME OF ITEM | PRICE | TOTAL |
|----------|---------|--------------|-------|-------|
|          |         |              |       |       |
|          |         |              |       |       |
|          |         |              | -     |       |
| •        |         |              |       |       |

Important: For overseas delivery on catalog or Binder please add 50¢ for additional postage.

Guaranteed delivery anywhere. Orders over \$3.00 sent prepaid. Orders under \$3.00 please add 50¢ for postage and packing.

# COUNTDOWN

G. HARRY STINE

NEW CONTEST EVENT?

Since the 1967 Edition of the U.S. Model Rocket Sporting Code published by the NAR Contest Board late last year, we've got many new competition events to try. As of this writing, Contest Board Chairman Al Kirchner reports that most clubs and individuals aren't trying the new events, seeming to prefer to stick to the old tried-and-true categories. This a disappointment. Does it mean that our hobby is stuck in a rut? Or are the new event categories so tough that modelers just don't want to try them? If all we want to do is buy a prefabbed kit, model astronautics is in for trouble.

If you're looking for a simple event that's a lot of fun, why not try "Streamer Duration?" This is not yet an official NAR competition category, but it may well become one if everyone likes it. Here's the

way it goes:

Single-staged birds only, powered by a Type B engine maximum. Every bird have a standard crepe paper streamer for recovery; this is 1" wide and 18" long (12 mm.x 225 mm.). Each model is timed from instant of first motion on the launcher to the instant it touches the ground again. Model with longest time of flight wins.

This is a sneaky event, because it really isn't a flight duration event, but altitude event! Obviously, the model that achieves the highest peak altitude is going to stay up the longest and therefore win. What's sneaky about it is the fact that it is an altitude event that can be conducted using

stop watches rather than complex altitude tracking theodolites!

Streamer Duration competition was worked out by the Czechoslovakians, who report that it is a great favorite among their junior rocketeers. It's a perfect Junior Division event. Nothing complicated. No expensive equipment, just a couple of stop watches borrowed from the physical education department of the local school. No complicated rules. Just plain fun. Why not try it was im your club?

IF AT FIRST YOU DON'T SUCCEED.

All of us who report model rocketry try to write very carefully. We try to include every bit of information necessary, and we try to word things quite carefully so that there will be little question in the mind of the reader. But I still get questions wanting to know what total impulse is and how is figured. Or from people who want to know how is pack a parachute (yes.).

The classic type of letter I receive always opens with a paragraph telling me how much the writer enjoyed reading "The Handbook of Model Rocketry" and how much he learned from II. Then the second paragraph begins with a series of questions about model rocketry, all of which have not only been answered but thoroughly discussed in the "Handbook."

if you prefer the old terminology—happens to be one hobby that has a tremendous of written material available.

We have the "Handbook of Model Rock-

Author prepares Parachute Duration entry

Author prepares Parachute Duration entry for a launch at first Internats, Dubnica, Czechoslovakia, in May 1966. The model was recovered by a forest ranger 17 miles away.

etry" which was just judged to be one of the ten best scientific and technical books of 1967 by the Carnegie Libraries (I'm proud of it, natch). The NAR has a whole series of stuff in their Technical Services catalog. And the model rocket manufacturers publish highly descriptive catalogs, comprehensive technical reports, and thoroughly detailed plans and instructions.

In my local NAR club, we have a motto that applies to those who goof; "If at first you don't succeed, try reading instructions!"

And that's good advice to all modelers.

AGAIN. CZECH ENGINES!

No, it is not possible under any circumstances to obtain, purchase, beg, borrow or steal in the USA any of the Czechoslovakian ADAST model rocket engines. You can't get them. Period. (So, I'm sorry I can't help you.)

Czechoslovakia is socialist nation with-Continued on page 68



In Czech movie, "Secret Agent W4C," a satire 

James Bond, villain in black, launched model rockets hidden 

piano. They rode on invisible wires, shattered against walls.



Girls proficient rocketeers, just as they shine in the model airplane competitions. Vera Busova of the Dubnica Rocket Club, Czechoslovakia prepares B/G launch.



### Introduces Brand New

# (Potent Pend.)

The NEW, IMPROVED Covering with the Built-in Finish

### TESTED AND ACCUAMMEN BY MANY OF THE WORLD'S BEST KNOWN MODELERS



Maynard

FINISH III FRACTION OF TIME

Super MonoKore is a modern material that will be widely used on all types 22 models. It is easy to apply, (2022) he was provided a superb finish in a fraction of the time needed for conventional methods.



. PUELPROOF . . . TOUGH . EASY TO CLEAN


EASY TO CLEAN
Super MonoKore manuse a model carrier
and faster than mis other covering material, set if gives soon model a high gloss
notessimal appearing finish that suc can
be pund of its scrong and tough, easy to
clean inelepting, and simplifies parishing
ower repair jobs I now me super MonoKore me all mis models, and recommend it.



Or Walt

#### A TRULY BEAUTIFUL FINISH

The mos Super MonoKote has given my Aeromaster biplane a truly beautiful finish. The dry names of the undercoaring and the thinness of the film make it very casy to apply, even around shaep corners. I highly recommend super Mono-Kote to the modeler who wants a beautiful finish in the shortest time.



#### DOES EVERYTHING A COVERING

SHOULD When asked who I liked working with the most Super MonoNote, an answer was simple and direct. Its new dry adhesive makes it the simplest material to cover with that I have used as set. It works events and smoothly around cornery and curvey and when shrounk it holds its trainment. When a convering material does all it is required to Bit and then adds in bonus of a fine-looking, colorful machine. Il rates tope in my shop.



STAYS OVER OPEN FRAME

STAYS

OVER OPEN FRAME
Super MonoKote has been tested for over a vear no my radio controlled gliders.
The red and arange colors in one mill thickness amplied over my framework on now wings and tail surfaces were repeatedly exposed to extremes in beat and cold, but showed no creeping nor wrinking tendencies I consider super MonoKote in the best all-round model covering manterial and my choite for the 'B1G SAILOR.' a radio controlled glider design created for World Records Trials.



Ogn

#### COVERS COMPOUND CURVES WITH EASE

WITH EASE
There is absolutely no question that Super
Manufore is the fastest known method of
insisting a model aircraft, super MrK is
ease to apply, adheres uniformly and covers compound covers with extreme ease.
RCM does not hesitate to put its tested,
approved and recommended stump on this
material from Top Flite.



William C. Northrap, Jr.

#### NO WRINKLING . . . NO SLIPPAGE

With the development of Super MonoKote, Top Fine has at last furfilled all of the requirements for a one-shot model arrilane covering material. There is no wrinkling, no slippage, no soltening of the adhesive by glo-fuel, no "fly paper" stickings while handling. Having tested Super MonoKote in summer than a year. I'm sure that like me, many monomal tried it, there'll be no ceturning to ourmoded covering and finishing methods.



#### SAVES TIME AND WEIGHT

TAYER TIME AND WEIGHT
I'm careful and finish; about finishing
my planes, it usually takes me me to 40
days about 4 hours per day, to cover and
finish with silk and dope. Using Super
MonoKote I can cut this down to 7 days
...lest than '5 the time. Another big advablage is a weight savings of about 1 lb.
3 oz. on my biplane I'm sold on Super
MunoKote... it's great!

TOP FLITE MODELS

New Super MonoKote, because of its dry adhesive backing, will not adhere to itself. It's fast, simple to apply. and is easier to work around compound curves. Another important benefit of new Super MonoKote lies in the fact that it comes in rolls 26" wide and can be purchased by the running foot.


**AVAILABLE AT ALL LEADING HOBBY SHOPS** 


#### **NEW SUPER MONOKOTE IS AVAILABLE** IN 6 ULTRA HIGH-GLOSS FINISHES

only \$1.35 per running foot 26" width

International Orange Piper Yellow Missile Red

Mustang Aluminum Sky Blue Jet White





# PRECISION MARINE PRODUCTS

.19 to .40 Eng.

SKEETER

Shell Only





HULL & DECK KIT \$39.95

L. 50" W. 11" Ht. 86' Sail 820 Sq. Ir

# **GLASS SLIPPER SKI BOAT 36"**



COMPLETE KIT Sail & All Necessary Hardware & Fittings

36" HYDRO PLANE

ASSEMBLED HULL \$39.95

.40 to .81 Eng.

\$39.95 ASSEMBLED

#### COMPETITION FITTINGS

| Small Fin\$0.9Medium Fin1.4Large Fin2.0 | 9 Medium Rudder 2.75    |
|---|-------------------------|
| Drive Shafts 18" 1.5                    | 0 Drive Shafts 36" 1.95 |

Steering Struts .19 to .29 .... \$10.95 Steering Struts .25 to .40 Steering Struts .45 to .80 ....



Distributed Exclusively by:

# Royal Products Corporation

6190 EAST EVANS DENVER, COLORADO 80222



# DeHavilland F.V. VI Mosquito

The all-wood fighter-bomber of WW 2 is one of the most famous of all warplanes.

THIS month's model is the Airfix 1/72 scale Mosquito, manufactured by Craftsman, kit No. 1205, retailing at 50c.

The Mosquito was the descendent of a long line of famous aircraft which broke many world's speed records and appreciably helped to further the progress of civil and allied military aviation. Built almost entirely of wood, it was a direct development of the de Havilland Comet. The smooth-surfaced wood was found thy our own wartime performance tests) to be superior to the finest flush-riveted metal.

The wood wing was free of seams, rivet heads, nailheads or screws, all of which could create drag. In fact, we row of ordinary rivets could add as much as 20% additional drag to an aircraft having the speed of the Mosquito. The wood was treated to be impervious to dampness, heat, or fungus, and with a later-developed construction and material, burned less readily than the metal. The wood construction

#### JOHN N. TOWNSLEY

gave rise to many affectionate nicknames, such as Termite, Mossie, etc. Derisive names notwithstanding, the "Mossie" was one of the most outstanding World War II aircraft. In 1944, the Mosquito was ranked as the world's fastest aircraft of its type.

The bomb-carrying capacity of the plywood aircraft had been increased from 1,000 lbs. to mighty two-ton blockbuster with four 20-mm cannon and four .303 machine guns, centered in the aircraft. In addition, four 500-lb, bombs were in the bomb compartment and two 500-lb. bombs were carried beneath the wings to augment the armament.

Employed in large-scale operation, the various types included fighters, fighterbombers, bombers, reconnaissance and the deadly night intruders. In the fighter class.

the day fighter (the type used in article) had four 20-mm belly cannon and four .303 nose-mounted machine guns. Bombs were not carried, as high speed was the fundamental purpose of this particular Mosquito, It could be converted into a long-range fighter by adding two slipper-type wing fuel tanks. The tanks did not decrease the speed, and allowed a considerably longer range. To attain maximum range, nonjettisonable fuel cells were installed in the bomb bays. By adding two to four 500-lb. bombs in the bomb bays and two 500-lb. bombs beneath the wings, the fighter was converted into a fighter-bomber.

Four machine guns and four cannon were carried when the Mosquito was equipped for fighter missions. Top speed 375 mph.


Occasionally, when the target was a particularly difficult one to destroy, two 1,000lb. bombs were carried in the bomb bays. When the 500-lb. bombs were replaced with slipper flush tanks, the plane was converted into a long-range fighter-bomber. The full armament complement was carried in these aircraft.

The short-range Mark II interceptor night fighters were solid black to blend with the nighttime darkness, and carried no bombs




# **SKETCHBOOK**


Have a new idea for construction, adjustment ar operation of model aircraft = RC? AM pays \$10 for each 'hint & kink' used. Send rough sketch and description to Sketchbook, c/a American Aircraft Modeler, Potomac Aviation Publications, Inc., 1012 14th St., NW, Washington, D. C. 20005.




Scraps of Formica table-top material make ideal firewalls and motor mounts suggests Robert Stemper, S.J., Auburn, Wash. Formica is easily sawed, drilled, sanded; may be laminated with epoxy cement to desired thickness.



Double pole, double throw switch properly wired to starting batteries permits instant voltage change from parallel (1.5 v.) to series (3 v.). Center "aff" position prevents shorting. Submitted by Steve Kowal, Campbell, Calif.




Lt. Jerry Small, Redstone Arsenal, Ala., makes simple metal jig guide for accurately cutting hinge slots in edges of tail group parts. Advantage is perfect alignment of finrudder and stabilizer-elevator.



Tested over years of flying is dethermalizer fuse mount used by Bill Northrop, Burbank, Calif. Brass a aluminum tube is mounted diagonally through rear of fuselage. Fuse length easily adjusted after motor is started and fuse lighted.







# On the Coast

While cold weather slowed down activity over much of the nation, things were popping out wast

JERRY NELSON

**Phoenix Contest** 

THE first major R/C meet on the west coast was held in Arizona at the Buckeye airport near Phoenix, Feb. 17, 18. Sixtytwo contestants enjoyed near perfect weather. This was the first meet in this more if not in the country, to use the new AMA pattern rules.

They worked without problems. There were more entries in Class A and B than in previous Class I and II at this meet. The caliber of competition in all events was of a very high level. The Class A and B events seemed to fill the competition gap that has existed in previous years.

The new maneuvers in Class C proved not to be a major obstacle, as was predicted by of the opponents of the new schedule. The majority of the pilots could perform all the maneuvers with their standard designs they flew last year. The quality of the maneuvers, even those performed by the top experts, left m lot to be desired. This is what we want. Everybody can't get 10's! The selection of the optional maneuvers proved to be a very exciting portion of the contest.

First in Class C expert was Ted White from Albuquerque, New Mexico. He flew his familiar Veco 61/El Gringo. The lowlevel performance which typifies Ted's flying is always interesting watch.

A fly-off between the top three flyers (White, Kraft, and Weiricks for the grand champion trophy resulted in Phil Kraft coming out - top. For this special trophy the entire Class C schedule was utilized. All ten optional maneuvers were flown in one flight. Total time for the flight was around 14 minutes. The contestants agreed to this pattern prior to the fly-off even though they knew fuel capacity could be a problem. Ted White had such a problem. So, the final fly-off winners were Kraft, Weirick, and White in that order. Phil flew his Kwik-Fli III.

First in Class C novice was Don Downing all the way from Arlington, Tex. Don flew an original ship, Twigy. Span was 70 in. Power was a Super Tigre 61. An unusual feature was the geodetic construction of his wing.

Class B winner see George Reis, a local flyer from Phoenix.

He flew a clipped-wing Webra 61/Sportsmaster.

Class A winner Junior flyer Randy Kempf from Encino,
Calif., flying an Enya 61/Kwik-Fli. He is going to give the Class C fivers some serious competition!

Class C nyers some serious competition:

Another Junior flyer, Whit Stockwell, also from Encino, showed how you are supposed to fly good pattern by placing second in Class C novice. Whit is only 13. I wouldn't be a bit surprised to we Whit a serious contender at next year's Nats.

Scale winner was Joe Bridi from Torrance, Calif. Joe is a master craftsman at everything he does. His winning P-47 was no exception. It is hard to describe the ship. It looks and flies like a P-47 should!


Continued on page 64

Top left: Ridge site at Linda Mar, overlooking Pacific, where Vultures Club hosted first annual slope soaring contest.

Second from top: Morse McKenna and his T-Ninety, a subminiature stunt job. Dower. Fiberglass fuselage, 45" span.

Third from top: Winch used at Phoenix glider event, has 12-volt starter motor and automobile storage battery for power.

Left: Cliff Weirick and modified Kwik-Fli II, Enya 60. Remarkable how a few changes seem to alter a design.



# model aviation

Official magazine of the Academy of Model Aeronautics • 1239 Vermont Avenue N.W., Washington, DC 20005

INTERESTED IN 10INING A.M.A.? Over 22,000 did im 1967. Membership details may im had by requesting FREE BROCHURE from above address,

# **AMA-HIAA-Navy Regional Youth Contest Program Launched**

With unusual speed a program to interest young people im model airplanes, particularly competitions, has been formulated by the Academy of Model Aeronautics and in action even as you read this. The objective is to increase the number of youngsters (ages 6 through 20) im model airplane competitions and to promote the mational Model Airplane Championships. The basic idea is for twelve meets to be held at Naval Air Stations throughout the country, featuring special events designed to the capabilities of previously uninvolved youth.

The new program has resulted from the U. S. Navy need to have more young people associated with the Nats. Your AMA officers concurred and encouraged the HQ staff to develop the program, work with the Hobby Industry Association of America to secure the awards, and to enlist the cooperation of chartered clubs in administering the local level contests. The Navy, meanwhile, promised to make available many of its Air Stations for conducting the special events.

The response of all parties has been most heartening. Members of the Model Aeronauties Division of the HIAA quickly pledged \$6,000 in merchandise certificate awards, or \$500 for each of the twelve meets. Meanwhile, a good many clubs had indicated a desire to participate and coordinating meetings with Navy officers at various Naval Air Stations were going on at press time. And, additional incentives for young modelers to enter the special events of the participating meets were developed.

Sponsored trips to the National Contest for the high point winner at each location (provided by meet organizers) were promised, as were opportunities for these high point winners who attend the Nats to go on an Aircraft Carrier Cruise (provided by the U. S. Navy via HIAA sponsorship). The regional meets are scheduled for May, June, or July, depending upon local meet sponsor and Navy concurrence. Nationals dates are Aug. 3 thru II at the Olathe (Kansas) naval air station, near Kansas City. Navy transportation in expected to depart from Olathe on the evening of Aug. I to Pensacola, Florida, with return to Olathe on Aug. 10.

Eight special model events were designed for this program — half free flight, half control line:

1. Free Flight

a. AMA Cub (or Delta Dart, or AMA Racer.) The winner will be the flyer of the model which stays in the in the longest during any single flight.

b. Hand-Launched Glider. Models may be constructed by the entrant or may be

of ready-to-fly commercial manufacture. Wing span limit is 12 inches. Scoring as for AMA Cub.

c, Rubber. Wing prom limit is 24 inches, and models must use a commercially manufactured non-folding propeller. Scoring same as for AMA Cub.

d. Time-Target Gas. A free flight gas event with engine limited to .10 cu. in. and no many engine run. The winner will the flyer who obtains three flights closest to two minutes each.

2. Control Line

a. AA Profile Proto. AMA rules in gen-



U. S. Navy photo

Model aviation's great friend, Vice Admiral A. S. "Sandy" Heyward, Chief of Naval Air Training, is shown with the symbol of a revitalized National Meet program: the AMA Cub, to be distributed by the thousands in the Kansas City area this July im a special Juniar competition.

eral, with modifications: maximum engine displacement is .051 cu. in.. and engine. fuel tank and control system shall not be cowled or enclosed. Models will be timed from release until they have flown a half mile; the winner will be the whose model attains the highest speed.

b. MA Solo Race. Any design control line model is permitted, including plastic readybuilts, which has mengine with stock factory-equipped fuel tank and displacement not over .051 cu. in. The event has elements of team racing, but only one plane at a time is flown, and the entrant, who must be the pilot, must also do all engine starting and refueling.

Number of laps to be timed in 40, during which the model must land, be refueled and restarted at least once. Points will be awarded for each mph of speed and for smoothness of the initial take-off and first

landing.

c. Balloon Bust. Any design model having a fixed two-wheel landing gear is permitted if it has an engine of from .14 cu. in. to .36 cu. in. Five balloons spaced 5' apart are used for scoring. The maximum score will be obtained when all five balloons are broken on a single flight within the first ten laps, with no than balloon being broken during a single lap.

d. Sport Race. No restrictions model design except that they must have a permanently attached two-wheel landing gear. Maximum engine size is .36, and only plain sleeve bearing engines may be used. Various minimum line lengths and wire diameters are required according to engine dis-Models are timed for speed placement.

over a half-mile course.

The winner will be the one who has the highest single flight point when each mph of speed is considered as one point and this is adjusted by deducting I point for each hundredth cu. in. of displacement. (A .19-powered model which achieved a speed of mph would be awarded points as follows: 90 - 19 = 71 points.)

Participating contests need bold all eight of the special events, but they must include at least five. This will allow the program to be carried out successfully in most all areas whether or not flight facilities are most suited to control line or free flight. It also takes into account that local interest may be primarily CL or FF. Detailed rules are available from local hobby shops, participating Naval Air Stations (Public Affairs Office) or the Academy of Model Aeronautics.

Competition Age Classes. The special events flown at each contest will be separated into Junior (up to 16 years) and Senior (16 through 20 years) age classes. Juniors will not compete against Seniors.

Contestant Eligibility. All entrants in the special events must be AMA members in of three ways: I. regular AMA Junior or Senior members; 2. AMA Sub-Junior members; 3. Special Junior members those not already Junior - Sub-Junior members: Upon payment of 25c fee to Contest Director such contestants will be classed as Special Junior members, with normal AMA insurance coverage, for the duration of the meet only. (Sub-Junior and Special Junior contestants may fly all events provided they do not use an engine larger than ,051 cu. in. in any gaspowered event.)

Merchandise Awards to Winners: Certificates to at least the top three modelers per event, per age category. First place certificate value \$20 - others in proportion.

For more information: Contact your local hobby shop, the nearest Naval Air Station. or AMA HQ (1239 Vermont Ave. N.W., Washington, D. C. 20005. Phone (202) 347Tourists to Washington may am an attractive geromodeling display if they visit the Federal Aviation Agency. Prepared jointly by FAA and AMA HQ, supervised by AMA . G. Welfs, the display is expected to be in the lobby through this summer. Comprised chiefly of photos, the exhibit also contains - RC model with gear, AMA and NAA magazines and literature, and mentage depicting AMA Junior activities. Keynote is that "Model Aviation is an educational, recreational and sporting activity which stimulates youth toward careers in aviation." AMA HQ has been working closely with the FAA educational programs office for obout a year, - part of an overall public relations effort.



### **AMA Status Report: New** Look for '69?

Nineteen sixty seven was a great year for the Academy of Model Aeronautics, with more members and more chartered clubs than ever before. And we ended the year im the black. In 1964 m dues increase and office economies also produced a breakmen year. But the organization was barely able service its many operations: membership publication, contest administration, the Nationals, contest board operation. meet sanctioning, team selection, and others.

So breaking in itself in not necessarily a solution as AMA's problems. Membership, down considerably in 1964, dropped further in 1965. AMA's Executive Council, despite financial pressures and urging from that only further economies were in order, approved investments in better services. And a Dump-the-Deficit campaign was initiated, which raised several thousand dollars in contributions not enough to put a dent in previous deficits but of sufficient help to maintain improved operations. In 1966 membership was up slightly over 1965. And in 1967 membership topped all previous years - achieving breakeven year, without having to use contributions to support operations.

Donations in 1967 went toward reducing the old deficit—the latter is now two thousand dollars less than it was in 1966. It would seem, therefore, that major financial problems behind us. We're certainly far stronger as an organization than we were five years ago, but there are new financial pressures to deal with.

Expenses are up in all areas: services, supplies, salaries. The HQ staff has been expanded to give better service to clubs and Junior programs. The magazine cost has increased. New office equipment has been purchased. Hopefully, continued membership growth will produce enough new income from dues this year to pay for

the extra costs. But we really need a bigger margin between income and expenses. With expenses always creeping up we're constantly dependent upon an expanding membership. So we have not been able to get ahead, as we might if new income could go into new services, greater efficiency, and added membership benefits. Instead of merely holding our own we need a breakthrough.

The obvious solution to such problems is a dues increase. But it's certainly not a popular one, even though many people recognize that it's normal in any organization - due to ordinary rises in the cost of living - for dues increases to be applied about every five years. Discussions of a possible dues increase for 1969 will be on the agenda when the AMA Executive Council meets in August this year. But such discussions will also explore alternatives. And it appears that some reasonable alternatives are available.

An important area to be explored is whether things are being done for all members even though most may not care about them. This is most obvious concerning the needs of competition fliers as compared with those who fly only for sport. Sport fliers me generally not interested in the AMA rule book, the competition license, license number, or contest board operations. Savings possible if these items provided only to competition people especially since sport fliers appear to make up over three-quarters of the membership. For example, instead of producing 23,000 rule books we might only need two or three thousand.

We may also be able to offer improved services to competition people on the same basis - more things can be done if fewer people are involved. For example, many competition people (about 1,000) now pay \$3.00 extra to receive AMA's special monthly mailing, which includes a detailed contest calendar and contest board news. They are thus paying a total of \$9.00. It's possible that this special mailing service could be provided automatically to all competition people for no more total money than now.

We may also be able to upgrade the status of competition people. Recognizing that they the backbone of the organization we more prestigethey would be the only members with competition licenses, license numbers, eligibility for records and team selection, the only people with voice in competition rules-making.

This is the nature of current thinking by people studying AMA's structure and needs. Whether the organization goes this way will depend largely upon the economics involved. Cost comparisons of current versus proposed changes will be presented at Council meetings in August, as well as the pros and cons of such proposals as basic matters of Academy policy. It all adds up to a detailed review of what AMA has been, what it could be, what can be none to improve the organization physically and financially.

#### **Nats Notes**

What: The annual National Model Airplane Championships

Where: Naval Air Station; Olathe, Kansas; near Kansas City.

When: Aug. 3-8, 1968

Entry Forms: Available by sending stamped, self-addressed envelope to Academy of Model Aeronautics, 1239 Vermont Ave. N.W., Washington, D. C. 20005. Advance Entry Deadline: July 7, 1968 postmark date of entry form mailing to

AMA HO)

Basic Information: Was published in June 1968 issue, Model Aviation section of American Aircraft Modeler.

Other Information: Indoor will be flown at K.C. Municipal Auditorium - Sunday, Aug. 4. Contestants may register at the Indoor site - not necessary to go to Olathe NAS first (indoor contestants only).

Advance Entry Fees are reduced this year for Junior and Seniors: \$2 for either category, includes two events. Additional events at \$1 each, except RC: \$5. Adult fee is \$10, plus \$1 for each event entered, except RC: \$5. Adult entries and event additions - at the Nats site - will pay late penalty fees. No penalties for Junior and Senior late entries but additional events will cost \$2 each, except RC: \$5.

Registration vs Entry: Entry is required first, either in advance by mail or at the Nats, by submitting entry form and entry fees. Registration is the checking in at the Nats, after entry, to receive Nats identification, instructions, latest information. Registration is the final step of entry which acknowledges contestant's presence on site and authorizes flying in the competition.

Lodging: Free housing station as male contestants. Camping on station for males and females (self-contained trailer units only - no electricity or plumbing hookups). Motel listing available: Chamber of Commerce, Overland Park, Kan. 66204.

Meals: Breakfast, Lunch, Supper available at station mess hall, pay-as-you-go, less than \$1.50 total per day.

### **Membership Meeting** Called

As provided by the bylaws, the Executive Council is calling for the regular meeting of the AMA membership to be held this year during the National Contest, 7 pm on Sunday, August 4. Consult the bulletin board at Nats HQ for the exact location of the meeting aboard Olathe NAS. No agenda had been prepared at press time.

#### **Committees Dissolved**

AMA President Cliff Weirick has officially disbanded the Radio Control, Control Line and Free Flight Rules Advisory Committees. The committees had been formed in 1967 to advise the president and the Contest Boards of proposed solutions to then existing problems regarding flying rules.

As it turned out, the Contest Boards have effectively cured most of the big problems by creating and passing on the new rules that became effective this year.

Bill Northrop, chairman of the disbanded RC Committee, has been reassigned to chairmanship of the Scale Advisory Committee, replacing Claude McCullough who



Two plane loads of AMA Nats Jr. and Sr. contestants will to be guests of the Navy and the Hobby Industry Assn. of America on a Carrier Cruise this August. Scene is from 1967 Pensacola event,

### **New World** Distance Record

Bob Kunce AMA 295281 flew his RC model around a course of 500 meters (1640') length on February 19 for a total distance of 332 kilometers (206 miles), a performance believed to have set m new FAI World Class record. FAI HQ in Paris, France, has been notified of the tentative record.

Kunce is from Redlands, Calif. Will model, an original shoulder wing design using the NASA 23012 airfoil, man powered by a Super Tigre 56. The engine was equipped with a Cox 15 carb and O & R fuel regulator

Total flight time for the record was I hours and 4 minutes. The model was landed 70 feet from the launch point, well within

the 1640-ft. radius allowed by the rules.
The previous record of 280 km. (173 miles) was held by Maynard Hill, set June

Later on. Kunce plans to try to beat the World Record for Absolute Distance. Present record, held by Russia, is 378.756 km.

#### **Call for Nominations**

The important posts of AMA president and vice president for Districts II, IV, VI VIII and X come up for election later this year. Modelers from all summe the country should concern themselves with candidates for the office of president, while only members in even-numbered AMA districts should consider selections for VP candidacy. (In the election will be for the offices of secretary-treasurer and VP's of the odd-numbered districts.) Look for the map at the end of this section to locate your AMA district.

AMA's Nominating Committee, composed of the eleven VP's or their delegated representatives, will meet during the National Contest (August 3-8, Olathe, Kan.) to finalize the slate. This does not leave much time for discussion. Nominations are acceptable from any AMA member, should be transmitted to his or her own district VP, together with as much supporting information as possible (at least III words by, for an about the candidate), with a copy

Officers are elected for two-y terms. At the time of their nomination - well - during their entire terms, they must be AMA Leader Members.

The president's responsibility is rather awesome, demanding drive, enthusiasm, administrative ability, and time to do the job. He may preside at all meetings; be a member of all committees; may establish and dissolve committees; he also makes final decisions regarding disputes and protests; appoints Contest Board chairmen; coordinates overall CB activities; coordinates international modeling activity.

No less is the need for well-qualified VP's. In addition to being directly responsible for appointing district Contest Board members and Contest Coordinators, they, as m group, comprise the majority of the Executive Council, AMA's equivalent of a corporation's board of directors. The council is answerable for management of AMA. supervision of its affairs and establishing its policies.

The cover tells the story. Free Flight History will be made at Olathe this year.

Over a dozen papers will be presented at the Symposium by the top people in Free Flight, 100 pages plus, with photos, graphs and drawings will bring into focus the newest technical theoretical and practical Free Flight thinking under Bill Hartill's editor-ship, given by the NFFS in affiliation with the AMA.

Symposium date is Monday, Aug. 5 at the '68 Nats. Those attending will receive the book of technical papers. After the Nots copies may be ordered from the NFFS or AMA HQ.

# DIRECTORY OF

Which officers live in your district? Select correct address when writing officers.

#### **EXECUTIVE COUNCIL**

President:
C. G. Welrick, 2802 New Deal Ave. Apt. C, El Monte, Calif. 91733
Secretary-Treasurer:
Earl Witt, Longview Trailer Court, R.D. #3, Chambersburg, Pa.

Executive Director

John Worth, c/o AMA Hq., 1239 Vermont N.W., Washington, D. C. 20005 Vlos Presidents: 1: Cliff Piper, Highland Road, Atkinson, N. H. 1239 Vermont Ave.

Vice Presidents:
1: Cliff Piper, Highland Road, Atkinson, N. H.
1: Cliff Piper, Highland Road, Atkinson, N. H.
1: A Schroeder, 18 Spencer Rd., Glen Ridge, N. J.
III: Eva Biddle, 2156 Street Rd., Warrington, Pa.
IV: C. Telford, 8612 Raybum Rd., Bethesda, Md.
V: Jim Kirkland, 344 Edge Ave., Valparaiso, Fla.
C. W. Weaver, 7248 Winchester Dr., St. Louis, Mo. Tenford, 8612 Royburn, Rd., Bethesda, Md.
 Jim Kirkhand, 344 Edge Are., Valparaiso, Fla.
 W. Weaver, 7248 Winchester Dr., St. Louis, Mo.
 Jack Josaitis, 10382 Elmira, Detroit, Mich.
 J. L. Peters, 3023 Hillglen Rd., Dallas, Tex.

19248 IX: Stan Chilton, 446 Ida, Wichita, Kans. X. J. Pond, 2162 43rd Ave., San Francisco, Calif. XI: R. D. Stalick, 2307 S. Oak St., Albany, Ore.

CONTEST COORDINATORS:

W. Leonhardt, 100 Abbott St., Lawrence, Mass. E. F. Hoffman, 158 Carpenter St., Belleville, N.J. E. Biddle, 2158 Street Rd., Warrington, Penna. (Enath

M. Weisenbach, 4565 West 146th St., Cleveland, Oldo 14135 (West)

: D. L. Johnson, 3367 Sudlersville So., Laurel, Md. T. McLaughlan, 741 W. Hernander St., Pensagola,

Gosta Johnson, 6810 S. Crandon, Chicago, Ili.

60648
VII. Odell Marchant, 2004 N. Hillsboro, Minneapolis, Milm. 55427 (North)
W. Hartung, 14759 Kilbourne, Detroit, Mich. 18213 (South)
VIII. M. Frank, 2033 Blankenship, Wichita Falla, Tex. 76308

X: E. R. Combs. RR #1 Box 712, Morrison, Colo. X: D. C. Farnsworth, 301 Carl Dr., Visalia, Calif. 93277 (North)

Pete Brandt, 5817 W. Ironwood, Palos Verdes Peninsula, Calif. 99274 (South) XI: A. L. Grell, Rt. 1 Box 185, Tangent, Ore. 97389

CONTEST BOARD COORDINATOR: Pete Soute, 26622 Fond Du Lac, Palos Verdes Peninsula, Calif. 00271

e below indicates Chairman of Contest Board.

FREE FLIGHT CONTEST BOARD:

1 Henry Struck, R.F.D. #2, Hamburg, Old Lyme,

Comm.

II. E. Frennigel, 34-14 Broadway, Long Island City, N. Y. 11108

Robert Leishman, 167 Goldenridge Dr., Lerittown, Pa.

D : J Boyle Jr., 210 Shenandoah Rd., Hampton,

Jurry Wagner, 274 E. 9th St., Hisleah, Fia. E. D. Capogreco, 1-123 Andrews, Cahokia, Hl. VI. E. 62206

W. Klintworth Jr., 894 Brooklawn Rd., Troy.

Mich. 48084 Hi: R. Tenny, 432 Lynn St., Richardson, Tex. 75080

IX: Frank Monts, 6510 Marjorle Lane, Wichita, C. Frank Stones, G. Raidwin, A. Chantyngham, 1335 Hombrook St., Baldwin Park, Calif. 9:1706
J. D. Sobala, 12003 S.E. Taylor St., Portland, Ore.

XI: D. Sobala, 12003 S.E. Taylor St., Portland, Ore. CONTROL LINE CONTEST BOARD:

I. D. K. Cook, 148 Relair St., Brockton, Mass. 02401
 J. J. G. Phillet, 30 Emeraon Rd., Brockville, Glen. Head, N. Y. 11545

Laird Jackson, 5415 Houghton Pl., Philadelphia,

IV: H. Lorseo, Rt. 1, Box 307, Manassas, Va. 22110
 V: W. D. McGraw, 1325 Carol Dr., Memphis, Tenn.
 VI: R. G. Marck, 1003 Tacoma St., Carpentéraville,

III Howard Mottin, 2124 Common Rd., Warren. VII

H: G M. Aldrich, 3210 Shady Springs, San Antonio, Tex. 78230 Londo,

IN: J. B. Musub. 2214 S. Pine Crest, Wichita, Kana, X: J. E. Barr, 7418 Collett Ave., Van Ruys, Callf XI: Keith Loutocky, 1410 S. 48th, Tacoma, Wash.

RADIO CONTROL CONTEST BOARD:

H A Thomasian, 369 Brigham St., Northboro, Mass. 01532

S. Noll, 96 Pine Knoll Rd., Endicett, N. Y. 13760 George Kane, 209 Barbara Lane, Warminster, 11

Pa.

W. C. Northrop Jr., 58 Holly Lane, Newark, Del.

Bon Coleman, P.O. Box 438, Citronelle, Ala. 36529

36322

f: Rud Akkinson, 734 North 6th St. Terr., Springs. Mo. 64615

Vii: Loren Tregellas, 3003 S. Everett, Wichita, Kans. VIII: C. Summers, 7132 Shook Ave., Dallas, Tex. IX: James E. Northmore, 28207 Grand Duke, Farmington, Mich. N.: G. E. Nelson, 8638 Patterson Pass Rd., Liver-More, Calif. 94550

XI: R. Brooke, 17845 3rd Ave. S.W., Seattle, Wash.



#### CONTEST CALENDAR

Official Sanctioned Contests of the Academy of Model Aeronautics

June 22 - Salt Lake City, Utah (AA) Summer FF place. Site: Saltair Modelport. J. Jackson CD,

Jane 22 — Salt Lake City, Utah (AA) Summer FF Solace. Site: Saltair Modelport. J. Jackson CD, Man Canyon Rim Lane, Salt Lake City, Utah 84109. Sponsor: Utah State Aeromodelers.

June 22-23 — Albany, Ore. (AA) Willamette Modelers Club Tth Annual FF & Cl. Meet. Spec. Events. Site: Brewster Field. c o Willamette Modelers Club. Jif Main St., Lebanon, Ore. Willamette Modelers Club. June 22-23 — Willeps. Va. (AA) MARES 3rd Annual RC Meet. Site: Wallops Station. H. June 22-23 — Willeps. Va. (AA) MARES 3rd Annual RC Meet. Site: Wallops Station. H. June 22-23 — Wiebliz, Eano. (AAA) Annual Midwestern Championships for FF, CL & RC. Spec. Events Site: 13th E Webb Rd. J. Finley CD, S217 E. Murdock, Wichita, Kans. Excel Sponsor: WiCHHAWKS.

WICHINAWKS.

June 22-23 — Bayton, Ohio (AAA) Wright Brothers
Memorial Annual RC Meet. Spec. Events. D. Lowe
CD. 5926 Clar-Von Dr., Dayton, Ohio 65430. Sponsor Western Ohio Radio Kontrol Society.
June 23 — Hempstead, L. L., N. T. (AA) Long Ismin Drone Society 10th Annual RC Contest. Spec.
Events. Site: Mitchell Field. J. D'Amico CD.
9226 Rost Pl., Brooklyn, N. Y. 11228. Sponsor: Long
Island Talma Society.
June 23 — Bergenfield, N. J. (AA) Twin Buro Stant
Meet for CL. Spec. Events. Site: Menorial Field.

Meet for CL. Spec. Events. Site: Memorial Field. H. Stites CD. W. Franklin Turnpike, Mahwah, N. J.

07410. Sponsor: Twin Boro Plying Club.
June 23—Ceunell Bluffs, Iowa (AA) 4th Annual
CL Contest. Site: New Airport. D. Bailey CD.
2215 6th Ave., Council Bluffs, Iowa 51501. Sponsor: Balsa Busters

Baisa Busters.

June 23.—Ft. Warth, Tex. (AA) Cowtown Circle
Burners Annual Meet BB CL. Site: Forest Park.

B. Davis CD, 1613 Carl, Pt. Worth, Tex. 76103.

Sponsor: Cowtown Circle Burners.

June 23.—Valley Park, Mo. (AAA) Greater St.,

Louis Modeling Bandward CD, 6328 Jackson, Berkeley.

June 23 — Detroit, Mich. (AA) Cloudbusters 6th Annual CL Meet Site: Rouge Park. C. Wentzel CD, 1888 Roan, Warren, Mich. 1888

June 23 - Johnsville, Pa. (AA) 4th Annual ling. Site: Naval Air Pacifity. R. Leishman Fling. Leishman CD Goldenridge Dr., Levittown, Pa. 19057.

June 23 — Burgetistown, Ps. (AAA) 2nd Annual Gr. Pgh. Cl. Meet. Size: Hillman's Emission Field. J. Nickerson CD. III Maplewood Ave. Pittsburgh, Ps. 15205. Spansor. West Hills Aeromodeling Kontroline

June 23 — Fresne, Calif. (A) Fresne Monthly FF Meet. Site. Near Kerman. F. Gallo CD. 1725 Kenmore Dr. W., Fresne, Calif. 93702. Sponsor: Fresne Gas Milled Club.

June 19-36 — Northampton, Mass. (AA) H.C.R.C. 5th R.C. Rally Conference. Site: Westover (Tentative: J. Papageorge CD, 104 Rocky Hill Rd. Hadley, Mass. 01038. Sponsor: Hampshire Co. Radio Controliers

June 29-36 — Denver, Colo, (AA) 10th Annual Metro Denver RC Meet. Site: Lowry APB, H. Geller CD, 6920 E. Exposition Ave., Denver, Colo.

- Crere Couer, Mo. (AA) 2nd Annual Louis RC Contest. Site: Spirits Field. June 29-30 -Spirits of St. Louis RC Contest. Site: Spirits Field.
R. Williams CD. Bondurante Dr., Bridgeton.
Mo 62042. Sponsor: Spirits of St. Louis RC Club.

June 38 — Oklahems City, Okla. (AA) Central Okla. CL Championships. Spec. Event. Site: Topping

Park, 5300 N. Broadway Ext. M. McGee CD, LE S. E 35, Oklahoma City, Okla. Sponsor: Controliners man Club

June 30 - Endicott, N. Y. (AA) 3rd Aunual Northessi RC Goodyear Championships, Site Tri-Cities Airport R. Noli CD, 88 Pine Knoli Rd., Endcott, N. Y. 13760. Sponsor: Aeroguldance Society Inc.

June 30 — Ridley Township, Ps. (AA) 2nd Annual Boeing Baisa Choppers UC Meet. Site: Boeing Vertol Parking Lot at Rte 291 & Sellers Ave. R. Heminway CD. 519 Oaklawn Avo., Oaklyn, N. J. 0810?.

July 4 — Washington, D. C. (AA) NCMAC 7th Annual Mret for CL. Site: Bolling AFB. D. Johnson CD, 3867 Sudjersville So., Laurel, Md. 20816. Spon-mu: National Capitol MAC.

ED., 330: Sudersville SG., Lauris, Md. 2010. Sponsin: National Capitol MAC.

July B-7 — Sebring, Fla. (AAA) Confederate Nationals FF & CL Conteat. Site: Air Terminal. R. Myers CD. 3335 S. W. 125 Ave., Miami, Fla. 33165.

July 6-7 — Kansas City, Mo. (AA) KCRC Annual RC Contest. Site: Lake Jacomo. B. Drummond CD.

3115 Charlotte, Kansas City, Mo. 64131. Sponsor: Kansas City RC City.

July 6-7 — Chicago, III. (AA) Chicagoland RC Open Meet Site: CRCM Club Field. D. Burt CD, Committee Contral St., Evanston, III. 60201. Sponsor: Chicagoland RC Club.

July 7 — Forest Preserve, III. (AA) 3rd Annual Aero Angels CL Model Meet. Mite: Cumberland & Irving Park Rd. D. Hardt CD, 7371 N. Lincoln Aye, Lincolnwood, III. 60848. Sponsor: Aero Angels.

July 7 — Columbus, Oble (AA) Northland CL Championships. Site: Northland Shopping Center. C. Marco CD, 1468 Burnley Sg. N., Columbus, Ohio

Championships. Site: Northland Shopping Center. C. Marco CD, 1488 Burnley Sq. N., Columbus, Ohio 43224. Sponsor: Capital City Controlliners.

July 8-13— Araeld AFS, Tenn. (AAA) 1968 USAF Worldwide FF, CL & RC Model Airplane Championships. Restricted. Site: ABCD Model Flying Field.

M. Collier CD, 518 Sharoudale Dr., Tulishoma, Tenn. 37388. Sponsor: Coffee Airfollers.

July 13— Taf4, Calif. (AA) Thunder Bugs 1st Annual Night FF Contest. Site: Gardner Field. J. Bonang CD, 1220 Welton Way, Inglewood, Calif. 90302. Sponsor: Thunder Bugs MAC.

July 13-14— Seluna, Ala. (AAA) Ala, State Championships for FF & CL. Site: Slifield. K. Scott CD, 904 Kings Bend Rd., Selma, Ala. 36701.

July 13-14— Seluna, Ala. (City, Utab (AA) July Fiests RC Contest. Site: Saltair Model Port. C. Pannier CD, 1781 Mountain View Dr., Salt Lake City, Utah 84108.

Flesta RC Contest. Site: Saltair Model Port. C. Pannier CD. 1781 Mountain View Dr., Salt Lake City, Utah 84108.

July 13-14 — Turlock, Calif. (AA) Pioneers Annual RC Contest. Site: Municipal Airport. R. Morbe CD, 2551 Prunerldge Ave., Santa Chara, Colif. 85011.

Sponsor: Pioneer RC Club.

July 13-14 — Mandan, N. D. Missouri Slope Annual RC Model Fly In. Site: Mandan Airport. A. May CD, Rt. 3 Box 58, Bismarck, N. D. 58564.

July 13-14 — Roaneke, IJI, (AA) 3rd Annual RC Contest. Site: Robert Sherer Farm. E. Dalton CD, 1429 E. Hendryx Lame, Peoria, III. 61614. Sponsor: Peorla RC Modelers.

sor: Peorla RC Modelers.
July 13-14—San Antonio, Tex. (AAA) Side-winders 4th Annual CL Contest. Site: Churchill H. S. G. Aldrich CD. 3219 Shady Springs, San Antonio,

Yes, 78230.

July 14 — Aurora, Colo. July FF Fun Fly. Site:

MMM Flying Site. A. White CD, 1373 Bellaire,
Denver, Colo. 80220. Sponsor: Magnificent Mountain

July 16 - Dayton, Ohio (AA) Midwestern CL Championships. Site: Municipal Model Flying Field. C. China CD, 5028 Broughton Pl., Dayton, Ohio 45431.

Sponsor: Dayton Buzzin Buzzards.

July 14 — Suffield, Conn. NCRCC RC Fun Fly,
Ste: Club Field. R. Bernier CD, 761 Mather St.,
Suffield, Conn. 06878. Sponsor: Northern Conn. RC

July 14 — Geneva Area, N. Y. Hobo or Fun Meet ite: Oaks Corners. H. Ford CD, 11 Stephens St.,

Continued on page 67

# from AIRTROL of Adrian

# R C READY - TO - FLY

29" Wingspan
.020 Engine
Transmitter
Receiver
Servo
Complete airborne equipment
Just put in fuel and start flying

Scale Model of Lockheed's "Lil Dipper"


#### KITS:

Plane only \$1195

C Equipment (Land & Airborne) 020 Engine

Plane Ready for assembly

(Land & Airborne) Ready for assembly



Free Flight . . . . . .

100% Vacuum Formed

HIGH-IMPACT
Polusturene

# Proportional Systems by AIRTROL of Adrian Migi-pulse G G Set

#### SMR-I

Sub Miniature (Air Weight 4 oz.) Receiver-Servo combination w/rechargable batteries.

Transmitter easily fits in the palm of your hand.

\$5995






GL-100
Miniature Airborne Equipment, Minimized Interaction
8 position motor control, 3
functions from a single servo.
Will handle up to .35 engine.
Complete set
\$9950

All items shipped promptly direct from AIRTROL of ADRIAN

Send for FREE Catalog —
AIRTROL of ADRIAN
Dept. DG-1
845 Treat St.

Adrian, Michigan 49221 Phone: area 313 265-5500




#### PAS I SERVO

The miniature Servo with the muscle of GIANT, controls motors up to .40, and operates on only 2 regular penlite batteries (Slight quiver — NO FLOP).

A miniature servo with a miniature price tag.

ONLY \$795



#### CONTEST GUIDE

Several NAR sections have asked for assistance in getting their group on the right track in the area of sanctioned competition. Here is a step-by-step guide on how to put your section in the competition business.

1) Before you decide to hold a contest. your members must have a complete knowledge of the NAR Rules and Regula-tions "Pink Book." If you are a new club, you should spend several meetings discussing the basic requirements for a meet and the many contests that can be sanctioned.

2) Know the limitations of your members. If your members are new to model rocketry, plan contests which are relatively easy for your entire membership. Seek your own club's level. If your membership is of a relatively young age and generally inexperienced you should hold such events as Parachute Duration, Altitude competition (if you have theodolites, experienced trackers and data reduction crews), Drag Race, Spot Landing and the like. Only if you are advanced in techniques and ability should you schedule scale events and boost-glide.

3) Appoint a Contest Director. He must have a thorough knowledge of rules and

regulations.

He must be able to correspond with the National Contest Director and follow the directions that are given to conduct meet. The Contest Director (CD) must organize his meet and be able to delegate authority. The CD should be the adult advisor. And there must be a dependable and hardworking member of the section working directly under the CD.

4) In order to obtain sanction for a meet, the CD must obtain the proper sanction application papers from the National Contest Director. Remember, in order to obtain sanction, you must plan ahead. Thirty

(30) days notice is required.

5) Upon receipt of the sanction request, fill out the questionaire completely and return the copy immediately to the National CD. When you receive the meet flight cards and scoring sheets, study them carefully so that you understand every detail. If you have questions, ask the National CD for clarification.

6) Before the meet is held, develop a system to handle the flight cards on the field. A dry run before the meet with contest officials is very important. This be done at a section meeting. It is a good idea to have a Leader me Senior member

monitor the activity.

7) After the meet, be sure that all the information required is completed. Check and double check that everything that is to be returned to the National CD is in proper order. Don't put it aside. Remember, it must be sent to the National CD as soon as possible after the meet (generally 7 days).

There are many tips that you can use in the above points to help you get started. One thing you must remember is don't bite off more than you can chew in your first few section meets. If you live in an area where there are other sections, seek assistance and advice from them.

Step-by-step organization is always required. Range discipline is absolutely necessary and the Range Safety Officer must be firm, level-headed and possess leadership capabilities.

If you are unsure of the requirements for a good launch range, you may refer to the layout in the Handbook of Model Rocketry.

Requests for sanction applications should be directed to: Albert Kirchner Sr., 49 Cheshire Rd., Bethpage, N. Y. 11714. Requests for sanction sent to NAR Headquarters will be immediately forwarded to Mr. Kirchner.

#### PITTSBURGH CONVENTION

The Steel City Section of the NAR held their 3rd Spring Convention at Shadyside Academy, March 15-17. Over 200 modelers attended. The huge turnout was especially rewarding in that many non-NAR members were introduced to the Assoc. Discussion groups and lectures covered a wide range of topics from beginning model rocketry to advanced projects.

There were industry representatives from Centuri Engineering, Estes Industries and

Model Rocket Industries.

The convention is an excellent example of what the section level can do to instill an interest in model rocketry and insure its steady growth. Kudos go out to Arnold Pittler, convention chairman, for his outstanding work.

#### TRUSTEES MEET

The Board of Trustees of the NAR held open and executive session at the Pittshurgh convention. Committee reports show that the NAR membership in 1968 will exceed all other years. The continued growth of the NAR is an indication of the interest in modeling. As of March 1, 1968 membership was 172 percent of that a year ago at that time.

A motion was approved that reduces the NAR Section Charter fee to \$5.00 per year. All sections chartering this year and sending in \$15.00 will receive a \$10.00 refund.

Mr. Tim Skinner, of Model Rocket Industries, pledged his support of the NAR and promised nationwide publicity of the NAR program through hobby dealers.

The Leader Administrative Council has completed the new NAR By-laws. They are now available at a very low cost from NAR Technical Services.

Technical Services says that NAR pins are now available as well as other supplies. The Handbook of Model Rocketry (second edition) is selling at a good rate. Cost is still \$4.00 for the paper cover edition to NAR members. Items to come from NARTS include complete scale plans for Falcon. Scout, Black Brant IV and the Nike-Tomahawk. Availability will be announced in The Model Rocketeer.

Continued on page 71

#### Russian Space Program

Continued from page 18

a 11/2 stage vehicle with a series top stage. As we will see, the top series stage was added to the basic booster - the program progressed. According to Space Business Daily, the Soviets refer to this carrier rocket = the RD-107, the same designation as the booster engines.

At lift-off, it operates = a parallel-staged vehicle. The four RD-107 engines of the boosters and the RD-108 of the core are ignited at the same This is a total of main thrust chambers and 12 vernier chambers, providing an estimated total takeoff thrust of 950,000 lbs., increasing to 1,150,000 in . At an undisclosed time and altitude, the four strap-on boosters separate from the sustainer core, probably by having explosive bolts sever the fore and aft attachments. The hammerheaded sustainer core continues thrusting with its RD-108 producing 228,480 lbs. of thrust. In due course - thrust duration unknown the sustainer propellant tanks are emptied, and the RD-108 shuts down. If the vehicle is carrying its top stage, the single-chambered top stage engine then lights-off with "fire-in-the-hole" technique, and explosive bolts separate the top stage from the interstage truss structure.

Soviet rocket technology must certainly applauded il their engineers can manage to ignite simultaneously 32 thrust chambers at launch. The ignition technique wery similar to that of the German A4, shown by released motion pictures of the sequence. At the ignition signal, propellant valves open permitting the propellants - liquid oxygen and kerosene to flow to all combustion chambers by a combination of gravity feed and tank pressurization. We don't know whether ignition accomplished by pyrotechnic igniters in each chamber or by use of "hypergolic leads" — slugs of propellants introduced into the engine plumbing between tanks and chamber injectors so that when they initially into contact after the start signal, they start a fire simply by contact with each other. Thus, in this "preliminary stage," a very low-thrust combustion process gets ignition going in all

thrust chambers.

Using either instruments to detect combustion in all chambers or eyeball inspection through periscopes from the blockhouse, the launch crew has a few seconds m determine if all chambers am lit off satisfactorily. If everything is well, the "main stage" signal is sent, starting the turbo-pumps. Thrust in all chambers then rapidly to some 950,000 lbs. total because the propellants being driven into the combustion chambers by the turbopumps. Once thrust has risen to the correct level, four launcher arms swing back from their hold-down attachment points at the forward booster attachments, leaving the vehicle free to III off at an acceleration of about 1.3 gees, which is nearly optimum.

Unlike our paper-thin Atlas vehicle which also uses a modified 11/2-stage principle-jetissoning only two outboard boostengines, however, instead of engines and tanks - the Soviet carrier rocket in built very solidly. While the vehicle was being assembled at Paris, technicians walked me and down all over it. It was lifted and placed on its railway car erector by two cranes which picked it up and the forward and aft booster attachment points. By using the strap-on booster concept with parallel staging, the Soviets were able make a much shorter vehicle than would have been possible with series staging, and the carrier rocket is therefore

much stiffer vehicle than our smaller Atlas. There is also evidence that Soviet engineers paid a great deal of attention to aero-

dynamics in their design.

This sustainer-booster combination is undoubtedly the first-generation Soviet ICBM. often termed the T-3 and also called the M-108, although the latter designation may have referred only to an earlier version of the RD-107 rocket engine. As such, the sustainer-booster combination alone launched the first three Sputniks without ■ top stage. Soviet photos have been released showing the launching of Sputnik III with no top stage and no interstage support trusses. Another photo has been released showing a top stage and interstage truss structure with the caption, "Launching of the Soviet pioneer manmade earth satellite." Therefore, the exact configura-tion of the launch vehicle for the first three Sputniks is, at this time, unconfirmed, but the standard Soviet space carrier rocket was indeed used to launch the

Although the spherical Sputnik I was only 24" in diameter and weighed 184 lbs., it is not generally known that the Soviets orbited a total of some 8,000 lbs. on the first shot. Sputnik II weighed-in at 1,120 lbs. with the dog Laika aboard, and again some 8,000 lbs. were prhited. Sputnik II was a bright object in the heavens, and I watched it go overhead many times. Sputnik II was photographed from Cape Ca-naveral, and RCA Service, Inc. estimated its length between 74 and I ft. The Royal Aircraft Establishment in England estimated from tracking data that the entire Sputnik II vehicle 7.6 ft. in diameter and 65.6 ft. long. The total length of the carrier rocket sustainer core plus Sputnik II payload shroud is actually between 95 and 110 ft. long (depending upon whether or not the top stage structure and interstage trusses were really used), which is very close to the photo-based estimates of 1958.

The first three Sputniks were therefore orbited using only the booster-sustainer configuration without any top stage. With Sputnik I, the rocket was operating far below its maximum payload-carrying ca-pability. Even with the 2926-lb. Sputnik III, the vehicle was operating far below the 3087-lb, orbital capability of the booster. a figure recently revealed by Soviet professor G. V. Petrovich.

In 1959-1960, the Soviets added the top stage to the RD-107, and this was first tested on the launching of Luna I on January 2, 1959. This, then, was the complete 21/2-stage booster that was eventually to launch the manned Vostoks. Petrovich announced recently that the orbital capability of this booster was 10,142 lbs., and this was very close to the weight of Spacecraft I, launched May 15, 1960, which put an unmanned Vostok into orbit for the first

The Soviets did not go at their manned orbital program lightly. There is absolutely no substantiation at this time to the persistent rumor that the Soviets lost one or more cosmonauts in the Vostok pro-gram. When they finally did lose a Komarov, in the first Soyuz flight, they did not try to hide the fact. They even went to great lengths in the unmanned Vostok test program to keep the West from believing that they had a cosmonaut in orbit; for the test of the communications in one of the unmanned flights, they deliberately used a recording of a choral group singing folk songs rather than the recorded voice of a single man. The Soviets do have a sense of humor, because they have admitted with chuckles that they also thought that this chorus from space

ALL NEW FOR '68 EXCEPT THE PRICE Another STAFFORD winner !

P/c COMANCHE \$3895



The finest in R/C quality kits ALSO AVAILABLE: CHIPMUNK, HIDGET MUSTANG, MISS TITLE II

CERT LAWY FOR LITERATURE DEALERS MOURIES

DELUXE KIT \* \* FORMED GEAR ALL SHEET TAIL FIBREGLASS COWL **FULLY SHEETED WING** SHEET FUSELAGE (NO CARVING OR PLANKING) \* \* \* \* \*

COLA STIERDIZARE BLAD

5% STATE TAX

JACK STAFFORD MODELS 12111 BEATRICE ST. CULVER CITY, CALIF. 90230



#### **CONTROL-LINE PLANES**

Gas Five J M. See for Small 1/2A Engines .010 to ......





Kit 95 PIPER CUB TRAINER. 18" Carved body, shaped wing. \$2.85



Kit BIG OTTO, 24" Great Ball-bat Flyer



Kit 60 MINE MIT GOMBER, 18" Carved body, shaped wing ... \$2.95



Kit III CESSNA "182" TRI-CYCLE. 18" Carved body, shod wing \$2.85



Kit 92 P-40 WARNAWK. 21" Bilt-up wing, formed cowi \$2.95



Kit 4 BIRD DOS. 18" Carved body, shaped wing \$2.05



Kit 149 RED TIGER P-40. 19" Bittup wing, formed cowl \$2.95



Kit 7 CESSNA "180". 18" Carved body, shaped wing \$2.95



Kit 25 STUNYMASTER, 18" Carved body, shaped wing \$2.95



Kit 59 P-40 FLYING TIGER, 18" Carved body, shaped wing \$2.05



Kit 8 PIPER CUB CRUISER INC. Carved body, shaped wing \$2.88



Kit 26 LITTLE MERCURY 18" Carved body, shaped wing \$2.95



Kit 142 ZIPP 19" Bilt-up wing and body, etc. \$2.85



Kit 144 SIZZLIN LIZ. 18" Bilt-up wing and body, etc. #2.95



No an LITTLE MUSTANG, 18" Corved body, shaped wing \$2.95



Kit 74 MESSERSCHMITT ME-109. 18" Carved body, shpd wing \$2.95



Kit III GOLDEN HAWK. 18" Carved body, shaped wing \$2.85



KIT 30 RED DEVIL. 18" Carved body, shaped wing



Kit 91 STUNT TRAINER, 18" Bift-up body, shaped wing \$2.95



Kit 14 PIPER TRI-PACER. 18" Carved body, shaped wing \$2.95



KIT III LITTLE DEVIL. IIII Carved



Kit 65 ZIG ZAG, 18" Carved body, shaped wing \$2.49



Kit 71 KINGPIN, 50 sq. in. wing Bilt-up wing, formed parts \$2.49



Kit 93 RED FLASH, 18" Carved body, shaped wing \$2.49

FIGE DEALER. If kits are allable at dealer, you may or adding 50c for posts Outside A. add Send for Catalog.

SCIENTIFIC MODELS, INC.

They also used their most reliable orbital weight-lifter me the launch vehicle, the standard carrier rocket. By the time they orbited the first unmanned Vostok in May 1960, they had had at least six tests of the vehicle as an ICBM (probably more), three orbital Sputnik shots, and three lunar Their Vostok program was not shots. without problems, however. Technology is technology, and there are no infallible super-engineers. They lost Spacecraft I, which is still going around in orbit as an unmanned Vostok. Spacecraft III, another unmanned Vostok precursor flight, burned up on re-entry. However, by the time their carrier rocket was "man rated," at the time of the first manned flight, the Soviets had had at least 18 space launches (that we know of) with the carrier rocket, two of which failed (that we know of). Undoubtedly, there were more flights of the vehicle than that, some of them being the Pacific test shots that were run during

that time period. Therefore, the Soviets had a man-rated launch vehicle of very high reliability by the time Yuri Gagarin climbed aboard and rode into history once

would cause a bit of confusion among

Western listeners!

around the world on April 12, 1961. Having available the large standard carrier rocket, the Soviets were not as limited in the weight of their manned spacecraft as was NASA with the Mercury spacecraft lofted by the Atlas-D. The nominal orbital weight of the Vostok spacecraft, including pilot, is given by the Soviets 4725 kilograms (10,422.5 lbs.). Therefore, they did not need to cut things as finely as the USA did with Mercury. The Soviets could afford the weight of a dual-gasoxygen and nitrogen - capsule atmosphere, plus enough consumables to permit Vostok to remain in orbit for long periods of time -64 orbits in the end of Nikolayev in Vostok 3. They even had television transmission from the Vostok.

The Vostok capsule is a very strong and rugged vehicle, evidence by the released photographs. It also came as a great surprise to Western engineers to see from released motion pictures that the Soviets do not use "white room" techniques in the assembly and check-cut of the Vostoks. Photos plainly show the Vostok capsules being assembled in huge hangars. The equipment aboard is also very rugged and heavy; a photo shows a coveralled Soviet technician installing some electrical gear with a large 250-watt soldering iron.

The Vostok capsule that is placed in orbit consists of 1) the entire top stage of the carrier rocket, 2) a service module carrying electronics, consumables, and re-entry rockets, and 3) a spherical re-entry command module. An aerodynamic shroud protects the spacecraft during launch and perhaps in jetissoned after separation of the top stage from the booster sustainer core.

The only thrusters visible on the Vostok spacecraft that have been displayed in Paris, Moscow, and Montreal are the four nozzles located the aft end of the top stage. These may also be vernier rockets for final orbit adjustment. They appear to be canted slightly to provide roll control as well as pitch and yaw control when operated singly or in pairs.

When ready for re-entry, the top stage is jetissoned, revealing the conical-shaped aft end of the service module. This has never been displayed, but is shown in both Czech and Polish drawings. Although its exact shape is therefore open to question, it must also mount manner of attitude control thrusters to align the command and service modules for proper re-entry rocket firing angle. The re-entry

rocket engine is apparently at the small end of the conical frustrum of the service module. After firing of the re-entry retro rocket, the service module is separated from the spherical command module, probably by releasing the straps that around the command module. The service module thrusters, wherever they are located, may also impart a roll to the command module after it is positioned in the proper re-entry attitude.

The command module is a sphere 96" in diameter. The displayed Vostok had a coating of aluminum foil over the sphere to provide thermal control. Released Soviet photos indicate that the sphere is coated with an ablative heat shield material on the hemisphere at the pilot's back, while the remainder of the sphere is protected with honeycomb material.

Early USA manned capsule designs used the spherical shape, but this was later modified to the blunted cone shape now so familiar to us, primarily because the blunted cone shape weighs less. The Soviets stuck to the spherical re-entry shape because: at they did not have a weightlifting problem to contend with, and b) the aerodynamic characteristics of a sphere are very well known. In the engineering trade-off between weight and aerodynamic knowledge, the Soviets opted for more weight and a shape they knew about, thereby shortening their development time period.

The Vostok re-entry sphere has - off-set center of gravity to provide some stabilization during re-entry. It may also have an imparted roll around its fore-and-aft axis (with respect to its position on the launch vehicle). It apparently has drogue parachute like our Mercury and Gemini capsules. It comes in like a spinning ball. The spherical shape, with its off-set CG and imparted roll, leads me to believe personally that the Vostok probably undergoes more oscillation during re-entry than the US space capsules. Re-entry in . Vostok must be a wild ride!

At about 23,000 ft., the cosmonaut ejects from the spherical capsule. The entryexit hatch blows off, and the three ejection seat rockets fire to push the cosmonaut and his seat clear of the falling capsule. The cosmonaut then separates from his seat and lands under a regular personnel parachute, just like w jet pilot that has ejected from a plane. Soviet films show the Cosmonauts practicing ejection from Yak-25 Flashlight jets. At about 16,000 ft., another hatch blows off the side of the Vostok sphere, the capsule recovery parachute deploys, and the capsule lands at a velocity of about 33 ft, per second.

Although all Vostok cosmonauts used this type of landing system, the Soviets claim that a landing can be made with the cosmonaut remaining inside the capsule. This may be true; in an emergency, the cosmonaut may not have to eject from the capsule. But it is my belief that such a landing would be very rough me a cosmo-

Why did the Soviets use this recovery technique for their Vostok cosmonauts?

In the first place, they recover their capsules over land rather than over water as the U.S. does. Impact forces for a ground landing are much more severe than for a water landing. The geometry of the Vostok sphere shows that the only available free volume in the sphere for stowage of the capsule parachute is on the side of the sphere. If the cosmonaut stayed inside the capsule, he would have to take the parachute opening shock and a landing shock of 33 ft. per second on his side. So the obvious safe technique was to get the cosmonaut out of the capsule before parachute



#### WOOD SHIP MODEL

Kits include Carved Hulls . Metal

Display Stand



Kit 172 CLIPPER, Oos Amigos. 223/2" Ce-ture kit, printed cloth sails, metal fittings \$16.95



163 CUTTY SARK, CLIPPER SHIP, 23" exact scale replica of world's fastest ship. Printed sails \$16.85



Kit 164 BLUENOSE. 24" Authentic steek trim lines. Fine detail metal fittings, printed cloth sails \$16.95



Kit 171 SEA WITCH. Big 271/4" super deluxe kit. Printed Biall salls, realistic metal fittings \$16.65



Kit 165 MINISEE WE THE SEAS. 23%" - 1852 model. Collector's model. Kit MIN (inely detailed parts \$18.85



Kit 166 U.S.S. of Civil War fame. Big Intuit 27" ship printed salls, cast fittings \$21.85



Kit W U.S.S. CONSTITUTION "Old Ironsides", Fought
battles successfully. Kit has cannons



Wit U.S. Coast Guard EAGLE, 13" model is true replica. Printed cloth sails, metal fittings \$8.95



most famous ship in \$8.95 Kit 169 H.M.S. BOUNTY, 131/2" most history. Display it in home or office



Kit 167 FLYING CLOUD, CLIPPER SHIP, 13% collector's item you'll be proud to display

SCIENTIFIE MODELS, INC.

DEALER, If kits # direct from factory adding 50c Send for Catalo



opening and landing. This also permitted a smaller capsule recovery chute and the high capsule landing velocity.

Again, however, we Soviet engineering philosophy at work here. The want is already strapped into an ejection which is required for emergency egress during launch abort. The Soviets did not develop an escape rocket system such we used on Mercury. They used the ejection technique that later used with Gemini. Apparently, the Soviet engineers decided to use the ejection seat that was incorporated for launch abort purposes in a dual role: launch abort safety well simplifying the landing problem.

The ejection seat in also obviously intended for launch abort purposes because the capsule's aerodynamic shroud has a large, un-faired opening in it for entry and

Although the Vostok spacecraft system may appear to some people to be crude, it is well in remember that it worked quite well. The Soviets got 12 flights with it, including six completely successful manned missions. They is flew a massion in it. Soviet engineering, in evidenced by their aircraft alone, in eminently pragmatic.

Their launch pad technique also shows this. Recently released motion pictures of the check-out, erection, and launch sequences of the Tyuratam Cosmodrome reveals an entirely different system than that in man in the United States for large launch vehicles.

The carrier rocket is completely bled horizontally on a railway erector inside the Cosmodrome hangar. The Vostok gover capsule also undergoes final and sembly in the hangar and is put through a minimum of systems tests with and without a cosmonaut aboard before mating the spacecraft m the booster. Finally, the entire carrier rocket and spacecraft in mated horizontally in the hangar. The check-out vehicle is taken by rail on its erector car to the launch pad. It is then erected on the pad by the hydraulically-operated erector, and four counter-weighted steadying and hold-down arms swing in to memor the booster vehicle in the pad in a vertical direction. These hold-down arms also have work platforms attached to them. Two swing-back umbilical towers also positioned against the vehicle in that propellant loading lines, electrical cables, and capsule air conditioning ducts we be attached. After the erector is removed. rail-mounted service tower with elevator is moved into position on the erection side of the vehicle. The vehicle itself does not have its base flush with the main surface of the pad, but is positioned with its base below the pad level in a well the flame pit. There we assembly operations carried out on the launch pad, but final systems checks are probably made. Everything appears to be moved in and out of the launch pad area by rail.

Either the Soviets have two such pads Tyuratam Cosmodrome, m this system of horizontal hangar assembly and rail-borne erection has been designed for an extremely rapid pad turn-around time. Soviet paired flight with Vostok 3 and Vostok I required two launches within 24 hours - one . August 11, 1962, and the second on August 12th. It took the U.S. a week of three-shift operation to re-cycle the launch pad between Gemini I and Gemini 6; this long re-cycle time was due to the fact that the Gemini-Titan vehicle must be assembled in a vertical position the launch pad before final systems checks can lin done.

If the Soviets used the launch pad for their paired Vostok flights, it seems unlikely that the USA match their pad

A CONSUMER INFORMATION ARTICLE, COURTESY OF THE

### Billie Badger sez-

From E. B., Parma, Ohio 44129: "Where all purchase good photos of German pircraft?"

I don't know of any commercial source of photos, but the Karl Riess book "Comouflage Systems of the Luftwaffe Aircraft" is an excellent book on color schemes and markings.

W. B. Walthem, Mass., 02145: "Can I run my #250 Badger airbrush from a spare tire; if so, how many pounds of pressure? If already have a 'spare tire adapter')."

You inner tube with gun. Put the tube in a spare tire and do not let pressure exceed in its.

P. D., Cranston, II. I., 02910: "How can I get the most benefit from my \$5.95 Badger Airbrush in spraying German camouflage?"

The new Bodger Airbrush Co. Handbook isee below) on spray pointing will be helpful wow in using your #250 Airbrush.

Send taday for your copy of the "How-todo-it" handbook i spray painting offered by Billie Badger.

direct your questions and comments to: Billic Badger, cro

RADGER AIR-





Adjustable from time spray for detail work or delicate touch-up. to full spray for larger area painting. For flat glossy or metallic colors without brush marks... solid timistes blending shading or logging for a custom design. Use free hand as with stencits. — Model finishing will be more realistic delicate and natural.



Ask your dealer for FREE brochure in write 🖿



# THE ROYAL "CLASSIC" DIGITAL KIT SYSTEM

### STATE OF THE ART DESIGN for the Discriminating Modeler and Technician

Check these features:

Versatility: Available as 2, 3, 4, 5 or 6 channel. Custom Design your set with choice of Orbit PS-2, Orbit PS-3 or Bonner 4RS Servo Mechanics.

Quality: Professional Appearance/Premium grade Components throughout./Vinyl finished case (Royal Purple).

Service: Complete factory repair and tuneup service.

Professional Design: By the most experienced Digital Kit Designer—Ed Thompson/Complete series now appearing in RCM.

Performance: System Features Better than out of site range Total flying weight is 15.2 oz. with PS-3 or 4RS Servo Mechanics and Classic Amplifier.

Transmitter: High power output .8 watt—available with Bonner, Kraft or Micro Sticks / Linear Control response / Quality center loaded antenna/Easy "Add 
Channel" conversion-Excellent Efficiency.

Receiver: Doubled tuned front end/3 stage AGC / Sensitivity 2 µv / Fully temperature

compensated Weight 2.4 oz. — Size 13/8" W x 13/4" L x 13/16" D.

**Decoder:** Uses reliability proven SCS in fully temperature compensated circuits.

Servo: Choice of Orbit PS-2, PS-3 or Bonner 4RS RMK available later. / All versions feature Classic Hi-Resolution / Hi-Power Circuit.

|                                 | Kit System Price                                 |                | Factory Built                                    |                            |
|---------------------------------|--|----------------|--|----------------------------|
|                                 | Senner<br>Stick                                  | Micro<br>Kraft | Bonner<br>Stick                                  |                            |
| 2CH<br>3CH<br>4CH<br>5CH<br>6CH | \$189.95<br>224.95<br>259.95<br>269.95<br>279.95 | **274.95       | \$279.95<br>319.95<br>379.95<br>394.95<br>409.95 | 329,95<br>399,95<br>414.95 |
| Stick.                          | Kralt Stie                                       | k available    | **Add \$7.00<br>only assemble<br>Kit is availab  | d. Adder                   |
| PRIC                            | ES INCLE   | DE BATT        | ERY CHAR   | GER IN                     |

Dealer inquiries invited — Modelers write direct if not available locally — Write for prices of complete systems and components.

ROYAL ELECTRONICS CORP. 2101 South Leyden Box 22204 - Denver, Colorado 80222



it's pad only model plane build buy famous Ambroid cement number the lattowing y hest custor

公 NASA

& MOTOROLA

☆ LOCKHEED

& BENDIX

\$PAN-AM

& KODAK

& UNITED AIRLINES

☆U.S. AIR FORCE

**☆BOEING** 

AEASTERN AIRLINES

& GENERAL ELECTRIC

☆DELTA AIRLINES

☆U.S. NAVY

TR.C.A.

WESTERN ELECTRIC

公NATIONAL GEOGRAPHIC

☆ WESTINGHOUSE



20 cc. Tube 15c 1-3/4 Oz. Tube 30c 4 Ounce Tube 60c

AMBROID "REGULAR CEMENT"

AMBROID "EXTRA-FAST" CEMENT Ideal for field repairs: 20 cc. Tube 15c

Pint Con Quart Con Gallon Can \$8,75

\$1.75

#### IN EVERY FIELD THERE'S A LEADER -- IN MODEL WILLTIGH IT'S AMBROID

AMBROID COMPANY. . . 231 . WEYMOUTH 88 . MASSACHUSETTS



turn-around time even with the Saturn V Complex 39 or the Titan III complex at Cape Kennedy. Obviously, the Soviets can assemble and check-out two Vostok launch vehicles at the same time with their horizontal assembly system.

Now that the Soviet Sputnik, Lunik, early interplanetary, and Vostok programs have been reasonably well described by Soviet sources and Western analysts, what about the Soviet multi-man Voskhod follow-on program? Again, we now know from Soviet sources that the standard space carrier rocket was used. This has been called the RD-107B vehicle by some U.S. sources. It utilizes the same 11/2-stage booster-sustainer vehicle, but has an up-rated, lengthened upper stage that is some 18 ft. longer than the Vostok top stage. Most of this addi-tional volume is devoted to additional propellants, and the new top stage may have a multiple-chamber rocket engine in place of the single-chamber engine of the Vostok vehicle. The released photographs at the time of this writing give m information on this point. However, like the Vostok RD-107 vehicle, the Voskhod RD-107B rocket was used by the Soviets from 1961 on. According to Professor G. V. Petrovich, it has an orbital capability of 14,333 lbs. The Voskhod shroud seems to be the same diameter the Vostok's, but it is longer.

External details of the Voskhod space-

craft itself have not yet been revealed at the time of this writing, but several things can be inferred about Voskhod. It has no ejection seats in evidence. In Voskhod 1, the three cosmonauts Komarov, Yegorov, and Feoktistov flew without pressure suits and landed inside the capsule. On Voskhod 2. Belvayev and Leonov flew in pressure suits a safeguard against airlock malfunction, the weight of the third crew member being replaced by the collapsible airlock for Leonov's EVA. Again, Voskhod 2 landed with the two cosmonauts aboard. The Soviets have announced that retrorockets were used in the landing sequence.

The simple blackboard drawings of Leonov during the press conference in which he described his EVA indicate that the Voskhod may still be the 96-inch diameter re-entry sphere of the Vostok program but with a cannister added on the forward end for m larger landing parachute. Since the cosmonauts landed in the capsule, it seems reasonable to assume that the Soviets eliminated the side-mounting of the Vostok recovery chute. How and where landing retro-rockets could have been mounted so that they were protected during re-entry remains unknown at this time.

Whatever the Soviets have come up with beyond Voskhod is not known yet. Undoubtedly, they have already made several unmanned flights with a much larger carrier rocket, if the past history of their space program is any indication. Proton 1 was flown on July 16, 1965; its announced weight was 26,840 lbs. in orbit. As displayed in Paris, Proton 1 was 14.76 ft. in diameter. A vehicle of this size and this weight would require a launching vehicle of a size between Saturn-Ib and Saturn-V. The Soviets may have used this new vehicle for the successful Venus shot, and may also have used it for the ill-fated flight of Soyuz. 1 on April 24, 1967 during which Komarov lost his life after re-entry. Norman Baker, the editor and publisher of Space Business Daily, remarked to me that the Soyuz booster might be an SS-9 core surrounded by four strap-on SS-9 boosters.

The SS-9 is the new Soviet ICBM paraded in Moscow in 1967 and powered by a cluster of six thrust chambers. This would certainly be consistent with the Soviet space vehicle design philosophy evidenced to date. However, all of this must remain speculation until more details me released by the Soviets and until they make their

next series of space flights.

One thing is certain: The Soviets going to continue to expand their space program with multi-man flights, orbital rendezvous, and very large launch vehicles. The Moon may not be their immediate goal: a permanent manned orbiting space station may well be in the Soviet space planning instead, and this may be used as a departure point for the Moon and the planets which they are currently engaged in scouting successfully with unmanned spacecraft.

The Soviet Union has been aiming toward space flight longer and consistently than the United States. It would be folly to believe that they would not continue the pace of their program regardless of what the United States does.


# Scale Techniques for the Plastic Modeler

Continued from page 39

or long-range fuel tanks. Night fighters carried the conventional Mark II solid-nose armament of four cannon and four guns.

With the addition of slipper wing tanks, this type aircraft could be used as a long-range interceptor night fighter, with bomb loads on the night fighter the same as those used on the daytime counterparts. Mosquito Mark II's were used for bad-weather operations on bombing and reconnaissance missions as they operated most effectively in scattered cloud cover.

Specifications — Wingspan: 54' 2"; Length: 40' 4"; Maximum speed: 370 mph; Ceiling: 36,000 ft.; Maximum range: 1,705 mi.; En-



#### the cally thing as impressive as the Heathkit® R/C System is the 124 page\* manual that comes with it

\* 60 pages of "how to build it"... 64 pages show how to test it, install it and, most important, how to maintain it yourself!

Thousands of owners can attest to the impressiveness of the performance and savings of their Heathkit R 'C equipment. But what they may not mention is the superb instruction manual that comes with each Heathkit system. Less than half of this 124 page epic is devoted to the famous step-by-step instructions and pictorials that make Heathkit units so easy to build. The balance of the manual is a goldmine of the kind of information that's good to have around later.

Its mighty comforting to know that with the help of this manual you can keep everything in tip-top flying condition without those expensive "back to the plant" service and check-out excursions. You'll find complete details on troubleshooting, testing, locating faults, alignment instructions, installation hints, "x-ray" views of all circuit boards to aid in locating the position of all parts, voltage readings and test points, a complete parts list for each unit (right down to the last am and bolt), and a lot more to help you understand the circuitry and theory of operation. If you'd like to see for yourself, send \$2 for a copy . . . it's refundable when you place your order for the system.

The system itself is strictly good news . . . for your wallet when you buy it (you can save over \$200), and for your enjoyment when you fly it. The system includes the Heathkit/Kraft Digital 5-Channel Proportional Transmitter and Receiver that operates on the 27 MHz band plus rechargeable batteries for each (charger is built into the transmitter), and 4 Variable Capacitor Servos with all necessary cables and connectors. Solid-state, of course, with fiberglass circuit boards for durability and easy assembly . . . you'll complete the entire system in about 25 hours, Flying weight with 4 servos is just 20 oz. Get into "full house plus one" radio control with the Heathkit R/C System . . . it's fun and it saves, when you buy it, when you fly it.

#### FREE 1968 CATALOG



Non with name kits, more color. Fully describes these along with name 200 kits for stereo/hi-fi, color IV, electronic organs, electric guitar & amplifier, amateur radio, marine, educational, CB, home educational, CB, home

hobby, Mail coupon of write Reath Company, Benton Harbor, Michigan

| HEATH COMPANY, Dept. 80-7  | HEATHRI  |
|--|--|
| Benton Harbor, Michigan 49022  | including shipping.                                    |
| Please send model (s) Please send FREE Healthit Calalog. Please send Credit Application. Enclosed is \$2, send GD-47 manual. |  |
| Name   |  |
| Address  |  |
| CityState Prices & specifications subject to change wi   | ZipZipZipZipZipZipZipZipZipZipZipZipZipZipZipZipZipZip |



Easy to Mount

Extremely Rigid

Designed for quick lift off
30" FLOATS \$10.95

Supports 7½ Pounds
36" FLOATS \$13.95

Supports 10½ pounds

Post Paid

FIE VERICE A T DECOLICTS

2241 S. E. 154th

PORTLAND, OREGON 97233

Dealer Inquirie W hobby shop or order direct.



- Tufftite is equally efficient and interchangeable as a paint or filler!
- Gives a lighter, stronger, man flexible, glass-smooth finish!
- Unconditionally recommended for painting and filling synthetic or natural fiber fabrics and wood.
- NO POWDER FILLS REQUIRED!
   Tufflite has ten times the coating and filling ability of any other finish product!
- Can be sprayed on painted on!
- Easy to sand, easy to rub out. Tufftite dries in 15 minutes to the touch at room temperature. Can im sanded in one hour. FUEL-PROOF!
- Available in eleven colors plus flattening agent!



NEW TUFFTITE THINNER is a special thinning agent to be used exclusively with Tufftite model paint. Acts as a drying agent as well at thinner. Shortens drying time without increasing evaporation.

#### SPACIAL PRODUCTS, LTD.

8444 Reseda Boulevard - Northridge, California \$1324

\*Guarantee popistable poly when Tufffel, or gred in ful compleance with manufacturer.\*

FREE
LITERATURE!
FILL OUT AND
MAIL THIS
TODAY!

Spacial Products, Ltd. 8444 Reseda Boulevard • Northridge, California 91324 Gentlemen: Please and additional information about Tuffitte Model Paint and Thinner, Rush to:

ADDRESS

CITY\_

STATE

\_ZIP

FORMERLY INDIANA "HIM 920"

# GENTLEMEN, START YOUR ENGINES!

and WIII up to \$300 CATH

Metro Denver R/C Contest Lowry Air Force Base Denver, Colorado June 29-30, 1968

For full details write:
Norma Kelly
Tom Thumb Hobby Center
7020 East Colfax
Denver, Colorado 80220

An AMA sanctioned contest sponsored by the Mile III R/C Club

= 23, 12-cylinder "V" liquid-cooled engines.

Armament: Four .303 machine guns—two to each wing, each firing 500 rounds and four 20-mm which fired recessed in base of nose, 150 rounds each.

Color scheme: The Mark VI was camouflaged in dark green, with dark sea gray in the upper surfaces and medium sea gray on the lower surfaces.


Preliminary procedures: Check kit for broken at missing parts. Dunk parts in lukewarm water, then set aside to dry. After parts are dry, assemble fuselage parts, coating outer edges on both halves with Testor's liquid cement. (In case mention is omitted in any article, Testor's is used on all models.)

Assembly and painting: Accurately align fuselage halves and use rubber bands or short pieces of masking tape to keep fuselage under tension. While fuselage dries, cement wing halves together. Apply tape over leading and trailing edges of wing and add a few pieces on each wing tip.

While cement is setting up. small parts can be painted. Paint wheel centers light gray and tires flat black (add small amount of white to give rubber-tire-look). Paint both spinners light aca gray and propeller blades flat black. Landing are in painted medium agray to which small amount of silver has been added. Strip canopy medium sea gray, interior apple green, rockets and machine guns semi-flat blueblack.

Now remove tape or rubber bands from wings and fuselage, and putty centerlines top and bottom of fuselage and leading and trailing edges of wings. While putty is drying, assemble rest of plane: stabilizer, landing gear unit, etc. When putty on fuselage and wings is thoroughly dry, sand

#### Has is das?



#### IS AN A-JUSTO-JIG. ASK, BARON?

It's only the versatile wing building in that you can buy, Check these advanced features:

Rotates 360°

- Mounts in banch at wall Adjustable for dihadral and rib spacing Builds flat bottom or symetrical, constant child or tapered wings

Eliminates warps

No waiting for glue 

dry

Wing may be 95% completed 

Aluminum support rails for lasting accuracy

But don't take our word for it! Try
A-JUSTO-JIG wyour shop for days.
If you're not completely satisfied, return it
and your purchase price will im refunded.

\$32.95 plus \$1.50 P.P.

A-JUSTO-JIG CO. == 176A WESTFIELD, IND.

smooth with #400 wet or dry, and make tuselage and wing together. If wing doesn't fit snugly where it joins fuselage, add putty to fair in. After dry, use wet or dry to sand again to contour.

Spray entire plane medium may, sanding lightly with wet or dry between coats. Apply a minimum of three coats of paint, allow to dry thoroughly and sand smooth between coats. The Badger Airbrush #200 was used throughout on model.

Camouflage layout: Profile Publication #52 is an excellent source for the Mosquito color scheme. The three-view color scheme can be used as your camouflage guide. After masking off the lower half, dark sea gray can be sprayed on upper surfaces (see color scheme). Two coats of dark sea gray should be sufficient.


Using soft lead pencil with sharp point, sketch in outline of camouflage pattern.

Mask all me gray areas and proceed to spray exposed parts dark green. An excellent material to use for the masking chore is the adhesive label stock manufactured by Avery, called Kum-Kleen, product No. S-6432.

A minimum of two coats of green required; more may be applied if it looks as though the coverage is not complete. Remove tape after green paint is dried thoroughly and um wet or dry to smooth out gray and green junctures.

Cement wheels to landing gear and add canopy, propellers, and decals. The model is ready to be added to your "Museum."

AUTHOR'S NOTE: There is a correction in the text of the March article on the P-38, an follows: Correct the sentence "The following Groups of the Ninth U.S.A.A.F. flew the P-38's in the Pacific area . . . read: "The 8th, 49th, 347th and 475th Fighter Groups flew the P-38's in the Pacific area.







- · Easy, heat-shrink application gives you 100% control over the rate of shrinkage!
- The only fabric guaranteed to shrink 20% and STAY THERE, including over and around compound curves!
- 100% synthetic! Tighter, uniform weave eliminates all wet-wrinkles and snags which often occur with silk coverings! Easy to fill!
- The strongest covering on the marketbetter than ten times more puncture resistance than silk!
- Available in three light-weights from 1/2 oz. to 11/2 ..... per sq. yd.

#### SPACIAL PRODUCTS, LTD.

Reseda Boulevard - Northridge, California 91324

is used in full compliance with manufacturer's instructions.

|       | FREE      |
|-------|-----------|
| SA    | MPLE      |
| LARGE | <b>10</b> |
| DVER  | RUDDER    |
| OR A  | ILERON!   |

This Coupon I - m

pacial Products, Ltd. 8444 Reseda Boulevard - Northridge, California 91324 Gentlemen: Please send - FREE SAMPLE of new SHRINKTITE, Rush by return mail to

NAME

ADDRESS



The Fokker D-7 was a greatly and respected by the Allied Powers, that it was specifically singled out in the Armistice He Article, that they were as as surrendered. The tremendous popularity of WW I alread in general and the FOKKER D-7 in particular and in untold numbers are requests by the for this authentic super-scale was not provided in the FOKKER D-7 will see welcomed by an RC modelers. It can am be built as a control line model, and details on plans.

There is no deviation from true scale in the outline shape of the model from the full-size plane. Even the rib spacing in the wings and

tail, is stringer spacing of construction tuselage, of distinctive POERER-style is deading the covering idle cut) is feithfully reproduced the wing taper to the covering fully reproduced to wing taper to the covering of the cut of the covering of the cut of the covering of the cut of t

or own book to wire

center struis. Detailed scale plastic Mercedes engine and Spandau machine guns. Steel cowl. Complete hardware park machine guns. Steel cowl. Complete hardware park machine gear clamps.

4, 20 nylon machine and special hardwood wing mountiny nuts, nylon hopps, etc. Authentic World War I insignie. Two Giant-sized (35 x 45) plans with full-speed layouts and step-by-step assembly drawlags and instructions. Special nylon pushrods for all Aileron, elevator, randers and throttle controls. Wire. Strips. Sheet the covering, etc. etc. "Can make be below as control line model, details on plan.

Send 10c for complete catalog.

Getting Started in R/C

How Circuit Symbols Grow into Circuits: Eleventh in a Series

#### HOWARD MC ENTEE

WHEN we had completed Part I of this series, and had no intention of going any further with description of circuit symbols, what they mean, how they are used. But it seemed a shame to completely drop the subject when it came time to write Part 10, so that part went a bit men into the subject, even showing a simple diagram of a Simpro control system - and again we had intended to go on to other subjects. Well, more of the same follows below - but this will be the last of the matter.

This time we cover a few remaining common circuit symbols you will quite frequently in this and other model magazines, then go on to a couple of circuits, to show how all the parts we have described tie together. At A herewith you see two symbols that indicate the antenna, either transmitter or receiver. There is no difference between the two we depict, but that

left is probably and is the one we use in A.A.M. The symbol does not indicate how long the antenna should be; if length is important, it is simply given via a figure for inches me feet.


Transistors in many circuits nowadays - we might even say, in most. The more common types are shown here. At B is the so-called PNP transistor, while the NPN is seen at C. We won't go into the internal differences, which have a do with the actual material of which the transistor is made, and the battery polarity. Suffice to that many circuits require both types, and the only symbol difference E in the direction of the arrow on the emitter (or E) lead.

This is extremely important. The on the lefthand lead stands for Base, the C on the upper right \_\_\_\_ for Collector. Often you'll see the "bare" transistor symbol with a circle around it, as in D. This circle has no meaning at all - it just dresses up the circuit and serves to set the transistor apart from all other circuit elements and the actual wiring. Note that the B, C and E are often omitted from the transistor symbols in circuits, but who is hep to the symbols utilized will know which is which — and also if the transistor is PNP or NPN - at a glance.

At E we have a slightly different style of transistor, which is actually different internally from those in B and C, and which is often seen in pulser or tone modulator circuits. It is called the "unijunction" transistor. This one does not have a collector (C symbol), but there is an emitter, and two base leads, E, B1 and B2 respectively. Such transistors especially useful as low frequency oscillators, hence their popularity in pulse and tone circuits.


All R/C transmitters and all super-heterodyne receivers (but not super-regenerative types) that we use today have a crystal - a little sealed tin can with two leads or prongs. The symbol is at F. Generally crystals aren't polarized - that is, you can connect the leads either of the two possible ways with no change in operation.

While there are lots more circuit symbols (there me dozens of special types of diodes and transistors, for example), we've presented the most common. Now let's look at a couple of typical circuits, to see how they used. In illustration G we see a unijunction transistor, per E above. An odd fact with such transistors is that in many cases B1 and B2 can be switched, with little or no change in operation. But better connect them as indicated, where B1 and B2 are specified, is the case here. Following along the circuit to the right (circuits are usually drawn in a logical sequence,



# BEGINNERS RINGMASTER BIPE

THE WORLD-FAMOUS RINGMASTER DESIGN - NOW AMAZINGLY SIMPLIFIED FOR BEGINNERS!



Easy Flying . . . and it does every stunt in the book!

ONLY MINUTES TO ASSEMBLE - JUST 15 DIE CUT PARTS - This beautiful little profile Si-plane can be assembled in a snap by any beginner. NO TISSUE COVERING. In addition to the all die-cut Balso and plywood parts which makes assembly matter of minutes, the kit contains formed wire landing gear and wheels, wire for pushrod, decals, etc. Complete hardware pack includes metal motor mounts, metal bell crank, metal control horn, etc. Simple plans show easy step-by-step construction and also lists materials and tools required. Included is a detailed description of "how to" first-time solo fly. Plans and instructions are so clear and easy to understand that assembly is completed swiftly and expertly by anyone.

STERLING MODELS BELFFELD AVE & WISTER ST. PHILADELPHIA, PA. 1914 PRILADELFRIA, PA. 1914

If no dealer available, direct orders accepted — with 16% odditional charge for handling and shipping 150c minimum in U.S., \$1.00 minimum outside U.S.)

— Catalog of entire line of airplante control line model kits, accessing, etc. 10c enclosed.

— Secrets of Model Airplane Building, "Including design, construction, covering, finishing, flying, adjusting, control systems, etc. 25c envised.

— Secrets of Control Line and Carrier Flying," including per-flight, seloting, stunting, Carrier rules and regulations, Carrier flying indicating in the control line installation instructions. 25c enclosed. ADDRESS ..... CITY ..... STATE .... ZIP ...

with the parts that initiate action at left, and parts that act later strung out to the right-though this is not always observed), the 2N2160 pulse oscillator feeds into the

transistor to its right, via a diode.


Connected to the two the resistors that feed current to the various elements. and the variable resistors that change operation to give the required shift in pulse rate and length. The 2N3638 at the right-hand end of the circuit is an amplifier, which also isolates the pulser components from further circuitry in the transmitter which might cause unwanted pulse variations. Often circuit designer will place actual values on most of the components, is the case here, but a few are designated by a specific R or C number - R1 and R2 in this case.

This means that there might be something special about these parts which is further explained in the text, as is the case here. For ease in referring to transistors, they are often given "Q" numbers a circuit; the 2N2160 would be Q1, the 2N2926 would be Q2 and so on. "Q" has no special meaning; it's just a designation generally meaning transistor—the same V stands for any vacuum tube, in ■ circuit utilizing these components.

Tube sockets are seldom indicated in a circuit, the leads going right to the tube elements. The same is true of transistor sockets. Actually, the vast majority of transistors are used without sockets, which is not true of tubes texcept for the subminiature types).

For a more complex circuit we see strung together (H) a collection of the circuit elements we have covered in the past three issues of this series. And again, the action starts at the far left, with mantenna to Continued on page 65

PULSE LENGTH (WIDTH) CONTROL 210 8MF TO POINT A ON MOD. 2N2926 IN4009 2N3638 82 2N2160 6.BK **₹IOK** 470 RI 2470K PULSE RATE +9V PULSER CKT CONTROL



# HOBBY HELPERS FULL SIZE PLAN

FOR PLANES - PAR - RADIO CONTROL



Group Plan =768 100

\$1.10 PA-6 - efficient lang and controller stunt rade by Robert Baron use, a hor 35 C assic proportions and controller and under the controller and under the leadout seventhand and the beanance desertate were destined for common participants. Fig. 19 exight is 50 ct.

Compromise—is a top performing, multi-RPC model, fluid Are mone and eing design is must that — ling stab soil eagure are no the same as a diminating drag ordered to 50 and 15% and the lang erea is 210 ag in 9 cast — atte a 5. Bung weight is 7 lbs.

#### Other Hobby Helpers Plans Available

Group Plan 465 3 ... 60 cents

Jimmie Mattern's record-breaking Walter in Spans 60"; langth 14"; for Alicine or similar power.

Simplified control line entegles — designed by Den Nichen. Retor diameter 34"; length 37"; takes 48 to 56 size engine with motor cantrol.

Group Plan #960 3 oz 604

Pelirchild PT-19 control line winner by Dave Hampstrought, Spane 53"; overall length 38"; takes .35-size power plant.

"Army Ret" easily mode U-control Ret Rover designed for First Illrmy's military modelers, Spane 19", 21" long, uses ... motor,

Pen Am's "Caribbees Clipper" was inspiration for Larry Conover's latest PAA-load cargo from flight. Spans 53"; 29": " see .02

Group Pien 📖 ... \$1,10

Lockhood Elgátning P-38. Somi-scale stant control·line model by Law McFarland, used twin 1.9's with shooted control for shooting landings.

Group Plan 102

FW German World War & control line flying scale fighter (1) 1 Musciano. 3/4" | 1" scale, takes engine (1) 1/4 to .29 cu.

534

\$1.10

ST. JOHN 1, IND.

A/3 Viking Mordic Towline Glider by British Champ Bill Farrance. These are HALF-SIZE

Group Pien #566 a.m. \$1.10 R/C Piper to the large by Reich Jackson, magnificant price winner of 16 reduc immuni scale Nationals. Sport 74": 50" enreal; takes Adviso powerplant.

C.V. Memorschuster 96,1100 by Walter Muscione, one of the aftime gracks of twin-engine control Seast. Magnificant WW2 techno tables IIII .35-size engines. Spans 521: IIII evrall.

LUS ... all the full site ensertists, including areas sections, for Dan Wessel's National Most A/2 Nandic terrine alider usoner, "Reyal Flush".

Group IIII #166 + m.

"laboracytion Phro" by Manald deBull. Latest in famous designer's series iii extitanding R/G Malti Closs places. Spane 87½ inches; III inches long: uses 81 size angine.

P-67D Somi-Scole Blutter by Charles III. Parrott. Spinndid control line acrolotic plane along IIII. III. Rapublic's fomess. "Jug" Egiter. Space III. inches: 10 inches long: user 35 sine powerplant.

For Special Handling of Plans only

5¢ per m. 1st Class e 8¢ per oz. Air Mail United States and Possessions only

Latest Catalog send 15¢ ■ cover handling

# HOBBY HELPERS

1543 STILLWELL AVENUE

BRONX, N.Y. 10461

Spin Up a BIG WIN WITH A Tornado PROPELLER More forward travel per rev Delivers more POWER when you fly the finest! Try TORNADO., propeller from your of consistent high quality. ENGINE 2 Slade Tractor Feel its ultra smooth finish 5.3 5.4 5 % -3 fACE ... examine the airfoil section 5 1/2 -4 6-3 6-4 25¢ perfectly engineered with 7-4 7-6 7-8 404 2 Blode true pitch. 8-4 8-0 8-8 60c SUZES below in white.tex EACH 5%-3 5%-4 9.4 9.6 9.7 9.8 254 0-3 6-4 10-4 10-6 85c 7-8 8-4 85c 11-4 11-6 11-8 \$1 85c 9-6 10-6 51 BC 12-4 8-6 100 3 Blade Treater 12-5 12-6 \$1.50 6 8 20 5-3 5-4 GRISH 9-6 10-6 50€ 6-3, 6-4 3-BLADE NYLON 10-4 3 Siede Pusher BROS.

1130

6-3

#### **ELECTRONIC WAR SURPLUS**

NT-6 PARAME 4-VOLT TOTAL BATTERY



Approx. dimensions: 3½" ) x 1¾" w. x 2½" h. Weight: 1 (b. 3 oz. (plastic case) Dzy charged.

PRICE \$2.50 auch

#### R/C SERVO MOTOR DRIVE HERMITTE



contains 2.6 voll permanent magnet motors.
Current consumption approx 100 MA.
2.6 voit 2PDT Relays Many Gears

Unit completely enclosed in aluminum housing.

PRICE \$4.00 each

#### NICKEL CADMIUM BATTERY 1.2 VOLTS



rechargeable thausands of times alkaline storage battery sintered-plate. Part voltage during discharge will hold charge for lang period of time. high discharge rote up to 50 period by the state of the ompere hour capacity ... dimensions. 6" high; 2" wide; ½" thick ... Approx. wt: 8 az. ... uses petersium hydroxide (30% Electraliter.

\$1.95 each, postpald

C & H SALES CO. 2074A East Coloredo Street 4 Pasadena 8, Califor

#### Wonderful Ryan S-C

Continued from page 25

John Fornasero did the initial flight test work. He also chief test pilot for Ryan the ST series.

The S-C was originally designed to employ the complete line of Menasco inline aircooled engines, ranging from the 95-hp B-4, 125-hp C-4 and the 150-hp C-4S optional customer choice. The prototype the C-4S installed and proved most adaptable from the standpoint of operational versus performance compromise. Trials continued throughout the summer with the little aircraft turning in an ideal and enviable performance. recorded facts and figures along with its sleek appearance made headlines in all the leading aviation journals. By late sumthe S-C had received its ATC (No. 651) and the NX 17372 license was changed to NC.

As fall approached, the S-C was put into service at the Ryan School of Aeronautics ■ San Diego. Here it served as primary trainer, being used for indoctrination into the "first feel of flight." Several months later a re-evaluation of the S-C was undertaken. A review of upkeep costs, flight hours, maintenance problems, and what bearing these would have on the owner of such plane, was made. The original S-C brought back to the factory, the Menasco engine removed and a seven-cylinder Warner 145-hp radial installed. This change was dictated purely by engine studies and considerations by engineers.

With the Warner engine, fuel consumption was only slightly less than with the Menasco but it proved more reliable, rugged, easier to maintain and cost less per unit to install. With the radial engine as power, the entire series of tests had to

Metallic Aluminum Color



Be a part of the nation's builders of homebuilt aircraft. EAA introduces you to their projects, their skills, leads their occomplishments . you to economical, satisfying participation in "gross-roots" sport flying. Membership \$12.00 per year includes monthly SPORT AVIATION magazine, Junior membership \$6.00 (18 or under). Plans for building EAA Biplane above \$15.00.

Write

#### EXPERIMENTAL AIRCRAFT ASSOCIATION, INC.

P. O. Box 229

Holes Corners, Wis. 11130
Free details on EAA 1988 scale model contest - write today.

be carried out again and the only change found necessary an an added wing-to-fuselage fairing. This was done in order to retain spin characteristics for the airplane to be CAA certified. John Fornasero once again did the early flight work, but most of the later wringing out was done by Paul Wilcox, who succeeded Fornasero.

The prototype now sported the S-CW designation and in October 1937 became NC 17372 all over again under ATC 658. Production tooling got underway immediately and material was procured for initial lot of 25 aircraft with deliveries to

start in the spring of 1938.

S-C production was just underway when Claude Ryan announced a new contract for aircraft parts, putting the company in the position of having over \$300,000 backlog of work. Within a few months of this. Ryan received overwhelming orders for the STM, military version of the ST trainer. These orders came in from the U.S. well as many foreign governments. Only 12 S-CWs were built before production had to be stopped in order to keep up with the more pressing military schedules. It was hoped the S-C could be brought back but, when war broke out, any possibilities of resuming commercial production was forgotten for the duration.

Initial retail price for the standard S-C was \$6.885 but with extra equipment, which most customers chose to have installed, the cost was around \$7,500. No Menasco inline powered S-Cs were delivered to customers. Only the NX prototype employed this engine for only a few months.

The Ryan S-C had a top speed of about 140 mph at 5.000 ft, and a cruising speed of 125 mph. Landing speed was 45 mph. The metal perforated landing flap, situated between the landing gears, attached at the main spar line and manually controlled

# E'RE EXPANDING

# GOODIES are GOODIER

1 124 long. One package can be used for many models, cut the ength you require #215 010 + 9" + 24" #216 020 v UT + 24 25e/ph E phicd

Connectors-High quality using round oins for a sure and firm grip Available in 4 pin and 5 pin models—set 0 actudes both male and =224 4 min connector 1.51 \$1.29 set Wisets/cd =225 6 p.n connector

Serve Grommete - Hard to reportional serves - prough OF TIME SECURA #235 #0 59e set of 20 =236 ±1 59c set of 20

Universal Plug and Jack-Can be used as charging Subminiature is olde Jack mounts in 's" hole 2740 496:ph 6 ga 'cd



Modeler's "T" Pins - Final T" pink of steel, available buth One backage will bon tast and tast and will have your thumb 2000 1W x250 2 \$1 50 B4 6 ph cd

THESE ARE JUST SOME OF THE NEW GOODIES...WATCH THIS MAGAZINE EACH MONTH FOR MORE OF THE NEW AND COMPLETE LINE OF GOODIES BY

0

More-Craft Products Company Higginsville, Mo. \$4037 Mo. Residents add 31- Sales Yav Dealer Inquiries invited

ORDER

#### SHOPPING

Il salection III products available by mail for readers of AMERICAN MODELER suchandise ISBI on II money-back guarantee. Order direm by Stock No. Send check or M.O.




#### "FISH" WITH A MAGNET

Go traggate hunting on the bottom fostihaving the a torsense base of agencies of aver-bodid in big, were last or argain final if wong patto — your frequented have con-be autopata motors openate other manave -oper 5-c Moorer & was surplus-Arto V Type-Gov I cost \$50 Litts over 157 by ch and-nuth greater -eights

lock No. 70.571 KK

Stock No. 60:691ICK





NEW SURPLUS NI-CHI Sace more than Still largite accept 300 change and accrange size in 25 tools are later 10 more too. I observe t

| Ozder No. | Cells | DC Yells | Price Pac |
|-----------|-------|----------|-----------|
| 40,986KX  | 1     | 1.25     | 51,50     |
| 4D,987400 | 2     | 2.50     | 2.75      |
| 66.634100 | 10    | 5.00     | 4.80      |
| 60,703KX  | 1 Ch  | ormer)   | 3.25      |



UNUSUAL

VALUES

NEW, LOW-COST GEM TUMBLER NEW, LOW-COST GEM TUMBLER BLONG CORRESPONDED TO THE CONTROL OF THE

Stock IIII 70:874KK 6-18 MINE ASSORTMENT 110 Types? Stack No 70 86 Mill \$9.00 Ppd

#### GIANT FREE

148 Pages More than 4,000



UNUSUAL BARGAINS! Compatible of rem Ported with huge as errors of lenses prisms, object where meets parts and ac-cessories, illustrations Many hard langer was also harming from

STATE

ZIF



\$2.00 Pad

ORDER BY STOCK NUMBER - SEND CHECK OR MONEY ORDER - MONEY-BACK GUARANTEE FIC CO. 300 EDROCKE BUILDING BARRING



TRY IT ON US-FREE-We'll PATCH YOUR WINT PUNCTURE! We'll send you a sample of COVERITE large enough ■ patch your next puncture in your fabric-covered model. Send a self-addressed, stamped envelope to: COVERITE



AIRBORNE PACKAGE AS ILLUSTRATED ONLY 15 OZ.

Transmitter including Nicads e Battery Charger Receiver including Nicads & Three (3) Servos Servo Connector Switch Board

Dual Unconditional 5-Year "Black Box" Guarantee

Repair m replacement

Receiving pack-\$9.50; Servo-\$7.50 each.

R/C BEGINNERS! Start with Command Master RT-1000 and your R/C investment will be protected. The Command Master RT-1000 is a basic R/C building block. Convert it anytime to the feedback proportional 3+1 RTE system for just \$125.00.

Complete system (less transmitter batteries)...... \$125

BALSA CORPORATION OF

BELFIELD STREETS

PHILADELPHIA, PA. 19144

# **H5** PENCIL SOLDERING • Extra Large Heating Element • Perfectly Balanced Extra Length Barrel for Proper Cooling Ideal for All Model Work M-300 IRON The New Combination Pack of 4-Quick Screw-in Tips • OFFSET CHISEL = SIDE PYRAMID • THIN POINT • OFFSET THIN POINT DERING



# AVIATION **ALBUM**

Factual stories on BB 1913 MARTIN TT, WRIGHT F2W-1 -2 racers, CURTISS P-65 HAWK, GRUMMAN WIDGEON, BREWSTER BUFFALC, ROVER inverted AERO ENGINE, CHRISTMAS BULLET and other fascinating features.

Heavily researched articles by top notch authors, 116 rare and revealing interior and exterior photos, 13 authentic full page detailed scale drawings of aircraft portrayed: cross sections, templates, color schemes, markings . . . a MUST for buff and model builder alike.

\$3.50 P.P.

Calif. add 5% tax

Previous II III still available HISTORICAL AVIATION ALBUM P.O. 100 33A

TEMPLE GITY, CALIF

91780

FREE BROCHURE AVAILABLE

by a lever in the cockpit, was effective in giving good glide control during approach but had little effect upon the plane's speed. It in way changed the stability nor was there any correction necessary when it was extended. It also provided slight assist short takeoff runs. The sliding cockpit canopy could be adjusted in flight through intermediate positions between closed to fully open. No buffeting occurred and there was no change in trim necessary.

Because of their similarity in planview, with long tapered wings, fixed spatted un-dercarriage and general silhouette, several Ryan S-Cs were used in war movies to represent early Japanese Nakajima fighters. Many S-Cs played their own war-time role in the hands of the C.A.P. and one has been unofficially credited with spotting and sinking or disabling of a German U-Boat off the Atlantic coast in 1942. Of the 12 S-C's built, one sold to Brazil and one was flown to a customer in Mexico City. The other ten were initially purchased by customers in the U.S.

Considerable analysis was made after the war as to the economics of resuming production of the S-C model. Two versions were to be offered, the standard S-C145W and an improved S-C165W model with the Warner 165-hp Super Scarab engine. However, when the opportunity arose to purchase the rights for the North American Navion, the S-C was abandoned. The S-C had comparatively short production life but its appearance in the late 1930's will long be remembered in just about one of the classiest private planes to ever flex its wings in flight.

(The author wishes to express his sincere appreciation to Mr. William Wagner, Vice-President, Public Relations, Ryan Aero-nautical Company for his valuable time and assistance with this article.)

Chicago, III. 60638

6917 W. 59th St.

# THE NORTHROP F-5A "FREEDOM FIGHTER!"



# NOW AVAILABLE FROM AMT, IN 1/72nd SCALE!

An authentically detailed model of the famous fighter now in combat in Vietnam. AMT's exciting new kit includes such teatures as choice of USAF or South Vietnamese Air Force markings; camoflage paint guide: highly detailed pilot's figure, complete selection of armament including machine guns, bombs.

Bullpup and Sidewinder missiles.

Nicknamed the "Skoshi Tiger" because of its small size, AMT's 1/72nd scale model of the F-5A is an exciting new kit you won't want to miss!

THE EXCITING KITS ARE FROM





### FLY WITH 6000

Add sparkle to your R/C Models performance with MOLDED NYLON accessories from Micro-Molding Company.

Pushrod **Exit Guide** 



Pkg. I for 50¢









Pkg. 4 for 75¢



Pkg. 6 for \$1.10 Pkg. 15 for \$2.50

#### MICRO-MOLDING CO.

2917 EDITH LANE FORT WORTH, TEXAS 76117

DEALERS INQUIRIES INVITED

#### On The Coast

Continued from page 41

A very deserving second place went to Bill Hollenbach from San Antonio, Tex., flying a fantastic Hawker Hunter jet. Enya 60 in the nose was almost completely cowled in. You just couldn't believe how realistic the ship looked in the mand on the ground.

A special R/C glider event held during the lunch hour each day. Six contestants entered. Event #1 consisted of a procedure pattern, one optional maneuver and a spot landing. Event #2 was a duration with an eight-minute max. The models launched win a winch tow we by auxiliary power. Timing started after release, or after a maximum of three minutes engine ......

Event #1 seemed to work mit quite well. The launching method did not matter. Maneuvers were done during the glide down. Spot landings with a high degree of accuracy seemed common. Bill Roseberry from Phoenix was the winner, flying Cox 09/Jetco Imperial.

Event #2 also proved a workable event. Contest director, Bill Roseberry, made the comment that we can't equate engine assist with winching aloft from the results of this meet. Here, is didn't seem to make too much difference either as to what type of launch used.

The winch worked very well. It fabricated from a 12-volt starter motor, driving a large drum capable of holding about 1,000 ft. of heavy nylon cord. A small nylon guide in front of the drum was utilized. A remote pushbutton switch on a foot cable actuated the solenoid that turned on the power is the motor. A switch was provided to allow the motor to run minimum volts for towing smaller gliders or for use in strong winds. A reel-in speed of 30 mph was claimed.

The contest was the best Phoenix meet yet. The evening sporting events were typically R.C. Phil Kraft's performance with George Sing's Ugly Stick - pm in the motel parking lot was, shall we say, very interesting. A lot of us really thought he could do it!

San Francisco Vultures Glider Meet

The Vultures Club hosted their first nual slope contest March 3. The meet was sponsored by the Pacifica Moose Lodge #1944. The contest side on the north side of Linda Mar a hill overlooking the Pacific Ocean.

#### FLY SAFELY Avoid power lines

INCORPORATING OBSCURE AIRCRAFT



CUTIE CANARD by David W. Jenss. Unique fun Rubber-powered, stick and tissue, 21" span. .\$1.00 FAIRCHILD 24C-8. by Woll Mooney, 20 3/4" spon \$1,00



#### PEANUT SCALE

The FUN nam event for liny rub-ber-powered models! The grantes! thing since the "ald-timer" move-ment, he the first in your group to fly a "Peanut Scale"!

WATERMAN RACER, by LI, Dave Stoll, F.A.C. 1234 span, Stick and lissue construction. GENERAL ARISTOCRAT MININE MONOPLANE peers. Stick and lissue construction.

TOGIRO Greens Plans by Fred Wellzel Indear Autopire .60 Fw C-19 Autogiro. Scale drawings .50 PUTTLE JUAN" All-balsa Free-flight .049 power \$1.00 PAMPHLETS:

ADJUSTING INDOOR FLYING SCALE MODELS 3 SNEAKY WAYS TO MAKE "SPOKE" WHEELS .

SCALE DRAWINGS: By Bjorn Korlstrom.
(11" a 17" shoet size). Perfect for scale modeling
FOCKE-WUF Fw 56 "STOSSER"
BELLANCE FLASH, and IRISH SWOOP
CURTISS 1909 MODEL A (two sheets) \$ 50 50 PITTS SPECIAL KRIER'S CHIPMUNK BUCKER JUNGMEISTER YAK-18 PM 50 50 50 

W. C. HANNAN, GRAPHICS, 6245 CRANER NORTH HOLLYWOOD - CALIFORNIA 91606

PAUL K. GUILLOW, INC. Wakefield, Mass. \$1890

If we locally available, order direct.

Add 50¢ mailing; 75¢ oulside 🗔 🦠

#### MODEL BOATS ... EVERYTHING FOR SEND 10¢ FOR CATALOG, OR THIS 30" STAR Sail Boat for Radio Control \_\_\_\$27.95 Running Hardware H-2E 45" STAR Sail Boot for Radio Control \_\_\_ 45.00 6.95 Enya 19 Marine Eng. \_\_\_\_\_ 17.50 **YACHT FITTINGS** F. E M. Royal Single Channel System with 3" Traveller Rudder and Throttle Servos \_\_\_\_\_ 97.30 Turnbuckles Works well in SK-Daddle Too Sheet Blocks PROPELLERS - BERYLLIUM BRONZE 1/2" Stainless Stays .06 FT \_\_\_\_\_ 2.65 Shoulder Cleat - pair S-2 for .19 SK Boot \_\_\_\_\_ S-3 for .40 SK BOOT Cool Champ — To context model airplane engine to water cooled-state engine Alternate Grade Birch Plywood — 136 per sq. tr. .70; 24 sq. tr. S-3 for .40 SK Boot \_\_\_\_\_ PETTIT'S EASYPOXY MARINE PAINT - 3175 White = 3338 Turquoise PLASTIC PROPS - THREADED 10-32 = 3229 Bikini Blue = 3624 Bright Red X-40 .... X-45 1.30 = 3237 Electric Blue 1.50 1.95 SEND TO: The Model Boat House TP-1 Trim Plates for SK Boats Box 6312, Tucson, Arizona 85716 F-1 Fin for SK Boat 1.50 10% for Postage & Packing if order under \$20.00 Satisfaction Guaranteed 4% Sales Tax if Ariz. Res. NAME \_\_ A SERVICE FOR THE MI A HOBBY ADDRESS STATE \_

Three events held were: spot landing, touch-and-go, and limbo. The spot landing was determined by the closest landing a designated spot measured from the extreme nose of the model after it came to rest. The touch-and-go determined when the model struck the ground as short You had to hear the model touch something (people not counted). The limbo consisted of flying the glider under a streamer stretched between two 15-ft. poles. All flights were limited to ten minutes with no relaunches.

Weather was marginal due to low velocity winds. Ridge lift was not constant. At times the gliders were III ft. high and then, suddenly, were just able to maintain lift, or had to land.

In spite of the poor weather, winners were obtained in the three events. Bob Anderson from Concord, Calif. placed first in the limbo, first in spot landing, and second in touch-and-goes. He flew a lightweight original design, Ridge Hawk. This ship was a combination effort with Bob and Gene Downey. Gene flew it. Gene didn't fair too well because of mid-air with another glider. Bob Forrette, Santa Clara, Calif. placed first in touch-in-goes.

If the weather was better there would have been a much higher level of competition. We have had three glider meets so far in the Northern California area in the last few months and each time the weather has been very poor.

The three events are excellent for a glider meet. No special designs are required. I would say that duration events at a slope soaring meet are not recommended. How long one stays up off a ridge is not a satisfactory method of selecting a winner. Flat-land flying, as at the Phoenix contest, almost requires a duration event.

600 sq. In. Continental plyon rocers
NMPRA will try to encourage this activ-

ity. Two main reasons for this event as

speed reduction and easier-to-fly designs. The large wing will limit the speed. In the long run am should at turning in times of 2:30 or so. This speed range will keep the pilot skill down to a reasonable level so that more flyers can successfully fly the event. The large wing will also make landings easier, prolonging the life of the model. The sq in, ships will settle in like a conventional multi job. Visibility is better too. The added wing area really shows up during a turn at the far pylon.

If you man interested in building a Continental racer, I would suggest Hester's Midget Mustang, Aug. 1967 issue of this magazine. I have flown against it in competition. It is stable and easy to fly. Construction is simple.

#### Getting Started in R/C

Continued from page 59

pick signal, followed by the orange 2N2926 due wide variations in characteristics, some transistors and not only marked with a nominal type designation. but are color-coded by actual test after manufacture, to tie individual characteristies down many tightly, as in the man here). We several different styles of coils more elegantly referred to as "inductances." One appears above the orange transistor, and those who read Part 9 carefully will realize that the dotted line vertically alongside the coil man it has a powdered in core, and the arrow at this line indicates it is adjustable. This is where you tune the receiver to the desired incoming signal.

Two amplifier transistors come next the 'yellow" units) with the signal then going through a transformer (TR) and on two more transistors. The last \_\_\_ III the right



#### **Model Rocketry**

Flight Kits - Pocket Supplies

ALL NEW! Powerful Enerjet-8 (NAR Type E engine) With variable time delay

Also - Rocket Engine Line 2.3 lb. peak thrust

For colorful new catalog send 25¢ to ROCKET VELOPMENT Dept. A

ROUTE 3 SEYMOUR, INDIANA 47274

1st Class II 1967 Florida R/C Champs 1st Class '67 South R/C Champs 1st Goodyear-Pylon Indianopolis 1967 3rd Class | National 1967

#### NOW AT NEW LOW PRICES

**NEW WINGS** 

58.95 Aristo-Cat. 56.45 Tri Squire 6.45 Tauri 8.45 P-Shooter 7.45 Jenny 6.85 Sky Squire 8.45 P-S

SEE MAT YOUR DEALER'S TODAY

#### Cores come ready to be covered. Including:

Precut dihedral angles • Belicrank or Servo cul-outs • Landing gear cut-outs and mounts where applicable • Control line wings drilled for lead-out; no breaks in surface - Fiberglass reinforcing cloth Instructions.

Radio Control

3.95 Pairtot II

Control Line 7.45 Nubler 7.45 Skylark

6.45 Stuka (Ambroid) 6.45 Ringmaster 6.45 Magician

\$11.45 Candy 10.45 Kwik Fil II 9.95 Cherokee 9.95 Swept Taurus 9.95 Regular Taurus 9.45 Beachco

Wholesaler and dealer 8.45 Sr. Falcon inquiries invited.

7.45 Instructor 6.95 Falcon 56

warner industries. inc. 259 hosack st. columbus, ohio


#### HERE'S ANOTHER **NEW ONE**

------

from

#### ROCKET CITY

CONNECTOR LOCK



This lock will fit the connectors used the former Kraft and PCS units, also the connectors sold by World Engines under their trade name of R/C Craft. It is better to be safe then sorry, we your dealer for this new accessory.

Only .79c 4/pcs.

Rocket City R/C Specialties 1901 Polk Drive N. E. Huntsville, Ala. 35801

feeds power to the "load" - in this case a relay of 100 ohms winding resistance. And again, resistors lead to various transistor elements, as required for their particular performances. Since this is a radio frequency circuit, and also has audio frequencies at various points, several circuit parts have capacitors running to ground, in this the battery minus lead.

As the reader will see from the last three parts, circuits aren't really so fearsome. You don't have to know how each part operates (though it's helpful) to get m general idea of how the parts are connected. And a little general info, we have given in the last three parts of this series, can be most useful to the average R Cer, who really couldn't care less what goes in inside his equipment.

We would like to suggest that readers of this material write with suggestions for future parts, criticisms, comments, etc. This whole series was really launched on the basis of m few letters from beginning R/Cers. We hope to keep the contents at a level which will really aid such RiCers.

#### The Compromise

Continued from page 27

so to complete the entire top The engine mount is drawn for an Enya 60 but, of course, any engine will do from a 45 to 61. Make your mounts accordingly. The lower block & hollowed-out balsa.

The wing is foam but it could be built of wood, if desired. I have found that the negative rake of the tips grooves the air-plane in flight. It also eliminates yaw tendencies a low speed, which many | lowwing airplane exhibits in the landing approach. The rake in the stabilizer matches that in the wing. I ran several tests on wings with, and without, the rake. There is a definite advantage to using the negative rake at the tips.

The main landing was is somewhat unorthodox, it mounted in the wing rather than attached to the fuselage, as is the usual practice other than low-wing airplanes. The ground stability of this gear is far superior to the fuselage-mounted gear. The ship practically will take off from a plowed field. Some contest sites I have seen are almost that bad. I have used this type of main ...... on several airplanes. Once you have ever tried this gear, I'm was you would never go back to the fuselage mounted type.

You will notice that the aileron servo is mounted to the top of the wing, in a low wing. Since the lower half of the fuselage shallow, there is not room to mount the serve on the bottom of the wing; also it's easy to make adjustments to the servo and ailerons, simply by removing the center hatch, held in place by screw. You don't have to remove the wing from the fuselage to make adjustments.

The stabilizer also is foam but it, too, may be built of balsa. The elevator is one piece. The chances of warping are less than with a split-type elevator. Fin and rudder of balsa. Use hard balsa the rudder to discourage warping.


You will enjoy the first flights of your Compromise. Its smoothness and of handling are exceptional. It does both AMA and FAI patterns easily.

(Editor's Note: Under the rules the old class designations me gone. It is now Class A. B. and C. Any airplanes may be used in any class, but the flyer is required to execute maneuvers called for in the particular class. Bud's article was written before the rules changes and appropriate alterations were made in his copy to references to Class | Class III.)











--- Realistic WW1 models which can everything from the simplest single channel up to 5 channel multi. Both kits feature formed plastic cowl, decals, formed wire, hardware, 2 molded foam wings, foam stabilizer, and the most complete plans ever printed by MIDWEST. Wingspan 44", wing area 504 m. inches, engines .15 to .19.





AT LAST YOU CAN BUY SEPARATE NUMBERS ---Only The Numbers You Need - Durable, Fuel proof, Fade proof and EASY TO USE

JUST PEEL OFF THE BACKING AND STICK ON



BLACK

THIN AS A COAT OF PAINT

Midwest Products Co. 400 S. Indiana St. Hobart, Ind. 46342

#### **AMA Contest Calendar**

Continued from page 46
Clifton Springs, W. Y. 14432. Sponsor: May Rovers

Continued from page 46
Cliston Springs, M. Y. 14432. Sponsor: Trovers
RC Finger Lakes.

RC Finger Lakes.

July 14 — Rostraver Township, Pa. (AA) lat Annual Mon-Valley RC Meet. Site: Cedar Creek,
County Park. J. Parrinello CD, 1922 Carson St.

Pittsburgh, Pa. 15203.

July 14 — Westminster, Md. (AA) Westminster CL
Meet. Site: Shopping Center. R. Pease CD, 55 E.

Main St., Westminster, Md. 21157. Sponsor: Westminster Aero Modelero.

July 20-21 — Dieberson, Md. (AAA) D. C. Maxecutera FF Championships & Record Trials. Site:
Whites Ferry. G. Buck CD, 4216 Howard Rd.,

Beltaville, Md. 20705. Sponsor: D. C. Maxecuters,

July 20-21 — Chicago, III. (AA) 2nd Annual SAC

RC Meet. Site: Crawford Avo. & Vollmer Rd. S.

Peterson CD, 6410 S, LaPorte, Chicago, III. 60638.

Sponsor: Suburban Aeroclub of Chicago.

July 20-21 — Bouston, Tex. Southwest RC Pylon
Championships. Site: Bissonett Im Reark Rds. C.

Hirsch CD, 412 W. Jöth, Houston, Tex. 77018.

July 20-21 — Oklahoma City, Okia. (AAA) Sooner
State Model Championships for Im Im CL. Site.
Memorial Rd. & N. Western. F. Miller CD, 1900

Rolling Ridge, Bethany. Cika. 73008.

July 21 — Lima, Ohio (AA) Lima Prop Busters ist
Annual CL Meet. Site: Lima Airport on Baty Rd.

R. Loescher CD, 2361; N. Elizabeth, Lima, Ohio

45801. Sponsor: Prop Busters.

July 21 — St. Louis, Mo. (AAA) But Heads Model
Aircraft CL Contest. Site: Buder Park. A. Biehl

CD, 2108 Blenville, Florissant, Mo. 1803; Summer

Hying Aces International FF Im Cl. Contest. Site.

Airport. C. Spencer CD, 236 Theo St., Lansing,

Mieh. 48917. Sponsor: Lansing Flying Aces.

July 28 — Fresno, Callf. (A) Fresno Monthly FF

Meet. Site: Near Kerman. F. Gailo CD, 1725 Ken
more Dr. W., Fesson, Callf. (A) Fresno Monthly FF

Meet. Site: Near Kerman. F. Gailo CD, 1725 Ken
more Dr. W., Fesson, Callf. (A) Fresno Monthly FF

Meet. Site: Near Kerman. F. Gailo CD, 1725 Ken
more Dr. W., Fesson, Callf. (A) Fresno Monthly FF

Meet. Site: Near Kerman. F. Gailo CD, 1725 Ken
more Dr. W., Fesson, Callf. (A) Fresno Monthly FF

Meet

Aug. 3-1 — Tablequah, Okla. (AA) TORKS

American RC Annual Meet. Site: Municipal Airport.
C. Brownlee CD, 3033 Rolling Stone, Oklahoma City. 73120

#### GO NAVY GO HAVY GO NAVY GO NAVY

ATTENTION-All modelers, 6 to 20 years old! Hurry and enter the Model Airplane Contests being held during May, June and July.

Special events will be held for those youngsters. who have never flown model aircraft in competition.

#### YOU CAN WIN THESE BIG PRIZES!

- \* A FREE TRIP to the National Model Airplane Championships at Olathe, Kansas.
- \* A CRUISE on a U. S. Navy Aircraft Carrier (limited to those from 12 to 20 years old).
- MERCHANDISE AWARDS totaling over \$6,000 as donated by members of the Hobby Industry Assoc. of America.

#### FOR ADDITIONAL DETAILS CONTACT:

- 1. Your local shop or dealer.
- 2. The Public Affairs Office at the Naval Air Station near you.
- 3. The Academy of Model Aeronautics—see Model Aviation this issue.

#### MANY GO NAVY GO NAVY 05





A new civilian pilot to add realism to your cabin or civilian type planes. Molded of high impact styrene, Color it to your choice.



### **SCALE SPINNERS**



\$4.95

P-40

31/2" Dia.

P-51

31/2" Dia.

For 2, 3, or blade props: internally marked for slots . . . cut out slots designated to meet your needs. adapters required. Use prop nut and washer to attach back section. Front cone screws on and off for easy accessibility to propeller nut.





# The 11 15

Completely scalelike .15 mm outboard. Water-cooled Throttle control\*Two gear stages on the propeller drive shaft\*For boats 24-32\*1. \$29.95\*5% post m hand.

Fuji 06\*Air-cooled\*No throttle\*\$12.95\*5% Complete catalog of G.E.M., Dumas, Fuji, Cameron, Tas, Sorret, Octura and O.B.R. boat kits, engines and hardware 50c

G.E.M. Models P.O. BOX 342
BROADVIEW LL 60/53

# ALABAMA STATE CHAMPIONSHIPS

for

Free Flight and Controline
July 13-14, 1968
Silfield, Selma, Alabama
\* Many Junior Events
and

Special Family Entry Fees

Query: Ken Scott, 904 Kings Bend Road, Selma, Alabama 36701

#### FLY WITH FSI

For Superior Performance it's

FLIGHT SYSTEMS, INC.

Model Rocket Engines

You get greater design freedom and higher payload altitudes with FSI engines.

#### FLIGHT SYSTEMS, INC.

also offers ■ complete line of model rocket kits to fit FSI engines.

Send 25¢ with coupon for our latest catalog.

ADDRESS ....

FLIGHT SYSTEMS, INC.

Box 145 • Louiseville, Colo. • 83027

#### A.M. Reviews

Continued from

The New Tigers, by Herbert Molly Mason Jr., 241 pgs., \$6.95. By David McKay Company, Inc. 750 Third Ave., New York, N. Y.

THE author takes the reader through the most demanding pilot-training program to show how a new breed of pilot is prepared for the needs of today's supersonic combat. The need for pilots apparent in Vietnam.

Their training & described. Young men just graduated from college carefully selected and put through rigorous curriculum lasting 53 weeks. Highly sophisticated techniques and gruelling activities are combined, and only the best capable of graduating to further training fighter-bomber pilots. The author, a veteran flyer and aeronautical writer, sat on this training in the cockpit, the classiand the barracks—to describe the daily life of these undergraduate pilots.

#### The PA-6

Continued from page 22

First determine if the engine runs exactly the speed in both directions. If the outsides are faster than the insides, or inverted flight is faster than right side up, the tank is high and the engine must be raised with washers. Next establish the engine setting that gives mph on a Rev-Up 10-4 prop.

Steam the wing until line tension is exactly the same right side up inverted. Do not adjust this tension by bending the flaps. If the ship loses tension on insides but not outsides, then there is more ten-

sion inverted and the wing should be steamed accordingly. If tension is lost equally in both directions on loops, try additional tip weight and if that doesn't help, put in additional line sweep. Play with tip weight and line rake until the ship does not yaw on sherp corner. The actual rake angle agrees very closely with the theoretical calculations of William Netzeband as published in the Sept./Oct. 1966 issue of American Aircraft Modeler.

I think you will find this ship equal to the competition, and also a pleasure for everyday flying.

#### Countdown

Continued from page 38

hard currency. There are also some USA restrictions regarding trade with the CSSR.

In any case, the ADAST engines are no different from the USA engines now. They 18mm x 70mm, exactly the size as ours. They have almost identical performance. The thrust-time curves match almost exactly. The USA engines cheaper and are available in wider varieties. I'm just saying that you shouldn't cry about not being able to get the ADAST engines. The ADAST factory is having a ball just keeping up with the Czech demand. And American manufacturers seem to be having the same problem.

DISTANCE-IN-A-STRAIGHT-LINE RECORD?

I am informed by Otaker Saffek of Prague that my FAI Parachute Duration model, last seen heading northwest from Dubnica nad Vahom, Czechoslovakia during the First International Model Rocket Competition in May 1966, was returned to the ADAST factory nearby by a Czech forest ranger. The unharmed model with



\$69.95

READY TO FLY

67" Convertible Trainer

78" Great Lakes

#### COMPLETE KIT CONTAINS

- Beautiful fiberglass fuselage completely prefinished, needs no painting. Includes vertical fin.
- Prefinished, covered foam wing and stobilizer.
- Nose gear-main gear-aileron and elevator linkage.
- Hinge material.
- Preformed canopy.

Disassembled fuselage - 2 halves plus mount, \$29.95 Assembled fuselage – nose gear mount and canopy, \$44.95 Wing kit-less ailerons. \$22.95

#### Specifications:

Fuselage 50" Wing Span 66" Flying Weight 61/2 lbs. Engines from 45 to 60 Fuselage features side mounted engine

Specifications:


- 67" Wing Spon-
- Semi Symmetrical
  704 Sq. In. Wing Area
  5-lbs. Flying Weight

1946 Taylorcraft 1/4 Size Kit



#### Specifications:

- 78" Wing Span
- = 1775 Sq. In. Wing Area
- 16-oz. Wing Loading 60 Engine Recommended
- Radio: Multi-Reed or Proportional
- 12-lbs. Total Flying Weight W/Radia



Victour

#### Specifications:

- 9-ft. Wing Span
- 1755 Sq. In. Wing Area 16-ox. Wing Loading

- 60 Engine Recommended
   Radio: Multi-Reed or Proportional
   12-lbs. Total Flying Weight W/Radio



#### Specifications:

- 67" Wing Span 770 Sq. In. Wing Area 52" fuselage
- 29-60 Engine
- · 6-lbs. Total Flying Weight W/Radio

PRICE LIST AVAILABLE UPON REQUEST

MERCO - MRC-ENYA - MRC-WEBRA ENGINES

DISTRIBUTED BY


ESTABLISHED SINCE 1917 CABLE ADDRESS INTRADCO

RADIO CONTROLLED SYSTEMS

AIRPLANES

AREA CODE (215) DE 4-4061 DE 4-5513

DE 4-5514



# New Valkyrie-2 Rocket!

Now . . . build your own space program around the new Valkyrie-2 Flying Model Rocket, developed by a group of America's leading aerospace engineers to bring the excitement of a Cape Kennedy countdown right into your own back yard! The Valkyrie-2 is not ■ toy—it's ■ authentic, sophisticated piece of high performance

- Not firework! Mailed anywhere ■ U.S.A.
- e Electrically fired non-toxic liquid propellant
- · Re-usable; fly it egain and again.
- · Parachute recovery, big payload capacity

#### Attitudes of over 1,000 feet!

|     | VASHUN INDUSTRIES, INC.<br>Sex 309-E, Vashen, Wash. 98070  |
|-----|--|
|     | Gentlemen: Please send me, postpaid:  Valkyrie-2 Rocket Kit (patent pending), complete   |
|     | with Rocket engine, firing mechanism, separator, parachute nose cone and fins, faunch stand and accessories, propellant for 3-4 faunchings.  \$15.95 ee. |
|     | RP-100 Liquid Propollant & Initiator. \$2.25 en.   |
|     | Catalog of rockets and accessories. 25c = .  |
|     | Yotal® enclosed  |
|     | *Washington residents odd 4.5% Sales Tax   |
| ř   | MAME   |
| 200 | STREET   |
| (   | CITY   |
|     |  |

#### **ZONA SAWS**

THE ONE AND ONLY FAMOUS LINE OF HORRY SAWS



CUTS METAL, PLYWOOD AND BALSA with Tazor was no splitting, tearing, or chipping "Available at your local hobby dealers"

#### 12 Page 1968 CATALOG IS READY

Send fie stamp for find copy

Townsater winches \$4.95. Dueron Tow line the Pirelli nubber from \$4.50. Adjustable tow Market 7.5c. Pennant sets, Craft tools, Front end assemblies thrust washers, springs, alum, bobbins. Prophinges, nylon seems. ST motor Market Galexie 12A kit, and mote.

F.A.I. Model Supply

1112 W MISSION LANE 85021 PHOENIX . ARIZONA

its 18" plastic parachute is in the ADAST factory museum.

It was recovered 27 kilometers from the launch site.

#### SPEAKING OF RECORDS.

It's high time that we in the USA shook leg and established the first international FAI records. Nobody has yet filed for an international model rocketry record with the FAI in Paris. Since model rocketry started in the USA, it's only fitting that the USA hold the first record in each category.

The FAI model rocket records that can be established are as follows: Class 1 Altitude, Class 2 Altitude, Class I Altitude, and Class Altitude: Single Payload, Dual Payload, and Open Payload; Parachute Duration; Swift B'G Duration, Hawk B/G Duration, Eagle B/G Duration, and Condor B/G Duration

All FAI rules for record purposes identical to the 1967 Edition of the U.S. Model Rocket Sporting Code with the exception of Parachute Duration, which, under FAI rules, in flown in a single category with a maximum total impulse of 10.00 N-sec and a single-staged model.

Procedures for establishing FAI recidentical to those required to establish a USA national record, and it's all set forth in the 1967 NAR "pink book."

To establish a record, you must fly your model in a sanctioned NAR meet with NAR-certified model rocket engines. The NAR has a special type of sanctioned meet called Record Trials, a classification solely for the purposes M establishing records.

You don't have to be a member of a club to get a sanctioned record trial. An NAR Senior Member must apply for the sanction of the record trials on the standard sanctions application form available from the NAR Contest Board. There is a small sanction fee payable to cover costs, etc. Having once obtained the sanction, gather together sufficient NAR Senior Members or Leaders Members to satisfy the requirements of the NAR "pink book," and you're in business.

To my knowledge, the only record trials sanctioned thus far were held by my club, the YMCA Space Pioneers, last year when decided to after some records before the pink book changed. I beg to report that we had a veritibobble ball that afternoon. You can try as many times - you wish to set a record, and we had scads of flights. I also lot of fun because there was not the pressure of competition,

Once we have established some FAI records for the USA, a lot of nations will be out in take them away from because they will have a mark to shoot for. Indon't turn in Parachute Duration rec-



| BORE   | .800 |
|--------|------|
| STROKE | .700 |
| DISP.  | .352 |
| WT, 6¼ | OZ.  |

The Fox 35 Stunt has more stunt contests through the world than all other makes combined. is so wonderfully dependable running, steady in power output, so forgiving of operator's errors.

This motor has placed first in every National stunt finals since 1949. For 1968 a stiffening web has been added thru the exhaust stack and the wrist pin is retained with snap rings.



#### BILLING BOATS "DRAGON"

International Racing Class



Constructed in accordance with the international Racing Model Regulations.

> Approximately 31" in length Scale 1:12

#### COMPLETE SET \$28.00

BEAUTIFUL HARDWOOD MODEL. BRASS FITTINGS

See your nearest hobby dealer, or send your check or money order\* direct to

> KAYEFF, INC. 511 CAMPESINA ROAD ARCADIA, CALIF. 91006

\*Add 5% tax for California shipments.

# WE HAVE MOST EVERYTHING

| - |  |       |
|---|--|-------|
|   | Bonner SN Transmite (Used-             |       |
|   | Guaranteed)                            | 00.00 |
|   | Chart Charge Ni-Cad Charger.           | 10.95 |
|   | 4 Amp Surplus Nickel Cad               |       |
|   | Posi-Tract Retract Gear                | 1.98  |
|   | Posi-Tract Retract Gear                | 11.95 |
|   | Sig Epoxy Glue                         | 1.39  |
|   | Sig Epoxy Glue<br>E B Wire Wheels, 4%" | 14.95 |
|   | Wms. Bros. 5" Vintage Wheels           | 6.55  |
|   | DuBro Lo Bounce Wheels, 21/2"          | 2.79  |
|   | Bonner 4 Pin Plug & Socket             | 1.35  |
|   | "Stay Brite" Silver Solder             | 1.39  |
|   | "Lock Tite" Sealant                    | .85   |
|   | "Silastic" Clear Sealer                | 1.95  |
|   | "Goo" Adhesive                         | .50   |
|   | 3/4" Vinyl Electrical tape 66'         | 1.55  |
|   | RK Push Rod Exit Guides-               | 2.00  |
|   | Small 50c Large                        | .55   |
|   | Breiten Steerable Nose Gear            | 7.95  |
|   | Rocket City Missing Link               | .79   |
|   | Nemo Frequency Flags                   | .25   |
|   | Ny Rod, 30" 95c 48".                   |       |
|   |  | 1.50  |
|   | DuBro Kwik Link Clevis 2/              | .75   |
|   | Sig Cessna 172 Kit                     | 14.95 |
|   | K&B Idle Bar Glo Plug                  | 1.29  |
|   | OS Rudder Servo                        | 13.98 |
|   | Adams Baby Actuator                    | 6.95  |
|   | R/C Development Stick                  |       |
|   | Assembly                               | 23.00 |
|   | R/C Craft 4PDT Slide Switch            | .79   |
|   | More Craft Anten-away                  | 2.00  |
| 1 |  |       |

| Midwest Peak Power Flexible NV Extension %"x24" Ignition Plug Ignition Coil High Tension Lead Metal Ignition Condensor Spearhead Jr. Free Flight Kit. Aniline Dye (Red, Orange, Green, Yellow, Purple &  | .98<br>.25<br>.75<br>1.49<br>.25<br>.50<br>3.95  |
|--|--|
| Blue)  22"x3" Wood Props  24"x3" Wood Props  67-68 Aeromodeler Annual Starduster 900 Kit Midwest Jabberwock Kit Sig Nitrate Dope Clear, PT. Sig Tissue, All Cotors Foka Glider, R/C  OK Cub 024 Engine Aeromodeler Magazine Epoxy Bond, Small 59c Lge. FAI Glider Winch Tatone DT Timer Silk, III Colors White, Per Yd. Jetex 150 Engine Rubber Front End Assembly 50' Pirelli Rubber ½" | 1.80<br>2.50<br>2.50<br>2.95<br>1.25<br>.07<br>33.00<br>3.95<br>1.25<br>.60<br>.98<br>4.95<br>5.50<br>1.95<br>1.25 |
| WE HAVE IGNITION ENGINE  | PARTS  |

WE HAVE IGNITION ENGINE PARTS SEND FOR FREE LIST

### Stanton Hobby Shop Inc.

4724 North Milwaukee Avenue Chicago, Illinaia 50530 Telephane 545-8185 arra cole 112

| 12" Folding Prop<br>Chrome Mylar Sheet |          |
|--|----------|
| 1/10 Second Stop Watch                 |          |
| Cleveland 36" Black Widow.             |          |
| Dyna Jet Engine                        | 40.00    |
| Tatone U-Control Handle                |          |
| Profile Publications                   |          |
| World Engines Catalog                  |          |
| Unimat Lathe, F.O.B.                   |          |
| Caster Oil, QT                         | 1.65     |
| Tatone Chicken Stick                   | .69      |
| Tapered Prop Reamer                    |          |
| 2-56, 3-48 & 4-40 Taps                 | Ea60     |
| 2-56, 3-48 & 4-40 Dies                 | Ea. 1,20 |
| Tubing Bender Kit                      | ,98      |
| Don's Fast Fill Plug                   | .60      |
| Don's # Oz. Combat Tank                | 1,50     |
| Sig Profile Spad-7, U-C                | 6.95     |
| O&R 1 HP Engine                        | 44.07    |
| Vibra Tac Tachometer                   | 5.00     |
| Zim-Tac, 0-25,000 Tach                 | 18.95    |
| Vacu-Vise                              | 6.95     |
| Large EZ Just Test Stand               | 2.25     |
| Ronson Butane Torch.                   | 4.95     |
| Titebond Glue, E oz.                   | 1,40     |
| McCoy 35 Engine (Used)                 | 3.00     |
| Sullivan RST-6 & 8 Tank                | Ea. 1.75 |
| K&B 40 R/C Engine                      | 30.95    |
| Med. Black Fuel Line 3 Ft/             |          |
| Enya 15 Engine                         | 8.95     |
| Hobby Poxy Stuff                       | 1.00     |
|  |          |

STANTON FILE.

HUNDREDS O LOSE OUTS

USED IL

SEND 10¢ II SPECIALS CATALOG

## WANTED

We buy and trade used engines and RC gear, Send us a today you have.

ord attempt of 45 seconds! And if you can't break two minutes in B/G, forget it, because Otakar Saffek of Czechoslovakia once turned in a 25 minute B/G flight—before the FAI rules were official, therefore he could not file for = FAI record.

#### Model Rocketeer

Continued from page 48

The U.S. has been invited to compete in a World Championship Meet in Yugoslavia in 1969. Details will be announced a later date.

Members attending the meetings were, President Beetch, and trustees Atwood, Barrowman, Butterworth, Belkewitch, Kirchner, Kukowski, Worth, Stine, Thompson and Rich.

NEW EDITOR

Larry Loos, USAF. Ent Air Force Base, will assume editorship of The Model Rocketeer beginning with the next issue. Larry served as Assistant Public Affairs Chief at NARAM-9. He is well qualified to handle the chore since he is a Public Information Specialist at the Colorado Air Force installation. Larry responsible for the establishment of model rocket program among USAF personnel and their dependents in Europe

dependents in Europe.

He replaces "Casey" Kukowski, NAR
Public Affairs Trustee. (I'm going is start
building models for a change and be
to my wife). JK.

National Model Rocket Championship Meet NASA Wallops Station, Va. August 19-23, 1968

> MANY FLYING SITES OPEN UP WITH INSURANCE PROTECTION

# MIN- new IC-4

■ lightweight, four-control, proportional R/C system with integrated circuits in the transmitter and receiver


TRANSMITTER • Vinyl clad case

Two watt input the 27

MHz. band • Choice of O.S.

or MIN-X stick assemblies.

airborne weight is only 151/2 oz. • 600 Ma G.E. Nickel-Cadmium power pack •
Temperature stable from #
to 150 degrees F. • Receiver size — .75 = 1.56 x
2.38 inches = Servo size—
.93 x 2.54 = 1.46 inches •
Servos have dual output
(push pull and wheel) •
Over 3-1/2 lbs. thrust.



SYSTEM PRICE INCLUDES TRANSMITTER, RECEIVER, FOUR SERVOS, BATTERY PACK AND CHARGER READY TO INSTALL: WITH O.S. STICKS — \$350 OR WITH MIN-X STICKS — \$375

MIN-X RADIO, INC. 8714 Grand River Ave., Detroit, Mich. 48204

SKI-BOAT

● FIBERGLASS - 2 COLORS RED DECK - WHITE HULL

COMPLETE PLANS FOR MOTOR INSTALLATION



36" Long — 13" Beam .29 to .60 Engines
Dealer's Inquiries Invited

\$44.95 ONLY

Special Process White Fiberglass

Stretched nose Phoenix 531/5" long

Full size bulkhead # motor mount plans

> 45 to .60 engine ONLY \$39.95



TIGER

 Suited for beginner in hot Zero - zero wing = stab rock contest pilot incidence with 17% airfail e 43½" long \$32,95

P.O.B Plantation Fla. . C.O.D. or Check With Order

iber Foam P. O. BOX 19591 TOCKY S, MITATION W. SISSE

#### GRAHAM Radio Supply PAMPLICO, S. E. - 2723

Controlaire 66 System Trans, Rec SH-190 - 1,11-3 Freuns connectors, Switch - 4 - 500 Ma Niends, charger and all batteries, Completely wired as system, \$120.50 ppd. Immediate delivery

F Etho - Pioneer Varl-Comp, hatteries & switch, wired as a system. Complete. \$62.50 post Immediate delivery.

ORBIT . FINE . BONNER CONTROLATRE • MICRO-AVIONICS CURSES on the Bull Blue

You'll M speiled by im mi prices

engines, liits, accessories, R/C go Discount Catalog 10c

RADIOMODELS

73, Lenox, Illinois Phone: (815)

# THE WINNER now available in kit form 3-20INT Raffing MYDRO

#### " IMPBA record helder for Class II Hydro 1/4 Mile Oval

Pre-tested competition proven and all Octura hulls and fittings. Designed for multi power boat racing using .29 to .45 c. i. engines. Kit duplicating the construction of the sturdy trophy-winning hull builds easily. Comes complete with full-size plan, step-by-step instructions, precision-cut plywood formers and planking PLUS fibreglass front cowling and distinctive decals.

Motor mount; universal; Kool Klamp; steering strut, shaft and propeller; fin: fibreglass rear cowling; etc. available from this ONE source

If your dealer cannot supply you—send self-addressed envelope for interature and se AODELS SEIF-ENGINESSEN ERVELOPE TOT TITETERNITE STEEL GOOGLE

Length 30"

**SPECIFICATIONS** 

1995

(minus engine & fittings)

PLUS 10% FOR POSTAGE # HANDLING

Beam 15"

#### Radio Control World

Continued from page 32

Red notes that U.S. modelers should receive recognition for their efforts made under AMA rules. Furthermore, he opines that such activity might lead modelers on to trying to break some of the FAI record marks. In the R/C line, he suggests Duration with a limited amount of fuel; Closed Course Distance; Speed and Altitude events with small engines in large planes. There are many other possibilities. Proposals are starting to come in and we'll report later on those that sound the most interesting.

AMA R/C Glider Rules: Tentative rules for AMA R/C Glider competition have been offered by a Committee headed by Dale Willoughby. Two glider classes are pro-posed: Standard, up to 100" wing span: Open, over 100" span. Wing loading must be between I and 15 oz. per 100 sq. in. of wing area (this includes stabilizer area, and the som of wing over or through the fuselage). For powered gliders, maximum of ..... in. engine displacement per 100 . in. area (calculated as above). Maximum of sec. engine run, from moment of release on launch. Launching allowed by various methods depending upon terrain ROG specified for powered gliders, unless terrain prohibits).

The rules also include basic suggestions for various glider events, maneuvers to be performed in stunt flights, a glider Pylon race and on. These rules give a good outline for those who wish to plan glider meets, and results will be studied to determine if there is enough interest to include official AMA R/C Glider rules in

the 1969 AMA rules book.

L.I.D.S. Ninth Annual R/C Contest: Members of the Long Island Drone Society are making their annual, AMA sanctioned, meet a "fly for fun" affair. Date is June 23. : location is Mitchell Field, East Meadow, L.I., N.Y. Events — scale, open and scale pylon balloon bust, bomb drop, etc. Prizes range from trophies to model aircraft gear and cash. Query: Dick Saggese, 10 Hunter St., Hicksville, L. I., N. Y. 11801.

#### NEW IN R/C

Distribution of More-Craft "Goodles" will hence-forth take place from Ace Radio Control (Bax 301, Migginstille, Mo. 64037). More-Craft line will be ex-pandem, is available nationally from many hobby shops—or order by mail from Higginsville. Longer life alkaline type dry cells, Mailtory Battery "Mattergrown, N.Y.). Alkaline style flashlight cells give considerably longer life under fairly high

# -Citizen-Ship presents Pulse Proportional

# TRANSMITTER

- · Stick for rudder and elevator with built-in trim.
- · Push buttons for motor.
- · Powered by inexpensive dry battery.
- · Charger built-in for aircraft battery.
- · Compatible with Rand G.G. or Dual Pak.
- . Switch selects low rate (4-11) or high rate (9-19).



# RECEIVER



- · Proven relayless super
- Modified for galloping ghost or escapement use.
- Small size—1\( \frac{1}{8} \)" x 1\( \frac{1}{2} \)"
- Light weight—1 oz.
- Compatible with Rand G.G. Pak and Dual Pak.
- · Plug attached to fit Rand

CATALOG SHEETS TODAY Citizan-Ship RADIO CORPORATION

810 EAST 64TH ST.

INDIANAPOLIS, INDIANA 46220

drains than the standard cells. Mallery Mn-2400 cell (size AAA — the "slim" pencell) will put 100 ma through a resistive load for about 12 hour, to an endpoint of 1.1V; the new HRA-2400 doesn't drop to 1.1V until almost 2 hours! Both cells supply power for much longer periods, but when you get to 1.1V under load, it's time to replace battery. New cells to be available in standard flashlight sizes. Prices not known we.

known yet.

Tiny, light, two-position motor-driven serve for throttle, Polks Hobbies (New York, N.Y.); weighs only 1½ oz., costs 87.50, triggered by rudder escapement or single-channel serve. Matching rudder serve will be available. Aristo-Kavan long Super K-Links (10° overall). See each. Flexi-Trol snother Aristo-Kavan unit with Super-K-Link at one end; consists of 38° long plastic tubing about ½ "OD, inside which slides a stiff smaller tube with link cemented to one end. Can Es bent to present the curves without binding; \$1.30 each.

Sharplase hi-start kits. Ray Smith (\$11 Brantferd.)

end. Can be belt to remarkable curves without bindng: \$1.29 each.

Scarplane hi-start kits, Ray Smith (811 Branderd
Ave., Silver Spring, Md. 29904). Standard kit includes a single 600' length of 125-lb.-test braided
nylon cable, on spool reel allows winding full length
in about 2 minutes. Also, two lengths of exerciser
cord, one each of 40' and 80'. Connectors attached
to all pieces, simply snap together. The 120' of
rubber cord in kit capable of launching 41'2 lb. glider
to 700' altitude in 5 mph wind. The 40' cord slone
is fine for launching same glider from slope. Added
40' and 80' lengths 54.25 and 58 respectively. For
large and heavy gliders, heavier cord, at 100' for \$21.

Exerciser cord has woven outer jacket for protection
from abrasion and stinlight, and to prevent overextension. extension

from abrasion and sunlight, and to prevent everextension.

Several digital propo systems by Camnon Electronics
Inc. (13400-26 Saticoy St., North Hellywood, Calif.,
1869). Mini-3 system includes three fully propo
channels, with plane equipment weight of 14 oz.
225 with charger, all wiring hardess and nickel-and
batteries. Mini-3 system utilizes same components
but transmitter has two control sticks; all components, four serves, \$295. Mini-3 can be converted
to Mini-5 at factory for \$70. including one added
servo. Standard 5-control system (17 oz. airborne
weight), \$295. Transmitters have precision enclosed
control sticks, built-in charger; 5-channel unit has
paniel meter; EF output is a EW. Servos are capacitor
feedback style, both push-pull and rotary output.
Kit for standard 5-control system, \$199.95.

THE 1968 AMERICAN Aircraft MODELER Annual is now on sale at leading hobby shops and newsstands BE SURE TO GET YOUR COPY TODAY!

A game played with real battleships?

Would You Believe: Battleships 6' Long?

Actually-they're only 2" long. But you get 102 of them in Jutland, the brand new board game that recreates history's greatest conflict between modern battleship fleets. The real battles of Jutland involved the entire navies of both England and Germany. That's why we give you so many ship facsimilies each reproduced in scale down to the actual deck plans showing placement of guns. Whether you're Britain's Admiral Jellicoe Germany's Admiral Scheen we give you the chance to recreate history-or alter it if you've got what it takes to run a war. Son of Jellicoe says, "blimey," which means that Jutland is so realistic you actually think you're on the flag ship Iron Duke, itself, leading the Grand Fleet into the holocaust, Prove to yourself that you could be more skillful than even the most brilliant of historic commanders if given the chance. We now give you that chance. Historic realism, professional design, and military authentication all add up to the most enjoyment you've ever had. When's the last time you really had a lot of fun? For under



10c month? Play Jutland-only \$6.98 for a lifetime of pleasure. (Sea-sick pills not included.) Sold in leading stores and hobby shops everywhere . . . or direct from Avalon Hill.

|                                       | \$6.98 - send me Ju              |      |
|---------------------------------------|----------------------------------|------|
| l'm still not<br>brochure, in<br>Name | convinced — send me stead.       | FREE |
| Address                               |                                  |      |
| City<br>If not satisfied              | State<br>d, purchase price refun | ded. |

#### INDEX TO ADVERTISERS

| ADVERTISER  Ace Radio Control  Aletrol of Adrian  A-Justa-Jig  A-Justa-Jig  Anbroid Co.  54  Ambroid Co.  54  America's Hobby Center  7, 9, 10, 11  AMT Corp.  63  Avalon Hill  73  R & N Model Accessory Co.  68  Badgar Air Brush  52  Balsa Corporation of America  62  Beaverraft Products  56  Bonner Specialties, Inc.  54  C & H Sales  J. W. Caler, Aeronautica  60  J. W. Caler, Aeronautica  61  Centuri Engineering Co.  52  Citizen-Ship Radio Corp.  73  Classified  74  Controls Engineering Co.  55  DuBro Products, Inc.  54  EK Products  61  Estes Industries  49  FAI Model Supply  70  Fiber Faam Products  Flight Control Products  63  Graham Radio Supply  70  G.E.M. Models  Graham Radio Supply  70  G.E.M. Models  Graham Radio Supply  72  Grish Brothers  60  Poul K. Guillow, Inc.  64  W. C. Hannan, Graphics  Heath Company  Historical Aviation Album  62  Hobby Helpers  60  Poul K. Se Engineering  62  Kayeff, Inc.  Maislin Hobby Dist.  Model Aeronautic Publications  74  Model Aeronautic Publications  74  Model Aeronautic Publications  74  Model Aeronautic Publications  74  Model Aeronautic Publications  75  Model Rectifier Corp.  64  Micro-Molding Co.  64  Micro-Molding Co.  67  Model Aeronautic Publications  76  Model Boathouse  67  Model Boathouse  68  Model Rectifier Corp.  69  Salos Stefford Models  72  Official Products Limited  56  Royal Products Limited  56  Royal Products Limited  56  Rocket Development Corp.  65  Royal Electronics Corp.  53  Royal Products  66  Rocket Development Corp.  65  Royal Electronics Corp.  53  Royal Products  66  Rocket Development Corp.  65  Royal Electronics Corp.  53  Royal Products  66  Rocket Development Corp.  65  Royal Electronics Corp.  53  Royal Products  66  Rocket Development Corp.  65  Royal Electronics Corp.  53  Royal Products  66  Rocket Development Corp.  65  Royal Electronics Corp.  53  Royal Products  66  Rocket Development Corp.  65  Royal Electronics Corp.  53  Royal Products  66  Rocket Development Corp.  65  Royal Electronics Corp.  53  Royal Products  66  Rocket  |   |       |
|--|---|-------|
| Airtrol ef Adrian  |   |       |
| A-Justo-Jig 57 Alabama State Championships 68 Ambroid Co. 54 America's Hobby Center 7, 9, 10, 11 AMT Corp. 63 Avadon Hill 73 R & N Model Accessory Co. 68 Badger Air Brush 52 Balsa Corporation of America 62 Beavercraft Products 56 Bonner Specialties, Inc. 54 C & H Sales 60 J. W. Caler, Aeronautica 8 Centuri Engineering Co. 52 Citizen-Ship Radio Corp. 73 Classified 74 Controls Engineering Co. 52 Citizen-Ship Radio Corp. 73 Classified 74 Controls Engineering Co. 61 Estes Industries 49 FAI Model Supply 70 Fiber Foam Products 72 Filight Control Products 3rd Cover Flight Systems, Inc. 68 Graham Radio Supply 72 Grish Brothers 60 Poul K. Guillow, Inc. 64 W. C. Honnan, Graphics 64 Heath Compony 55 Historical Aviation Album 62 K & S Engineering Co. 64 Micro-Molding Co. 64 Midwest Products 67 Metro Denver R/C Contest 67 Model Aeronautic Publications 74 Model Boathouse 65 Model Rectifier Corp. 38 Royal Products 72 Rocket City RC Specialties 66 Rocket Development Corp. 53 Royal Products Co. 61 Steve Muck's R/C Model Boat Supplies 66 Rocket Development Corp. 55 Royal Electronics Corp. 33 Royal Products Co. 61 Steve Muck's R/C Model Boat Supplies 66 Rocket Development Corp. 53 Royal Products Corp. 33 R |   |       |
| Alabama State Championships  |   |       |
| Ambroid Co. 54   | Alabama State Championships             | . 68  |
| AMT Corp. 63 Avaion Hill 73 R & N Model Accessory Co. 68 Badger Air Brush 52 Balsa Corporation of America 62 Beavercraft Products 56 Bonner Specialties, Inc. 54 C & H Sales 60 J. W. Caler, Aeronautica 8 Centuri Engineering Co. 52 Citizen-Ship Radio Corp. 73 Classified 74 Controls Engineering Co. 52 EK Products 10 EK Products 10 Estes Industries 49 FAI Model Supply 70 Fiber Faam Products 72 Flight Control Products 3rd Cover Flight Systems, Inc. 52 Fox Manufacturing Co. 70 G.E.M. Models 68 Graham Radio Supply 72 Grish Brothers 60 Poul K. Guillow, Inc. 64 W. C. Hannan, Graphics 64 Heath Company 55 Historical Aviation Album 62 Hobby Helpers 60 K & S Engineering Co. 64 Micro-Molding Co. 64 Midwest Products 67 Maillin Hobby Dist. 69 Maillin Hobby Dist. 69 Model Beathouse 65 Model Rectifier Corp. 4th Cover Mare-Craft Products Co. 61 Sieve Muck's R/C Model Boat Supplies 66 Rocket Development Corp. 55 Royal Electronics Corp. 53 Royal Products Corp. 55 Royal Electronics Corp. 55 Royal Electronics Corp. 55 Royal Products Limited 56 For Flite Models, Inc. 58, 59 Suppr-Line Products 57 Tatone Products Limited 56, 57 Jack Stefford Models 1nc. 58, 59 Suppr-Line Products 57 Tatone Products Limited 56, 57 Jack Stefford Models, Inc. 58, 59 Suppr-Line Products 57 Tatone Products 60 Westes Hobby Imports 61  | Ambroid Co.                             | . 54  |
| Avalon Hill         73           B & N Model Accessory Co.         68           Badger Air Brush         52           Balsa Corporation of America         62           Beavercraft Products         56           Bonner Specialties, Inc.         54           C & H Sales         60           J. W. Caler, Aeronautica         8           Centuri Engineering Co.         52           Citizen-Ship Radio Corp.         73           Classified         74           Controls Engineering Co.         5           DuBro Products, Inc.         12           EK Products         3           Edmund Scientific Co.         61           Estes Industries         49           FAI Model Supply         70           Filight Control Products         72           Flight Control Products         37           Fox Manufacturing Co.         70           G.E.M. Models         68           Graham Radia Supply         72           Grish Brothers         60           Poul K. Guillow, Inc.         64           W. C. Hannan, Graphics         64           Heath Company         55           Historical Aviation Album         62  |   |       |
| R & N Model Accessory Co. 68 Badger Air Brush  |   |       |
| Badsa Corporation of America         62           Beavercraft Products         56           Bonner Specialties, Inc.         54           C & H Sales         60           J. W. Caler, Aeronautica         8           Centuri Engineering Co.         52           Citizen-Ship Radia Corp.         73           Classified         74           Controls Engineering Co.         5           DuBro Products, Inc.         12           EK Products         3           Edmund Scientific Co.         61           Estes Industries         49           FAI Model Supply         70           Filight Control Products         3rd Cover           Flight Control Products         3rd Cover           Flight Systems, Inc.         48           Fox Manufacturing Co.         70           G.E.M. Models         68           Graham Radia Supply         72           Grish Brothers         60           Poul K. Guillow, Inc.         44           W. C. Honnan, Graphics         64           Heath Compony         55           Historical Aviation Album         62           Kayeff, Inc.         70           Maislin Hobby Diss.  |   |       |
| Balsa Corporation of America 62 Beavercraft Products 56 Bonner Specialties, Inc. 54 C & H Sales 60 J. W. Caler, Aeronautica 8 Centuri Engineering Co. 52 Citizen-Ship Radio Corp. 73 Classified 74 Controls Engineering Co. 5 DuBro Products, Inc. 12 EK Products 3 Edmund Scientific Co. 61 Estes Industries 49 FAI Model Supply 70 Fiber Foam Products 72 Flight Control Products 3rd Caver Flight Control Products 68 Fox Manufacturing Co. 70 G.E.M. Models 68 Graham Radio Supply 72 Grish Brothers 60 Poul K. Guillow, Inc. 64 W. C. Honnan, Graphics 64 Heath Compony 55 Historical Aviation Album 62 Hobby Helpers 60 K & S Engineering 60 K & S Engine |   |       |
| Beavercraft Products         56           Bonner Specialties, Inc.         54           C & H Sales         60           J. W. Caler, Aeronautica         8           Centuri Engineering Co.         52           Citizen-Ship Radio Corp.         73           Classified         74           Controls Engineering Co.         5           DuBro Products, Inc.         12           EK Products         3           Edmund Scientific Co.         61           Estes Industries         49           FAI Model Supply         70           Fiber Foam Products         72           Flight Control Products         3rd Cover           Flight Systems, Inc.         43           Fox Manufacturing Co.         70           G.E.M. Models         68           Graham Radio Supply         72           Grish Brothers         60           Poul K. Guillow, Inc.         64           W. C. Honnan, Graphics         64           Heath Company         55           Historical Aviation Album         62           Ka S. Engineering         62           Kayeff, Inc.         70           Maislin Hobby Dist.         69  | Balsa Corporation of America            | 62    |
| C & H Sales J. W. Caler, Aeronautica Senturi Engineering Co  | Beavercraft Products                    | . 56  |
| J. W. Caler, Aeronautica   8   |   |       |
| Centuri Engineering Co.   52   | C & H Sales                             | . 60  |
| Citizen-Ship Radio Corp. 73 Classified 74 Cantrols Engineering Co. 5 DuBro Products, Inc. 12 EK Products   |   |       |
| Classified 74 Cantrols Engineering Co. 5 DuBro Products, Inc. 12 EK Products 3 Edmund Scientific Co. 61 Estes Industries 49 FAI Model Supply 70 Fiber Fearm Products 72 Flight Control Products 3rd Caver Flight Systems, Inc. 55 Fox Manufacturing Co. 70 G.E.M. Models 68 Graham Radio Supply 72 Grish Brothers 60 Poul K. Guillow, Inc. 64 W. C. Hannan, Graphics 64 Heath Company 55 Historical Aviation Album 62 Hobby Helpers 60 K & S Engineering 62 Kayeff, Inc. 70 Maislin Hobby Dist. 69 Metro Denver R/C Contest 66 Micro-Molding Co. 64 Min-X Radio, Inc. 71 Model Aeronautic Publications 74 Model Boathouse 65 Model Rectifier Carp. 4th Cover Mare-Craft Products Co. 61 Steve Muck's R/C Model Boat Supplies 66 Octura Models 72 Official Products Corp. 38 Royal Products Corp. 38 Royal Products Corp. 38 Royal Products Corp. 39 Scientific Models, Inc. 50, 51 Semroc 66 Roland B. Smith 66 Spacial Products Limited 56, 57 Jack Stafford Models, Inc. 58, 59 Su-Pr-Line Products 57 Tatone Products — 74 Vashan Industries 77 Warner Industries 76 Westree Hobby Imports 61   |   |       |
| Controls Engineering Co.   5   | Classified                              | . 74  |
| EK Products Edmund Scientific Co. 61 Estes Industries 49 FAI Model Supply 70 Fiber Foam Products 72 Flight Control Products 3rd Caver Flight Systems, Inc. 52 Fox Manufacturing Co. 70 G.E.M. Models 68 Graham Radio Supply 72 Grish Brothers 60 Poul K. Guillow, Inc. 64 W. C. Hannan, Graphics 64 Heath Company 55 Historical Aviation Album 62 Hobby Helpers 60 K & S Engineering 62 Kayeff, Inc. 70 Maislin Hobby Dist. 69 Metro Denver R/C Contest 56 Micro-Molding Co. 64 Midwest Products 71 Model Aeronoutic Publications 74 Model Boathouse 65 Model Rectifier Corp. 4th Cover More-Craft Products Co. 61 Steve Muck's R/C Model Boat Supplies 66 Octura Models 72 Official Products/Publications, 1nc. 2d Cover Power, Inc. 4 Quality Hobby Shops 74 Radio Models 72 Rocket City RC Specialties 66 Rocket Development Corp. 65 Royal Electronics Corp. 33 Royal Products Corp. 38 Royal Products Corp. 38 Royal Products Corp. 39 Scientific Models, Inc. 50, 51 Semroc 66 Roland B. Smith 66 Spacial Products Corp. 38 Sugnal Products Limited 56, 57 Jock Stafford Madels 10c. 58, 59 SU-Pr-Line Products 57 Tatone Products | Controls Engineering Co.                | . 5   |
| EK Products Edmund Scientific Co. 61 Estes Industries 49 FAI Model Supply 70 Fiber Foam Products 72 Flight Control Products 3rd Caver Flight Systems, Inc. 52 Fox Manufacturing Co. 70 G.E.M. Models 68 Graham Radio Supply 72 Grish Brothers 60 Poul K. Guillow, Inc. 64 W. C. Hannan, Graphics 64 Heath Company 55 Historical Aviation Album 62 Hobby Helpers 60 K & S Engineering 62 Kayeff, Inc. 70 Maislin Hobby Dist. 69 Metro Denver R/C Contest 56 Micro-Molding Co. 64 Midwest Products 71 Model Aeronoutic Publications 74 Model Boathouse 65 Model Rectifier Corp. 4th Cover More-Craft Products Co. 61 Steve Muck's R/C Model Boat Supplies 66 Octura Models 72 Official Products/Publications, 1nc. 2d Cover Power, Inc. 4 Quality Hobby Shops 74 Radio Models 72 Rocket City RC Specialties 66 Rocket Development Corp. 65 Royal Electronics Corp. 33 Royal Products Corp. 38 Royal Products Corp. 38 Royal Products Corp. 39 Scientific Models, Inc. 50, 51 Semroc 66 Roland B. Smith 66 Spacial Products Corp. 38 Sugnal Products Limited 56, 57 Jock Stafford Madels 10c. 58, 59 SU-Pr-Line Products 57 Tatone Products |   |       |
| Edmund Scientific Co. 61 Estes Industries 49 FAI Model Supply 70 Fiber Foam Products 72 Flight Control Products 3rd Cover Flight Systems, Inc. 53 Fox Manufacturing Co. 70 G.E.M. Models 68 Graham Radio Supply 72 Grish Brothers 60 Poul K. Guillow, Inc. 64 W. C. Honnan, Graphics 64 Heath Company 55 Historical Aviation Album 62 Hobby Helpers 60 K & S Engineering 62 Kayeff, Inc. 70 Maislin Hobby Dist. 69 Metro Denver R/C Contest 56 Micro-Molding Co. 64 Midwest Products 67 Min-X Radio, Inc. 71 Model Aeronoutic Publications 74 Model Boathouse 65 Model Rectifier Corp. 4th Cover More-Craft Products Co. 61 Steve Muck's R/C Model Boat Supplies 66 Octura Models 72 Official Products/Publications, 10c. 72 Power, Inc. 4 Quality Hobby Shops 74 Radio Models 72 Rocket City RC Specialties 66 Rocket Development Corp. 65 Royal Electronics Corp. 38D Scientific Models, Inc. 50, 51 Semroc 66 Roland B. Smith 66 Spacial Products Limited 56, 57 Jock Stafford Madels, Inc. 58, 59 Su-Pr-Line Products 57 Tatone Products 66 Westee Hobby Imports 61  | EK Products                             | . 3   |
| FAI Model Supply   |   |       |
| Fiber Foam Products  |   |       |
| Flight Control Products Flight Systems, Inc. Fox Manufacturing Co. G.E.M. Models Graham Radio Supply Grish Brothers Foul K. Guillow, Inc. W. C. Hannan, Graphics Heath Company Historical Aviation Album G. S. Engineering K. S. Engineering K. S. Engineering K. S. Engineering Foult K. Guillow, Inc. K. S. Engineering Foult K. Guillow, Inc. Foundaislin Hobby Dist. Foundaislin Hobby Foundaislin Foundaislin Hobby Foundaislin Hobby Foundaislin Hobby Foundaislin Foundaislin Hobby Foundaislin Foundaislin Foundaislin Foundaislin Hobby Foundaislin | FAI Model Supply                        | 72    |
| Flight Systems, Inc. Fox Manufacturing Co. Fox Company Fox Method Manufacturing Co. Fox Sengineering Fox Got Micro-Malding Co. Fox Midwest Products Fox Fox Min-X Radio, Inc. Fox Manufacturing Co. Fo | Flight Control Products 3rd C           | over  |
| Fox Manufacturing Co. 70  G.E.M. Models 68  Graham Radio Supply 72  Grish Brothers 60  Poul K. Guillow, Inc. 64  W. C. Hannan, Graphics 64  Heath Compony 55  Historical Aviation Album 62  Hobby Helpers 60  K. & S. Engineering 62  Kayeff, Inc. 70  Maislin Hobby Dist. 69  Metro Denver R/C Contest 65  Micro-Molding Co. 64  Midwest Products 67  Min-X Radio, Inc. 71  Model Aeronoutic Publications 74  Model Boathouse 65  Model Rectifier Corp. 4th Cover Mare-Craft Products Co. 61  Steve Muck's R/C Model Boat Supplies 66  Octura Models 72  Official Products/Publications, 1nc. 2d Cover Power, Inc. 4  Quality Hobby Shops 74  Radio Models 72  Rocket City RC Specialties 66  Rocket Development Corp. 33  Royal Products Corp. 33  Royal Products Corp. 35  Royal Products Corp. 35  Scientific Models, Inc. 50, 51  Semroc 66  Roland B. Smith 66  Spacial Products Limited 56, 57  Jack Stafford Models, Inc. 58, 59  Su-Pr-Line Products 57  Tatone Products Inc. 38A  Trophy World, Inc. 66  United Aeroscience Institute 74  Vashan Industries 70  Warner Industries 66  Westee Hobby Imports 61  | Flight Systems, Inc.                    | . 68  |
| Graham Radio Supply  Grish Brothers  Poul K. Guillow, Inc.  W. C. Hannan, Graphics Heath Company  Hobby Helpers  K. & S. Engineering  K. & S. Engineering  Kayeff, Inc.  Maislin Hobby Dist.  Micro-Molding Co.  Micro-Molding Co.  Micro-Molding Co.  Midwest Products  Model Aeronautic Publications  Model Rectifier Carp.  More-Craft Products Co.  Steve Muck's R/C Model Boat Supplies  Octura Models  Octura Models  Octura Models  Inc.  Quality Hobby Shops  74  Radio Models  Rocket City RC Specialties  Royal Products Corp.  Scientific Models, Inc.  Sonyal Products Corp.  Sterling Models, Inc.  Sonyal Products  Sonyal Products Corp.  Sterling Models, Inc.  Sonyal Products   | Fox Manufacturing Co                    | . 70  |
| Grish Brothers 60 Paul K. Guillow, Inc. 64 W. C. Hannan, Graphics 64 Heath Company 55 Historical Aviation Album 62 Hobby Helpers 60 K & S Engineering 62 Kayeff, Inc. 70 Maislin Hobby Dist. 69 Metro Denver R/C Contest 56 Micro-Molding Co. 64 Midwest Products 67 Min-X Radio, Inc. 71 Model Aeronautic Publications 74 Model Boathouse 65 Model Rectifier Corp. 4th Cover Mare-Craft Products Co. 61 Steve Muck's R/C Model Boat Supplies 66 Octura Models 72 Official Praducts/Publications, Inc. 2d Cover Power, Inc. 4 Quality Hobby Shops 74 Radio Models 72 Rocket City RC Specialties 66 Rocket Development Corp. 65 Royal Electronics Corp. 38D Scientific Models, Inc. 50, 51 Semroc 66 Raland B. Smith 66 Spacial Products Limited 56, 57 Jock Stafford Models, Inc. 58, 59 Su-Pr-Line Products 57 Tatone P | G.E.M. Models                           | - 68  |
| Paul K. Guillaw, Inc   |   |       |
| W. C. Hannan, Graphics Heath Company Historical Aviation Album Hobby Helpers Hobby | Grish Brothers                          |       |
| Heath Company  | W C Honnon Graphics                     | . 64  |
| Historical Aviation Album  | Heath Company                           | . 55  |
| K & S Engineering       62         Kayeff, Inc.       70         Maislin Hobby Dist.       69         Metro Denver R/C Contest       56         Micro-Molding Co.       64         Midwest Products       67         Min-X Radio, Inc.       71         Model Boathouse       65         Model Boathouse       65         Model Rectifier Corp.       4th Cover         More-Craft Products Co.       61         Steve Muck's R/C Model Boat Supplies       66         Octura Models       72         Official Products/Publications,       72         Inc.       2d Cover         Power, Inc.       4         Quality Hobby Shops       74         Radio Models       72         Rocket Development Corp.       65         Rocket Development Corp.       65         Royal Products Corp.       38D         Scientific Models, Inc.       50, 51         Semroc       66         Roland B. Smith       66         Spacial Products Limited       56, 57         Jack Stafford Madels       49         Stanton Hobby Shop, Inc.       71         Sterling Models, Inc.       38A      <  | Historical Aviation Album               | . 62  |
| Kayeff, Inc. 70  Maislin Mobby Dist. 69  Metro Denver R/C Contest 56  Micro-Molding Co. 64  Midwest Products 67  Min-X Radio, Inc. 71  Model Aeronautic Publications 74  Model Boathouse 65  Madel Rectifier Corp. 4th Cover  Mare-Craft Products Co. 61  Steve Muck's R/C Model Boat Supplies 66  Octura Models 72  Official Products/Publications, Inc. 2d Cover  Power, Inc. 4  Quality Hobby Shops 74  Radio Models 72  Rocket City RC Specialties 66  Rocket Development Corp. 65  Royal Electronics Corp. 38D  Scientific Models, Inc. 50, 51  Semroc 66  Roland B. Smith 66  Spacial Products Limited 56, 57  Jack Stafford Madels 16. 58, 59  Supr-Line Products 16. 16. 38A  Trophy World, Inc. 38A  Trophy World, Inc. 38A  Trophy World, Inc. 366  Westee Hobby Imports 61  | Hobby Helpers                           | . 60  |
| Maislin Hobby Dist. 54 Metro Denver R/C Contest 56 Micro-Molding Co. 64 Midwest Products 67 Min-X Radio, Inc. 71 Model Aeronautic Publications 74 Model Boathouse 65 Model Rectifier Corp. 4th Cover Mare-Craft Products Co. 61 Steve Muck's R/C Model Boat Supplies 66 Octura Models 72 Official Products/Publications, Inc. 2d Cover Power, Inc. 4 Quality Hobby Shops 74 Radio Models 72 Racket City RC Specialties 66 Rocket Development Corp. 65 Royal Electronics Corp. 33 Royal Products Corp. 38D Scientific Models, Inc. 50, 51 Semroc 66 Roland B. Smith 66 Spacial Products Limited 56, 57 Jack Stafford Models 16. 58, 59 Su-Pr-Line Products 57 Tatone Products 16. 38A Traphy World, Inc. 66 United Aeroscience Institute 74 Vashan Industries 70 Warner Industries 66 Westee Hobby Imports 61   | K & S Engineering                       | . 62  |
| Metro Denver R/C Contest         56           Micro-Molding Co.         64           Midwest Products         67           Min-X Radio, Inc.         71           Model Aeronautic Publications         74           Model Boathouse         65           Model Rectifier Corp.         4th Cover           Mare-Craft Products Co.         61           Steve Muck's R/C Model Boat Supplies         66           Octura Models         72           Official Products/Publications,         Inc.         2d Cover           Power, Inc.         4         Quality Hobby Shops         74           Radio Models         72         Rocket City RC Specialties         66           Rocket City RC Specialties         66         Rocket Development Corp.         65           Royal Products Corp.         38D         Scientific Models, Inc.         50, 51           Semroc         66         Roland B. Smith         66           Spacial Products Limited         56, 57           Jack Stafford Models         49           Stanton Hobby Shop, Inc.         71           Sterling Models, Inc.         58, 59           Su-Pr-Line Products         57           Tatone Products         57 <t< td=""><td>Kayeff, Inc.</td><td>40</td></t<>   | Kayeff, Inc.                            | 40    |
| Micro-Molding Co.         04           Midwest Products         67           Min-X Radio, Inc.         71           Model Aeronautic Publications         74           Model Boathouse         65           Model Rectifier Corp.         4th Cover           More-Craft Products Co.         61           Steve Muck's R/C Model Boat Supplies         66           Octura Models         72           Official Products/Publications,         Inc.         2d Cover           Power, Inc.         4         Quality Hobby Shops         74           Radio Models         72         Rocket City RC Specialties         66           Rocket Development Corp.         65         Royal Electronics Corp.         53           Royal Products Corp.         38D         Scientific Models, Inc.         50, 51           Semroc         66         Raland B. Smith         66           Spacial Products Limited         56, 57           Jack Stafford Models         49           Stanton Hobby Shop, Inc.         71           Sterling Models, Inc.         58, 59           Su-Pr-Line Products         57           Tatone Products         57           Tatone Products         65           <   | Maislin Hobby Dist.                     | 56    |
| Midwest Products         07           Min-X Radio, Inc.         71           Model Aeronautic Publications         74           Model Boathouse         65           Model Rectifier Corp.         4th Cover           Mare-Craft Products Co.         61           Steve Muck's R/C Model Boat Supplies         66           Octura Models         72           Official Products/Publications,         1nc.         2d Cover           Power, Inc.         4         4           Quality Hobby Shops         74         Radio Models         72           Rocket City RC Specialties         66         66           Rocket Development Corp.         65         65           Royal Electronics Corp.         38D           Scientific Models, Inc.         50, 51           Semroc         66           Roland B. Smith         66           Spacial Products Limited         56, 57           Jack Stafford Madels         49           Stanton Hobby Shop, Inc.         71           Sterling Models, Inc.         58, 59           Su-Pr-Line Products         57           Tatone Products         65           Top Flite Models, Inc.         38A           Troph  | Missa-Molding Co.                       | . 04  |
| Min-X Radio, Inc. 74 Model Aeronautic Publications 74 Model Boathouse 65 Model Rectifier Corp. 4th Cover Mare-Craft Products Co. 61 Steve Muck's R/C Model Boat Supplies 66 Octura Models 72 Official Products/Publications, Inc. 2d Cover Power, Inc. 4 Quality Hobby Shops 74 Radio Models 72 Rocket City RC Specialties 66 Rocket Development Corp. 65 Royal Electronics Corp. 38D Scientific Models, Inc. 50, 51 Semroc 66 Roland B. Smith 66 Spacial Products Limited 56, 57 Jack Stafford Madels 95 Supplied Models, Inc. 58, 59 Supplied Models, Inc. 38A Traphy World, Inc. 66 United Aeroscience Institute 74 Vashan Industries 70 Warner Industries 66 Westee Hobby Imports 61  | Midwest Products                        | - 0/  |
| Model Boathouse 65 Model Rectifier Corp. 4th Cover Mare-Craft Products Co. 61 Steve Muck's R/C Model Boat Supplies 66 Octura Models 72 Official Products/Publications, Inc. 2d Cover Power, Inc. 4 Quality Hobby Shops 74 Radio Models 72 Rocket City RC Specialties 66 Rocket Development Corp. 65 Royal Electronics Corp. 38D Scientific Models, Inc. 50, 51 Semroc 66 Roland B. Smith 66 Spacial Products Limited 56, 57 Jack Stafford Models 49 Stanton Hobby Shop, Inc. 71 Sterling Models, Inc. 58, 59 Su-Pr-Line Products 57 Tatone Products 66 United Aeroscience Institute 74 Vashan Industries 70 Warner Industries 66 Westee Hobby Imports 61   | tti- V Badia Inc                        | - /1  |
| Model Rectifier Corp.         4th Cover           More-Craft Products Co.         61           Steve Muck's R/C Model Boat Supplies         66           Octura Models         72           Official Products/Publications,         Inc.           Inc.         2d Cover           Power, Inc.         4           Quality Hobby Shops         74           Radio Models         72           Rocket City RC Specialties         66           Rocket Development Corp.         65           Royal Electronics Corp.         38D           Scientific Models, Inc.         50, 51           Semroc         66           Roland B. Smith         66           Spacial Products Limited         56, 57           Jack Stafford Models         49           Stanton Hobby Shop, Inc.         71           Sterling Models, Inc.         58, 59           Su-Pr-Line Products         57           Tatone Products         65           Top Flite Models, Inc.         38A           Trophy World, Inc.         66           United Aeroscience Institute         74           Vashon Industries         70           Warner Industries         66           W  | Model Aeronautic Publications           | - 65  |
| Mare-Craft Products Co.   Steve Muck's R/C Model Boat Supplies   66 Octura Models   72 Official Products/Publications,   Inc.   2d Cover Power, Inc.   4 Quality Hobby Shops   74 Radio Models   72 Rocket City RC Specialties   66 Rocket Development Corp.   65 Royal Electronics Corp.   38D Scientific Models, Inc.   50, 51 Semroc   66 Roland B. Smith   66 Spacial Products Limited   56, 57 Jack Staffard Models   56, 57 Stanton Hobby Shop, Inc.   71 Sterling Models, Inc.   58, 59 Su-Pr-Line Products   57 Tatone Products   58 Tatone Products   57 Tatone Products   58 Tatone Products   57 Tatone Products   58 Tatone Products   57 Tatone    | Model Boathouse                         | over  |
| Steve Muck's R/C Model Boat Supplies 66 Octura Models 72 Official Praducts/Publications, Inc. 2d Cover Power, Inc. 4 Quality Hobby Shops 74 Radio Models 72 Rocket City RC Specialties 66 Rocket Development Corp. 65 Royal Electronics Corp. 38D Scientific Models, Inc. 50, 51 Semroc 66 Roland B. Smith 66 Roland B. Smith 66 Spacial Products Limited 56, 57 Jack Stafford Models 49 Stanton Hobby Shop, Inc. 71 Sterling Models, Inc. 58, 59 Su-Pr-Line Products 57 Tatone Products 65 Top Flite Models, Inc. 38A Trophy World, Inc. 66 United Aeroscience Institute 74 Vashon Industries 66 Westee Hobby Imports 61  | Mara-Craft Products Co.                 | . 01  |
| Official Products/Publications,   Inc.   | Steve Muck's R/C Model Boat Supplies    | - 66  |
| Inc.   | Octure Models                           | . 72  |
| Power, Inc.  | Official Products/Publications,         | Over  |
| Quality Hobby Shops 74 Radio Models 72 Rocket City RC Specialties 66 Rocket Development Corp. 65 Royal Electronics Corp. 38D Scientific Models, Inc. 50, 51 Semroc 66 Roland B. Smith 66 Roland B. Smith 57 Jack Stafford Models 49 Stanton Hobby Shop, Inc. 71 Sterling Models, Inc. 58, 59 Su-Pr-Line Products 57 Tatone Products 57 Tatone Products 65 Top Flite Models, Inc. 38A Trophy World, Inc. 66 United Aeroscience Institute 74 Vashon Industries 70 Warner Industries 66 Westee Hobby Imports 61   | 111-0 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 4     |
| Radio Models   72  | Quality Hobby Shops                     |       |
| Rocket City RC Specialties         66           Rocket Development Corp.         65           Royal Electronics Corp.         38D           Royal Products Corp.         38D           Scientific Models, Inc.         50, 51           Semroc         66           Roland B. Smith         66           Spacial Products Limited         56, 57           Jack Stafford Models         49           Stanton Hobby Shop, Inc.         71           Sterling Models, Inc.         58, 59           Su-Pr-Line Products         57           Tatone Products         65           Top Flite Models, Inc.         38A           Trophy World, Inc.         66           United Aeroscience Institute         74           Vashon Industries         70           Warner Industries         66           Westee Hobby Imports         61   | Radio Models                            | . 72  |
| Royal Electronics Corp.         53           Royal Products Corp.         38D           Scientific Models, Inc.         50, 51           Semroc         66           Raland B. Smith         66           Spacial Products Limited         56, 57           Jack Stafford Models         49           Stanton Hobby Shop, Inc.         71           Sterling Models, Inc.         58, 59           Su-Pr-Line Products         57           Tatone Products         65           Top Flite Models, Inc.         38A           Trophy World, Inc.         66           United Aeroscience Institute         74           Vashon Industries         70           Worner Industries         66           Westee Hobby Imports         61  | Rocket City RC Specialties              | . 66  |
| Royal Products Corp. 38D   Scientific Models, Inc. 50, 51   Semroc 66   Roland B. Smith 66   Spacial Products Limited 56, 57   Jack Stafford Madels 49   Stanton Hobby Shop, Inc. 71   Sterling Models, Inc. 58, 59   Su-Pr-Line Products 57   Tatone Products 65   Top Flite Models, Inc. 38A   Trophy World, Inc. 66   United Aeroscience Institute 74   Vashon Industries 70   Warner Industries 66   Westee Hobby Imports 61   | Rocket Development Corp.                | 53    |
| Scientific Models, Inc.   50, 51   | Poval Products Corp.                    | 38D   |
| Semroc   | Scientific Models, Inc                  | 0, 51 |
| Roland B. Smith         66           Spacial Products Limited         56, 57           Jack Stafford Madels         49           Stanton Hobby Shop, Inc.         71           Sterling Models, Inc.         58, 59           Su-Pr-Line Products         57           Tatone Products         65           Top Flite Models, Inc.         38A           Trophy World, Inc.         66           United Aeroscience Institute         74           Vashan Industries         70           Warner Industries         66           Westee Hobby Imports         61   | Semroc                                  | - 66  |
| Jack Stafford Madels         49           Stanton Hobby Shop, Inc.         71           Sterling Models, Inc.         58, 59           Su-Pr-Line Products         57           Tatone Products         65           Tap Flite Models, Inc.         38A           Traphy World, Inc.         66           United Aeroscience Institute         74           Vashon Industries         70           Worner Industries         66           Westee Hobby Imports         61  | Roland B. Smith                         | . 66  |
| Stanton Hobby Shop, Inc.   71  | Spacial Products Limited                | 0, 57 |
| Sterling Models, Inc.  | Stanton Hobby Shop Inc.                 | . 71  |
| Su-Pr-Line Products         57           Tatone Products         65           Top Flite Models, Inc.         38A           Traphy World, Inc.         66           United Aeroscience Institute         74           Vashon Industries         70           Worner Industries         66           Westee Hobby Imports         61   | Sterling Models, Inc                    | 8, 59 |
| Tatone Products         65           Top Flite Models, Inc.         38A           Trophy World, Inc.         66           United Aeroscience Institute         74           Vashon Industries         70           Worner Industries         66           Westee Hobby Imports         61  | Su-Pr-Line Products                     | . 57  |
| Trophy World, Inc  | Tatone Products                         | . 65  |
| United Aeroscience Institute         74           Vashon Industries         70           Warner Industries         66           Westee Hobby Imports         61  | Top Flite Models, Inc.                  | 38A   |
| Vashon Industries         70           Warner Industries         66           Westee Hobby Imports         61  |   |       |
| Warner Industries  |   |       |
| Westee Hobby Imports   | Worner Industries                       | 66    |
| Williams Brothers 68   | Westee Hobby Imports                    | - 61  |
|  | Williams Brothers                       | 08    |

#### LIKE TO FLY?

No matter what you fly, you will profit from reading these books. -Now in their second printing. happy, return for refund MODEL AFREMANTIC PUON. . BOX 135 . MORTHRIDGE . CALIF.



#### QUALITY HOBBY SHOPS

MASSACHUSETTS-CAMBRIDGE

Model Planes, motors, milroads, ships, Radio Control Equipment and Accessories. Model Railroad Racing

Specialists.
Open 9:15 a.m. to 6 p.m. daily & Thurs. evenings.

CROSBY'S HOBBY CENTRE KI 7-4389 1704A Massachusetts Ave.

CALIFORNIA-OAKLAND

Trade up to new R/C Equipment Noon-5 P.M. Eves. 7-9 P.M.

ROOT'S HOBBY HUT 6036 Telegraph Ave., Oakland

ILLINOIS-RANTOUL

Serving Channte Air Panes Base Personnel. Complete line of smored airplane and slot car supplies.

SLOT & WING HOBBIES

511 South Century

(217) 892-4764

OHIO-CLEVELAND

We carry the most complete line iii Ohio for you model similane hobby. Also large HO train dept. boats, R/C. slot racing, manage, parts, supplies, dope balsa, tools, books, magazines, etc.

NATIONAL HOBBY INC.

5238 Ridge Road

749-4750

#### CLASSIFIED ADVERTISEMENTS

Everyone reads the classified. Here is a section for anyone with something to buy or sell. Rates: Me per word (including name and address). Minimum 14 words. Send remainance with copy and order to: AMERICAN AIRCRAFT MODELER, 1012 14th St., N. W., Washington, D. C. 2008.

FUEL - Nitrated. \$5.00 Gallon. Dealer Inquiry Invited. "HOT BOW CITY," 2000 Sepulveda, Torrance, Vited. "T

Calif. 98593.

BACK ISSUES Air Trails, Air Progress, Aero Digest, Plying, Plying Aces, Popular Aviation, Aeromodeller, Airnews, M.A.N., 807 model, pulps, etc. AVIATION DAGGAZINES, 24248 S. Crenshaw Bivs., Torrance,

Calif. 98585.

SUBMINIATURE MICRO SWITCH for electric brakes, faps. etc. \$1.00 each. 3 for \$2.50. R&D PRODUCTS. Bex 484, Paramus, N. J. 97682.

MAD SCIENTIST? WILD CHEMIST? Now you can be full. Send self-addressed, stamped envelope in Free 1968 Encyclopedia of Professional Laboratory Equipment, Over 75 different chemicals, specimens for dissecting, laboratory apparatus and glassware BRISTOL HOBBY CENTER, 43 Middle St., Bristol, Conn. 66911.

147 Derby St., Batton, Eng.

989 WORLD-FAMOU'S Museum quality scale flying
aircraft plans. List the S17.00. Some kits. Catalog IMP.
CLEYELAND-DESIGNED MODELS, 1999 Lorain,
Cleveland, Oblo 44102.

HUNDREDS GLO, Diesel Engines, Kits, Props.
SCHWAGERMAN, 303 W. Astor, Lee's Summit, Mo.

sees. E.C. FW 199A3 plans. 68" span, complete R.C details, 34.00. Detailed canopy, 33.25. Feamcraft wing, 318.95. BOB BOLMAN, P. O. Box 741M, San Bernardine, Calif. 92493.

Calif. 92402.

WANTED: McCoy 60 engine in good condition. Advise price. Write to: E. J. OTIS. M.D., 80 Queen Anne Dr., Shrewsbury. N. J. 97704.

E. C. PLANES — Ready to Fly. 65° P-51 Sabre. 288.
Bronco — 65°, 356. Includes new torp — 45 R.C engine — wheels — tank —prop. Send for list of other planes. We sell all model supplies. METEOR MODEL AIRPLANE CO., 1888 W. 6th St., Brocklyn. N. Y. 11223.

NEW KRAFT KP4S \$345.00. BONNER ARS \$325.00. Both 72. Used Logicirol SSS 6 serves \$245.00. Lanier Sabre kit \$88.98. Aristo Cat kit \$19.95. UNKLE PHIL, 4825 E. Breadway, Tampa, Fla. 33695.

#### LEARN AVIATION AT HOME

United AeroScience Institute offers courses in navigation, aerodynamics, communica-tions, and weather to arm chair, future and professional aviators. Subjects taught in your own home in an enjoyable method. Write.

United AeroScience Institute P.O. Box 4106 Dept. B Torrance, California 90503



### YOU said it!

Continued from page 11

interested because of price or work involved.

I found getting into R/C easier because of previous experience in modeling. I was helped along immensely by my father and the R/C club in our town. Their encouragement to continue the hobby also helped.

By the way, I wouldn't suggest R/C to any junior, unless he had an interested relative; in my case, my father. If he hadn't bought the radio gear, I wouldn't be in this hobby now. Money also helps. I spent \$60 on my last model, a Senior Falcon.

By the way, I am 14.

Bill Black, Beaumont, Tex.

#### Take a bow, Dave Thornburg

Last year, you published "The Zephyr" by Dave Thornburg. Our club, "Blue Mountain Buzz Bombs," would like to contact Mr. Thornburg to obtain further in-formation. Would it be possible to obtain his mailing address?

I was so impressed with this article, that I purchased the plans and built an R/C glider. I believe this to be the ideal way to get the younger members started in R/C. Yes, I have a multi outfit, but I still feel that there is nothing so graceful or beautiful as a glider hunting a thermal.

Larry Shank, Harrisburg, Pa.

Any reader may address a letter to an author in care of American Aircraft Modeler. We will be happy to forward.

#### **Un-United Nations**

Purchased a huge model glider kit called the "Baron." Apparently, this kit is from Germany. Very fine wood, excellent plans, and quite simple to put together. But I had to spend quite a little time with a German friend to learn the metric system and to help decipher the German, There are English instructions, but in the translation, something is lost. It says: "Block up the bottom from point 'O' 3 MM. Then at point 7, block up 9 MM etc." The fun came when I started to ask "What the heck is a millimeter, and how much is that in inches?" I have the fuselage assembled and I still don't know exactly how much a millimeter is. I just put a ruler on the plan and tried to get as close as I could in 64ths of an inch. Hope we don't run into language problems on the first flight because with a German plane, Japanese controls, American transmitter, Italian engine, and a dumb Polack at the controls, there could be trouble. . . .

Tony Michael, Bryant, Wis.

#### From the land of the Incas

I have been trying to send a bank draft to you before now to renew my subscription, however with the economical crisis in Peru it has been impossible to exchange U.S. dollars until recently.

I know how busy you are and how many thousands of subscriptions you have to deal with. However, could I please beg of you to continue the present subscription where the old one expired, so that I won't miss any issues of your wonderful magazine that helps us "out of the way" people so much with our hobby.

Manuel Suarez O., Peru, S. A.

# FLIGHT-CONTROL PRODUCTS

1937 Simmons Salina, Kansas

67401

#### **NEW .049 THROTTLE ENGINES**


THROTTLES THAT REALLY WORK
CONTINUOUS IDLE WITHOUT FLOODING
DESIGNED ESPECIALLY FOR RC




QUEEN BEE with throttle \$10.95

QUEEN BEE: uses the famous Cox Babe Bee crankcase and modified Cox 290 piston & cylinder. New backplate allows you to use your own fuel tank for longer flights. You will be amazed at the extra power available from a QUEEN BEE.

BUMBLE BEE uses the famous Cox Babe Bee crankcase and modified Cox Q.Z. piston & cylinder. Modified tank mantains miniature carburetor type throttle. Tank is larger than standard Babe Bee tank for longer flights.



#### NEW TWIN ENGINE CONVERSION KITS




BABE BEE OR QUIET ZONE .049 ENGINES BALL BEARING MAIN SHAFT TOTAL DISPLACEMENT .098 TOTAL WEIGHT 6-3/4 oz.

Complete Conversion Kit \$19.95 Kit with 2 Babe Bee's 29.95 Kit with 2 Quiet Zone Engines 31.95 Add \$2.00 for assembled units BY USING THE GEARED CONVERSION KIT AT LEFT AND TWO QUEEN BEE ENGINES ABOVE, YOU CAN HAVE AN EXTRA HOT R/C IWIN 049. THE POWER OF THESE TWINS WILL APPROACH THAT OF .15°s.

> 12,500 RPM with 7x4 props. 8,500 RPM with 9x4 props.

ASSEMBLED AND TESTED \$34.95 COMPLETE KIT WITH ENGINES 29.95 CONVERT OLD OR NEW ENGINES TO ALTERNATE FIRING INLINE TWINS



#### TWIN K I B ENGINES

Assembled 19's with carb. \$49.9\$
Assembled 19's less carb. 37.95
Assembled 35's with carb. 59.95
Machined Crankcases only 14.95

AVAILABLE AT YOUR DEALERS NOW

IF NO DEALER IN YOUR AREA SEND CHECK OR MONEY ORDER DIRECT

Send 25c For 1968 Catalog

# FIGHT-CONTROL PRODUCTS

1937 SIMMONS . SALINA, KANSAS 67401



Ifter more than a year of research, evaluating the world's finest engines, MRC has formed an association with the famous West German WEBRA company . . . The revolutionary MRC-WEBRA .61 incorporates a new type of carburetor. The inventor, WEBRA's Guenther Bodeman created a throttle valve that gives much stronger fuel draw at low speed resulting in dependable idle. The unique automix control allows maximum power with the throttle wide open . . . In an ordinary R/C engine the throttle valve regulates only the amount of air, after the needle valve has been set. If an exhaust restrictor is attached to the engine a change in throttle valve setting damps and simultaneously chokes the engine to slow it down.

- In this new MRC-WEBRA .61 a connected automix control also increases or decreases the fuel flow for optimum performance. While most engines can only regulate airflow and damping while in flight this remarkable carburetor changes the fuel flow as well to give peak performance over a widest speed range.
- For power when you need it most . . . In difficult maneuvers—outside loops, vertical eights. For dependable idle in touch and go and precision landings, this engine stands out above all for its controlled performance.
- Your dealer can now show you this advanced design engine that will deliver all the performance designed into your airplane and R/C system. . . Be First with the WEBRA .61 TV \_\$59.50. Also, a marine version of this engine—\$57.50. Muffler—\$6.95. Throttle Valve—\$14.95.